


ODACITE COLOR BALM - BRONZE JOLIE- zinc oxide lotion
Odacite

Odacite Color Balm - Bronze Jolie

Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING. 2034_CX

DRUG FACTS

Active Ingredient	Purpose
Zinc Oxide, 20%	Sunscreen

Uses: Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. to 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: C28-28 Alkyl Dimethicone, Caprylic/Capric Triglyceride, C12-15 Alkyl Dimethicone, Polymethylsiloxane, Mica, Iron Oxides (CI 77490), Butyloctyl Salicylate, Isohexadecane, Caprylyl Methicone, Synthetic Fluoropolymer, VP/Eicosene Copolymer, Isododecane, Titanium Dioxide (CI 77891), Silica, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydricystearate, Tocopherol, C15-15 Alkane, Lecithin, Propylene Glycol, Tocopheryl Acetate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Trihydroxycaprylylsilane, Tin Oxide, Phenylpropanediol, Caprylyl Glycol, Aluminum Dimyristate, Dodecyl Stearoyl Glutamate, Citric Acid, Propylene Glycol.

Other Info: Protect the product in this container from excessive heat or direct sun.

HOW TO USE: Apply with back of fingers. Layer to build color intensity. Instantly enhance your complexion with a purpose-built color balm. SPF 50. Refreshes your bare skin with a nourishing Vitamin E.

BRONZE JOLIE



SPF 50
COLOR BALM
Baume Couleur
BRONZE JOLIE

Broad Spectrum SPF 50 Sunscreen
Ecran Solaire SPF 50 à Large Spectre

5ml e 0.17 oz

Rehaussez instantanément votre teint avec une magnifique touche de couleur riche en esters naturels. OUA OUVRE la pollution et rafraîchit votre peau avec un enrichissant à la Vitamine E. **MODE D'EMPLOI:** Appliquez au dos des doigts. Superposez pour intensifier la couleur.


Made in USA with ingredients from around the world.
100% Recycled Ink. Recycled Paper.
100% Recycled Paper. Recycled Paper.
100% Recycled Paper. Recycled Paper.

8 50061 14919 0

Mix Paper FSC® C001755


Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork



Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING - 2034_CX

DRUG FACTS
Active Ingredient: Zinc Oxide, 20%
Purpose: Sunscreen

Uses: Helps prevent sunburn if used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: C18-28 Alkyl Dimethicones, Caprylic/Capric Triglyceride, Octocrylene, Sodium Benzoate, Polydimethylsiloxane, Mica, Iron Oxides (CI 77491), Butylacetyl Salicylate, Isohexadecane, Caprylyl Methacrylate, Synthetic Fluoropolymer, VP/Eicosene Copolymer, Isododecane, Titanium Dioxide (CI 77891), Silica, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydroxystearate, Tocopherol, C15-16 Alkane, Lecithin, Propylene Glycol, Tocopheryl Acetate, Iron Oxides (CI 77492), Iron Oxides (CI 77490), Tetrahydrocannabinol, Tin Oxide, Phenylpropanediol, Caprylyl Glycol, Aluminum Dimyristate, Dihydroxy Stearoyl Glutamate, Citric Acid, Propylene Glycol

Other Info: Protect the product in this container from excessive heat or direct sun.

Produit fabriqué en France
Produced in France
Produit fabriqué en France
Produced in France

BRONZE JOLIE

ODACITÉ
CALIFORNIA

SPF 50
COLOR BALM
Baume Couleur
BRONZE JOLIE

Broad Spectrum SPF 50 Sunscreen
Ecran Solaire SPF 50 à Large Spectre
5ml e 0.17 oz

Made in USA with ingredients from around the world
Fabriqué aux États-Unis avec des ingrédients du monde entier
Produced in USA with ingredients from around the world
Produced in USA with ingredients from around the world


8 50061 14919 0

MIX Paper
FSC® C001755

Recommandé pour une utilisation en France
Recommended for use in France
Recommandé pour une utilisation en France
Recommended for use in France

Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING. 2034_CX

DRUG FACTS

Active Ingredient	Purpose
Zinc Oxide, 20%	Sunscreen

Uses: Helps prevent sunburn if used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. – 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: C18-28 Alkyl Dimethicones, Caprylic/Capric Triglyceride, Citric Acid, Sodium Benzoate, Polydimethylsiloxane, Mica, Iron Oxides (CI 77491), Butyltolyl Salicylate, Isohexadecane, Caprylyl Methacrylate, Synthetic Fluoropolymer, VP/Eicosene Copolymer, Isododecane, Titanium Dioxide (CI 77891), Silica, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydroxystearate, Tocopherol, C12-15 Alcohols, Lecithin, Propyleneol, Tocopheryl Acetate, Iron Oxides (CI 77492), Iron Oxides (CI 77490), Triethoxycarbonylsilane, Tin Oxide, Phenylpropanediol, Caprylyl Glycol, Aluminum Dimyristate, Dihodium Stearoyl Glutamate, Citric Acid, Propylene Glycol

Other Info: Protect the product in this container from excessive heat or direct sun.

Ne pas utiliser ce produit sur une peau irritée ou blessée. Ne pas utiliser sur une peau irritée ou blessée. Ne pas utiliser sur une peau irritée ou blessée. Ne pas utiliser sur une peau irritée ou blessée.

BRONZE JOLIE

ODACITÉ
CALIFORNIA

SPF 50
COLOR BALM
Baume Couleur
BRONZE JOLIE

Broad Spectrum SPF 50 Sunscreen
Ecran Solaire SPF 50 à Large Spectre
5ml e 0.17 oz


Mix Paper
FSC® C001755

Rejetez soigneusement votre produit dans une poubelle appropriée. Ne jetez pas ce produit dans les égouts. Ne jetez pas ce produit dans les égouts. Ne jetez pas ce produit dans les égouts.

MODE D'EMPLOI: Appliquez généreusement sur la peau avant l'exposition à la lumière du soleil. Réappliquez fréquemment.


Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork




Odacite Color Balm - Bronze Jolie

Standard component photo
Artwork



Standard component photo
Artwork



ODACITE COLOR BALM - BRONZE JOLIE

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82088-498
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	220 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
C26-28 ALKYL DIMETHICONE (2500 MW) (UNII: WMM99KDT6S)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
TIN OXIDE (UNII: KM7N50LOS6)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MICA (UNII: V8A1AW0880)	
ISODODECANE (UNII: A8289P68Y2)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4WMY)	
CITRIC ACID (UNII: 2968PHW8QP)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	

Product Characteristics

Color	brown	Score	
Shape		Size	

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82088-498-02	1 in 1 CARTON	02/15/2025	
1	NDC:82088-498-01	5 mL in 1 JAR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	02/15/2025		

Labeler - Odacite (079682742)

Revised: 5/2026

Odacite