


**ODACITE COLOR BALM - SIENNA ROSE- zinc oxide lotion**  
**Odacite**

-----

**Odacite Color Balm - Sienna Rose**

**Odacite Color Balm - Sienna Rose**

Standard component photo  
Artwork



SIENNA ROSE



SPF 50  
COLOR BALM  
Baume Couleur

SIENNA ROSE

Broad Spectrum SPF 50 Sunscreen  
Ecran Solaire SPF 50 à Large Spectre

5ml e 0.17 oz

**DRUG FACTS**  
**Active Ingredient:** Zinc Oxide, 20%  
**Purpose:** Sunscreen

**Uses:** Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients:** Mica, C26-28 Alkyl Dimethicone, Caprylic/Capric Triglyceride, Polymethylsiloxane, Isohexadecane, Iron Oxides (CI 77491), Butylacetyl Salicylate, Isododecane, Caprylyl Methacrylate, VP/Eicosane Copolymer, Silica, Polyglyceryl-3 Diacetate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydroxyacetate, Titanium Dioxide (CI 77891), C12-15 Alkane, Lecithin, Phenylpropanol, Propandiol, Caprylyl Glycol, Tocopheryl Acetate, Triethoxypropylsilane, Aluminum Dihydroxide, Bisulfolium Stearyl Glucamate, Tocopherol, Citric Acid, Iron Oxides (CI 77499), Propylene Glycol

**Other info:** Protect the product in this container from excessive heat or direct sun.

liberally rubs on your complexion with a generous turn of color. It is water-resistant and will keep your skin protected from the sun. The SPF 50 MultiBlock color balm protects your skin from the sun. HOW TO USE: Apply with hands or fingers. Cap to hold color intensity.

Rehausser instantanément votre teint avec une magnifique touche de couleur tout en résistant protégé des UVA/UVB de la pollution et de la chaleur. Le baume à lèvres SPF 50 est enrichi en ingrédients naturels. MODE D'EMPLOI: Appliquez au pinceau ou à doigt. Supprimez pour intensifier la couleur.

UNCOATED SIDE GLUE


GLUE NO PRINT OR COATING. 2034\_CX

Made in USA with ingredients from Around the World.  
Los Angeles, CA 90001  
Circle 30, 3100 Emeryville, CA 94608  
Circle 30, 3100 Emeryville, CA 94608



8 50061 14918 3

Standard component photo  
Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING. 2034\_CX

**DRUG FACTS**

Active Ingredient	Purpose
Zinc Oxide, 20%	Sunscreen

**Uses:** Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients:** Mica, C26-28 Alkyl Dimethicone, Caprylic/Capric Triglyceride, Polymethylsiloxanequinoxaline, Isohexadecane, Iron Oxides (CI 77491), Butyryl Salicylate, Isododecane, Capryl Methacrylate, VP/Eicosane Copolymer, Silica, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydroxyacetate, Titanium Dioxide (CI 77891), C12-15 Alkane, Lecithin, Phenylpropanol, Propandiol, Caprylyl Glycol, Tocopheryl Acetate, Triethylhexylsilyl silane, Aluminum Dihydroxide, Bisulfolium Stearyl Glucamate, Tocopherol, Citric Acid, Iron Oxides (CI 77499), Propylene Glycol

**Other Info:** Protect the product in this container from excessive heat or direct sun.

liberally enhances your complexion with a perfect, natural tint of color. It helps prevent sunburn and decreases the risk of skin cancer and early skin aging. Use as directed. For more information, visit our website at [www.odaweb.com](http://www.odaweb.com).  
HOW TO USE: Apply with hands or fingers. Layer to build color intensity.

SIENNA ROSE

**ODACITÉ**  
CALIFORNIA

SPF 50  
**COLOR BALM**  
Baume Couleur

**SIENNA ROSE**

Broad Spectrum SPF 50 Sunscreen  
Ecran Solaire SPF 50 à Large Spectre

5ml e 0.17 oz

Rehaussez instantanément votre teint avec une magnifique touche de couleur tout en résistant contre les UV-A/UV-B de la pollution et de la chaleur. Appliquez avec les doigts ou sur un applicateur. Réappliquez au moins toutes les 2 heures.  
MODE D'EMPLOI: Appliquez au préalable sur peau ou sur doigts. Superposez pour intensifier la couleur.


Made in USA with ingredients from around the world.  
Last updated: 04/2018  
O'DACITÉ, O'DACITÉ CALIFORNIA, O'DACITÉ CALIFORNIA COLOR BALM, O'DACITÉ CALIFORNIA COLOR BALM Baume Couleur, O'DACITÉ CALIFORNIA SIENNA ROSE, O'DACITÉ CALIFORNIA SIENNA ROSE Baume Couleur, O'DACITÉ CALIFORNIA SIENNA ROSE SPF 50 Sunscreen, O'DACITÉ CALIFORNIA SIENNA ROSE SPF 50 à Large Spectre, O'DACITÉ CALIFORNIA SIENNA ROSE SPF 50 Sunscreen Ecran Solaire SPF 50 à Large Spectre, O'DACITÉ CALIFORNIA SIENNA ROSE SPF 50 Sunscreen Ecran Solaire SPF 50 à Large Spectre Baume Couleur, O'DACITÉ CALIFORNIA SIENNA ROSE SPF 50 Sunscreen Ecran Solaire SPF 50 à Large Spectre Baume Couleur.

8 50061 14918 3

MIX Paper FSC FSC C001755

# Odacite Color Balm - Sienna Rose

Standard component photo  
Artwork




# Odacite Color Balm - Sienna Rose

Standard component photo  
Artwork



# Odacite Color Balm - Sienna Rose

Standard component photo  
Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING. 2034\_CX

**DRUG FACTS**

**Active Ingredient:** Zinc Oxide, 20% **Purpose:** Sunscreen

**Uses:** Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients:** Mica, C25-28 Alkyl Dimethicone, Caprylic/Capric Triglyceride, Polyethylsiloxane, Isobutylacrylate, Iron Oxides (CI 77491), Butylacetyl Salicylate, Isododecane, Caprylyl Methacrylate, VP/Eicosane Copolymer, Silica, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Stearate, Polyglyceryl-2 Dipolyhydroxysearate, Titanium Dioxide (CI 77891), C13-15 Alkane, Lecithin, Phenylpropanediol, Propandiol, Caprylyl Glycol, Tocopheryl Acetate, Triethoxycaprylylsilane, Aluminum Dimyristate, Disodium Stearyl Glutamate, Tocopherol, Citric Acid, Iron Oxides (CI 77499), Propylene Glycol

**Other Info:** Protect the product in this container from excessive heat or direct sun.

NON-UV GLUE: Apply with brush or finger. Open to build color intensity. Reapply as needed. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

SIENNA ROSE

**ODACITÉ**  
CALIFORNIA

SPF 50  
**COLOR BALM**  
Baume Couleur

SIENNA ROSE

Broad Spectrum SPF 50 Sunscreen  
Ecran Solaire SPF 50 à Large Spectre

5ml e 0.17 oz

Rehaussez instantanément votre teint avec une magnifique touche de couleur tout en restant protégé des UVB/UVB. De la pollution et du stress. Utilisez avec un baume couleur SPF 50 amical et hydratant. **MISE EN GARDE:** N'appliquez sur visage ou à l'œil. Supprimez pour intensifier le couleur.


Made in USA with ingredients from around the world  
Los Angeles, CA 90018  
Canada: 514-333-8888, Montreal  
Ottawa, ON, Les Docks, 2081 L1, ON






## **Odacite Color Balm - Sienna Rose**

Standard component photo  
Artwork



Standard component photo  
Artwork



zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82088-499
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	220 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
CITRIC ACID (UNII: 2968PHW8QP)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MICA (UNII: V8A1AW0880)	
ISODODECANE (UNII: A8289P68Y2)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4WMY)	
PROPANEDIOL (UNII: 5965N8W85T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

## Product Characteristics

<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82088-499-02	1 in 1 CARTON	02/15/2025	
1	NDC:82088-499-01	5 mL in 1 JAR; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2025	

**Labeler** - Odacite (079682742)

Revised: 5/2026

Odacite