


ODACITE COLOR BALM - GOLDEN HOUR- zinc oxide lotion
Odacite


Odacite Color Balm - Golden Hour

Odacite Color Balm - Golden Hour

Standard component photo
Artwork




Standard component photo
Artwork



Odacite Color Balm - Golden Hour

Standard component photo

Artwork



UNCOATED SIDE GLUE

GLUE NO PRINT OR COATING. 2034_CX

DRUG FACTS
Active Ingredient _____ **Purpose** _____
 Zinc Oxide, 20% _____ Sunscreen

Uses: Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if skin rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: limit your time in the sun, especially from 10 a.m. to 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients: Calcium Sodium Borosilicate, C26-28 Alkyl Dimethicone, Caprylic/Capric Triglyceride, Polymethylsiloxane, Bis(Octyl) Sebacate, Mica, Isobutylacrylate, Titanium Dioxide (CI 77891), Caprylyl Methicone, Iron Oxides (CI 77499), Synthetic Fluorphlogopite, Isobutylacrylate, VP/Eicosane Copolymer, Silica, Polycaprylyl-β-Diisocyanate, Polyglyceryl-3 Ricinoleate, Polyglyceryl-2 Dipolyhydroxyacetate, C13-15 Alkane, Lecithin, Phenylenediamine, Propylal, Iron Oxides (CI 77492), Caprylyl Glycol, Tin Dioxide, Tocopheryl Acetate, Triethoxycaprylylsilane, Aluminum Dimyristate, Disodium Stearoyl Glutamate, Iron Oxides (CI 77499), Tocopherol, Citric Acid, Propylene Glycol

Other Info: Protect the product in this container from excessive heat or direct sun.

Apply with hands or fingers. Apply to hold color evenly.

GOLDEN HOUR

ODACITÉ
CALIFORNIA

SPF 50
COLOR BALM
Baume Couleur

GOLDEN HOUR

Broad Spectrum SPF 50 Sunscreen
Ecran Solaire SPF 50 à Large Spectre

5ml e 0.17 oz

Made in USA with ingredients from around the world.
 Contains: 100% Natural
 Made in USA. Contains: 100% Natural
 Made in USA. Contains: 100% Natural

Recycling symbols and FSC logo.


Refluxer instantanément votre tube avec une nouvelle couche de couleur tout en restant protégé de l'UV-A/UV-B de la pollution et de la lumière bleue grâce à ce baume couleur SPF 50 enrichi en Vitamine E nourrissante.

MODE D'EMPLOI : Appliquez sur peau ou sur l'objet. Soulevez pour réappliquer à l'usage.

Odacite Color Balm - Golden Hour

Standard component photo


Artwork



Odacite Color Balm - Golden Hour


Standard component photo

Artwork



Odacite Color Balm - Golden Hour

Standard component photo
Artwork



zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82088-500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	220 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENYLPROPANOL (UNII: 0F897O3O4M)	
CITRIC ACID (UNII: 2968PHW8QP)	
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
TIN OXIDE (UNII: KM7N50LOS6)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MICA (UNII: V8A1AW0880)	
ISODODECANE (UNII: A8289P68Y2)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4WMY)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
PROPANEDIOL (UNII: 5965N8W85T)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82088-500-02	1 in 1 CARTON	02/15/2025	
1	NDC:82088-500-01	5 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/15/2025	

Labeler - Odacite (079682742)

Revised: 5/2026

Odacite