

**BLOOMEFFECTS TULIP DEW BRONZE- zinc oxide lotion**  
**Bloomeffects**

-----

**Bloomeffects Tulip Dew Bronze**

**Bloomeffects Tulip Dew Bronze**



Field to Formula  
Powered by Upcycled Tulips

PROPRIETARY DUTCH TULIP COMPLEX

BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)

Fragrance Free

30 ml | 1 fl. oz.

A hydrating, silk-fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.

POWERED BY UPCYCLED TULIPS FROM 4TH GENERATION FAMILY FARM

**Drug Facts**

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses**

Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

**Drug Facts (continued)**

- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
  - Limit your time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

Children under 6 months of age: ask a doctor. Shake well.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Jacobs Esters, Caprylo/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Triethyl Salicylate, Niacinamide, Water-1, Methylpropanediol, Silica, Polyglyceryl-2 Dibehydroxysebacate, Coco-Caprylate/Caprate, Copernicia Kaumanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Laminaria Saccharum Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Elatus Fruit Extract, Magnesium Timorense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radiolium Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Coco-Caprylate/Caprate, Capryl Glycol, Methylhexyl Benzoate, Humic Acids, Stearic Acid, Stearoyl Glucoside, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Perfluoro Glycerol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.

Made in USA of US & Imported Ingredients.  
DISTR. BY BPAE BLOOMEFFECTS INC.  
NEW YORK, NY 10022.  
Distributed in Canada by  
BLOOMEFFECTS.COM



**Bloomeffects Tulip Dew Bronze**



Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.

A hydrating, mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.

POWERED BY UPCYCLED  
TULIPS FROM 4TH  
GENERATION FAMILY FARM

**Drug Facts**

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses**  
 ■ Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use & ask a doctor if skin rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally 15 minutes before sun exposure.  
 ■ REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

**Drug Facts (continued)**

■ Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:  
 ■ limit your time in the sun, especially from 10 a.m. – 2 p.m.  
 ■ wear long-sleeved shirts, pants, hats, and sunglasses  
 Children under 6 months of age: ask a doctor. Shake well.

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Jojoba Esters, Caprylic/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propylated Triethyl Salicylate, Niacinamide, Nylon-12, Methylpropanediol, Silica, Polyglyceryl-4 Diethylhexylsebacate, Cococaprylate, Tulipa Gesnerifolia/Kaumanniana Meristem Cell Lysate Extract, Helianthus Annuus (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Laminaria Eudodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Latus Fruit Extract, Phlogothym Timorensis Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Coco-Caprylate/Caprate, Caprylic Glycol, Methylhexyl Stearate, Humic Acids, Shearwaterum Hectoria, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyacrylate, Phenylpropanol, Tetrasodium glutamate Diacetate, Sodium Gluconate, Pentaerythritol Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77481, CI 77482, CI 77489.

Made in USA of US & Imported Ingredients.  
 GSTR, NYPAE, BLOOMEFFECTS INC.,  
 NEW YORK, NY 10002.  
 Questions or Comments?  
 Email: INFO@BLOOMEFFECTS.COM

BLOOMEFFECTS.COM



**Bloomeffects Tulip Dew Bronze**



Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.

A hydrating, silk-fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.



**Drug Facts**

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses**

Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.
- REAPPLY after 40 minutes of swimming immediately after towel drying at least every 2 hours.

**Drug Facts (continued)**


- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
  - Limit your time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: ask a doctor. Shake well.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Jacobs Esters, Caprylo/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Triethyl Salicylate, Niacinamide, Water-1, Methylpropanediol, Silica, Polyglyceryl-2 Diethylhexylselenate, Coco-Caprylate/Caprate, Copropylene Glycol, Methylhexyl Silsesquioxane, Stearic Acid, Stearalkonium Chloride, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentaerythritol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.

Made in USA of US & Imported Ingredients.  
DISTR. BY: BLOOMEFFECTS INC.,  
NEW YORK, NY 10022.  
Questions? Comment?  
Email: [info@bloomeffects.com](mailto:info@bloomeffects.com)  
BLOOMEFFECTS.COM



12.44mm

Bloomeffects Tulip Dew Bronze

Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE


Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.

Made in USA of US & Imported Ingredients.  
DISTR. BY PAUL BLOOMEFFECTS INC.,  
NEW YORK, NY 10012.  
Questions or Comments?  
Email: [info@bloomeffects.com](mailto:info@bloomeffects.com)  
BLOOMEFFECTS.COM



A hydrating, silk-like fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.



Drug Facts

Active Ingredient Purpose  
Zinc Oxide 12% Sunscreen

Uses

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.  
Do not use on damaged or broken skin.  
When using this product keep out of eyes. Rinse with water to remove.  
Stop use & ask a doctor if skin rash occurs.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply liberally 15 minutes before sun exposure.  
REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

Drug Facts (continued)

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:  
Limit your time in the sun, especially from 10 a.m. to 2 p.m.  
Wear long-sleeved shirts, pants, hats, and sunglasses.  
Children under 6 months of age: ask a doctor. Shake well.

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Water (Aqua), C12-15 Alkyl Benzoate, Jojoba Esters, Caprylic/Capric Triglyceride, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propylparaben, Tridecyl Salicylate, Niacinamide, Nylon-12, Methylpropanediol, Silica, Polyglyceryl-2 Dibehydrate, Polyglyceryl-3 Caprylate, Tilia Gestrenaria/Kaumanniana Meristem Cell Lysate Extract, Hibiscus Annuus (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Laminaria Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Latus Fruit Extract, Magnesium Timorensis Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Coco-Caprylate/Caprate, Caprylic/Glucol, Methylparaben, Biotin, Humic Acids, Stearamonium Hectorite, Polyglyceryl-4 Diisostearate, Polyglyceryl-3 Polyacrylate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentaerythritol Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.



12.44mm

# Bloomeffects Tulip Dew Bronze



Field to Formula  
Powered by Upcycled Tulips

PROPRIETARY DUTCH TULIP COMPLEX

BLOOMEFFECTS  
AMSTERDAM

TULIPSCREEN  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml / 1 fl. oz.

Made in USA of US & Imported Ingredients,  
DISTRIBUTOR: BLOOMEFFECTS INC.,  
NEW YORK, NY 10022.

Questions? Comments?  
Email: [info@bloomeffects.com](mailto:info@bloomeffects.com)  
BLOOMEFFECTS.COM



81002852

A hydrating, silk-like fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.

POWERED BY UPCYCLED  
TULIPS FROM AITH  
GENERATION FAMILY FARM

### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

#### Uses

Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally 15 minutes before sun exposure.
- REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

### Drug Facts (continued)

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
  - Limit your time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: ask a doctor. Shake well.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Jojoba Esters, Caprylic/Capric Triglyceride, Polyglyceryl-4 Diisostearate, Polyhydroxystyrene/Sebacates, Propanediol, Tridecyl Salicylate, Niacinamide, Nylon-12, Methylpropanediol, Silica, Polyglyceryl-4 Diethylhexylsebacate, Coco-Caprylate, Tulipa Gesneriata/Kaunmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus (Sunflower) Extract, Glycolin, Sodium Hydroxide, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Lentinus Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Puccoonus Equis Fruit Extract, Pteridium Timonense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leucosticte/Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Citrate, Coco-Caprylate/Caprate, Caprylic/Capric Methylglucosyl Stearate, Humic Acids, Stearalkonium Hectorite, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyolefate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentaerythritol Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.



# Bloomeffects Tulip Dew Bronze



Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.

Made in USA of US & Imported Ingredients.  
DISTR. BY PAR: BLOOMEFFECTS INC.  
NEW YORK, NY 10022

Discover our Commitment  
Email: [info@bloomeffects.com](mailto:info@bloomeffects.com)  
BLOOMEFFECTS.COM



8 50078 32111 4

A hydrating, silky-fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.



#### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

#### Uses

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Apply liberally 15 minutes before sun exposure.  
REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

#### Drug Facts (continued)

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
  - Limit your time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months of age: ask a doctor, Shake well.

#### Other information

Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzene, Jojoba Esters, Caprylic/Capric Triglyceride, Polycaprylate-4, Disostearyl Polyhydroxystearate/Sebacate, Propanediol, Triethyl Salicylate, Nicosamide, Nylon-12, Methylpropanediol, Silica, Polycaprylate, Dibutylhydroxystearate, Coco-Caprylate, Tulipa Gesneriata/Kaumanniana Monstera Collyrate Filix Extract, Hilaria Anexas (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Alantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Lentinus Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Latus Fruit Extract, Helogenium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Oenococcus Ferment Filix, Rosmarinus Officinalis Leaf Extract, Sodium Citrate, Coco-Caprylate/Caprate, Capryl Glycol, Methylerythrosulfate, Humic Acids, Stearic Acid, Lecithin, Polycaprylate-3, Polyvinylate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentylene Glycol, Sodium Hydroxide, Phenoxy Ethanol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.



12.44mm

# Bloomeffects Tulip Dew Bronze



Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS  
AMSTERDAM

TULIPSCREEN  
Dew Serum

50

BRONZE

Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.


Made in USA of US & Imported Ingredients,  
DISTRIBUTOR: BLOOMEFFECTS INC.,  
NEW YORK, NY 10022.

Questions? Comment?  
Email: [INFO@BLOOMEFFECTS.COM](mailto:INFO@BLOOMEFFECTS.COM)

BLOOMEFFECTS.COM



A hydrating, silk-fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.



### Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

#### Uses

Helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Apply liberally 15 minutes before sun exposure. REAPPLY after 40 minutes of swimming immediately after towel drying. At least every 2 hours.

### Drug Facts (continued)

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
  - Limit your time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: ask a doctor. Shake well.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzoate, Jojoba Esters, Caprylic/Capric Triglyceride, Polyglyceryl-4 Diisostearate, Polyhydroxystearate/Sebacate, Procaine, Triethyl Salicylate, Niacinamide, Nylon-12, Methylpropanediol, Silica, Polyglyceryl-4 Dibehydroxysebacate, Coco-Caprylate, Tulipa Gesneriata/Kauffmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Lantana Eridodes Extract, Terminalia Ferdinandiana Fruit Extract, Puccoonus Equis Fruit Extract, Pterogyneum Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leucanostoc/Radiolium Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Coco-Caprylate/Caprate, Caprylic/Capric Methylcellulose, Stearic Acid, Humic Acids, Stearalkonium Hectorite, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyolefate, Phenylpropanediol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentaerythritol Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.



# Bloomeffects Tulip Dew Bronze



Field to Formula  
Powered by Upcycled Tulips



BLOOMEFFECTS™  
AMSTERDAM

TULIPSCREEN™  
Dew Serum

50

BRONZE


Vitamins & Mineral Tinted Sunscreen  
Broad Spectrum SPF 50  
Water Resistant (40 Minutes)  
Fragrance Free

30 ml | 1 fl. oz.

Made in USA of US & Imported Ingredients.  
DISTR. BY PAR BLOOMEFFECTS INC.,  
NEW YORK, NY 10002.  
Please Recycle Responsibly.  
BLOOMEFFECTS.COM



A hydrating, silky-fluid broad spectrum mineral active sunscreen with just a hint of tint designed to minimize cast. Enriched with multivitamins to deliver serum-like benefits, skin is left protected & plump with an instant radiance and dewy glow.



**Drug Facts**

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses**  
 ■ Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 ■ For external use only.  
 ■ Do not use on damaged or broken skin.  
 ■ When using this product keep out of eyes. Rinse with water to remove.  
 ■ Stop use & ask a doctor if skin rash occurs.  
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Apply liberally 15 minutes before sun exposure.  
 ■ REAPPLY after 40 minutes of swimming immediately after towel drying at least every 2 hours.

**Drug Facts (continued)**

■ **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:  
 ■ limit your time in the sun, especially from 10 a.m. to 2 p.m.  
 ■ wear long-sleeved shirts, pants, hats, and sunglasses  
 Children under 6 months of age: ask a doctor. Shake well.

**Other information**  
 ■ Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients:** Water (Aqua), C12-15 Alkyl Benzene, Jojoba Esters, Caprylic/Capric Triglyceride, Polycaprylyl Dimethylsiloxane, Polyhydroxystearate/Sebacate, Propanediol, Triethyl Salicylate, Nicosamide, Nonyl-12, Methylpropanediol, Silica, Polycaprylyl Dimethylhydroxystearate, Coco-Caprylate, Tulipa Gesneriata/Kauffmanniana Monstera Coll Lysate Fibrae Extract, Helianthus Annuus (Sunflower) Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa (Rice) Bran Extract, Tocopherol, Laminaria Edodes Extract, Terminalia Fendersoniana Fruit Extract, Podocarpus Latus Fruit Extract, Helogenium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Oenococcus Ferment Filtrate, Sclerocarya Bicolors Leaf Extract, Sodium Chloride, Coco-Caprylate/Caprate, Caprylyl Glycol, Methylerythrityl Dimethylsulfate, Humic Acids, Stearalkonium Hectorite, Polycaprylyl Dimethylsiloxane, Polycaprylyl Dimethylsiloxane, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentaerythritol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana Water, Alcohol, Citric Acid, CI 77491, CI 77492, CI 77499.



# BLOOMEFFECTS TULIP DEW BRONZE

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82548-2768
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENETHYL ALCOHOL (UNII: ML9LGA7468)	
ORYZA SATIVA WHOLE (UNII: 84IVV0906Z)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
ALCOHOL (UNII: 3K9958V90M)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
HYDROLYZED JOJOBA ESTERS (UNII: UDR641JW8W)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
NYLON-12 (UNII: 446U8J075B)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
METHYLHEPTYL ISOSTEARATE (UNII: 981F40Q9FF)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
ALLANTOIN (UNII: 344S277G0Z)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ROSMARINUS OFFICINALIS FLOWER (UNII: NR1A27F29O)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

<b>WATER</b> (UNII: 059QF0KO0R)
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>POLYGLYCERYL-3 DIISOSTEARATE</b> (UNII: 46P231IQV8)
<b>PODOCARPUS ELATUS FRUIT</b> (UNII: R4N1M6CZCY)
<b>STEARALKONIUM HECTORITE</b> (UNII: OLX698AH5P)
<b>HAMAMELIS VIRGINIANA TOP WATER</b> (UNII: NT00Y05A2V)
<b>CITRIC ACID</b> (UNII: 2968PHW8QP)
<b>PLEIOGYNIUM TIMORIENSE FRUIT</b> (UNII: AF3VFG6MLV)
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)

Product Characteristics			
<b>Color</b>	brown	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-2768-2	1 in 1 CARTON	01/25/2024	
1	NDC:82548-2768-1	55 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/25/2024	

**Labeler** - Bloomeffects (096991853)