

BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL BARELY- zinc oxide lotion
Bloomeffects

Bloomeffects Tulipscreen Hydrating Lip Oil Barely

Bloomeffects Tulipscreen Hydrating Lip Oil Barely



BARELY

Drug Facts (continued)

- Limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylolchyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gasseniana/ Kauffmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolo, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Res. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC,
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



BLOOMEFFECTS™

TULIPSCREEN™
Hydrating
Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl. oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12% Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16

Bloomeffects Tulipscreen Hydrating Lip Oil Barely



BARELY

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylolyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Disostearate/ Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaummanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Red 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-l-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leucosutor/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC,
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



BLOOMEFFECTS™

TULIPSCREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl. oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12% Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16



Bloomeffects Tulipscreen Hydrating Lip Oil Barely

BARELY

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorhispopla, Lecithin, Mica, Aluminum Hydroxide, Rest. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



02010210

BLOOMEFFECTS™

TULIPSCREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%..... Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **REAPPLY:** at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16



Bloomeffects Tulpscreen Hydrating Lip Oil Barely



BARELY

Drug Facts (continued)

- Limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurnmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolo, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Rod 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythritol Tetra-di-1-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/ PAR: BLOOMEFFECTS INC. NEW YORK, NY 10012
 Questions or Comments? Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



BLOOMEFFECTS™

TULPSCREEN™
 Hydrating Lip Oil

40+

Mineral Active Sunscreen
 Broad Spectrum SPF 40+
 7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
 Zinc Oxide 12% Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16



Bloomeffects Tulipscreen Hydrating Lip Oil Barely

Drug Facts (continued)

- Limit your time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylolyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Glesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Res. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-l-butyl Hydroxyhydrocinamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

BARELY

BLOOMEFFECTS™

TULIPSCREEN™

Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl. oz.

16




Bloomeffects Tulipscreen Hydrating Lip Oil Barely



Drug Facts (continued)

- limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information
 ■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylcetyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Diisostearate/Polyoxydistearate/Sebacate, Tulipa Gsneriana/ Kauffmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Res. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
 BLOOMEFFECTS INC.
 NEW YORK, NY 10012
 Questions or Comments?
 Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



BARELY

BLOOMEFFECTS™

TULIPSCREEN™
 Hydrating Lip Oil

40+

Mineral Active Sunscreen
 Broad Spectrum SPF 40+
 7 ml | 0.24 fl. oz.

Drug Facts

Active Ingredient Purpose
 Zinc Oxide 12% Sunscreen

Uses
 ■ Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings
 ■ For external use only.
 ■ Do not use on damaged or broken skin
 ■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use & ask a doctor if skin rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure
 ■ REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
 ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16



Bloomeffects Tulipscreen Hydrating Lip Oil Barely

BARELY

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylcyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Disostearate/ Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurnmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolo, Synthetic Fluorphlogopite, Lecithin, Mica, Aluminum Hydroxide, Rod. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrit Tetra-di-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



830193210

Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

BLOOMEFFECTS™

TULIPSCREEN™

Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl. oz.



FSC
RECYCLED
PAPER



PRINTED
WITH
SOY INKS

16

Bloomeffects Tulipscreen Hydrating Lip Oil Barely



Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients:

Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, Caprylic/Capric Triglyceride, Butylolyl Salicylate, C12-15 Alkyl Benzoate, Ethylene/Propylene/Styrene Copolymer, Calcium Sodium Borosilicate, Methylpropanediol, Iron Oxides, Silica, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, Tulipa Gasseniana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Caprylyl Glycol, Bisabolol, Synthetic Fluorhydrogels, Lecithin, Mica, Aluminum Hydroxide, Rest. 40, Water, Titanium Dioxide, Phenylpropanol, Pentaerythrityl Tetra-di-butyl Hydroxyhydrocinnamate, Tin Oxide, Glycerin, Hydrogenated Lecithin, Sodium Sulfate, Sodium Chloride, Sodium Lactate, Sodium Gluconate, Leuconostoc/Radish Root Ferment Filtrate, Phenethyl Alcohol, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Fragrance, Sodium Hydroxide

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC,
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



BARELY

BLOOMEFFECTS™

TULIPSREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl. oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%..... Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

16



BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL BARELY

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82548-1234
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
SQUALANE (UNII: GW89575KF9)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PROPANEDIOL (UNII: 5965N8W85T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIMNANTHES ALBA WHOLE (UNII: DKY81513ER)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CALCIUM SODIUM BOROSILICATE (UNII: 4MM76N4VMY)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	

Product Characteristics

Color	pink	Score	
--------------	------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-1234-2	1 in 1 CARTON	07/08/2024	
1	NDC:82548-1234-1	7 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - Bloomeffects (096991853)

Revised: 5/2026

Bloomeffects