

**BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL TULIPY PINK- zinc
oxide lotion
Bloomeffects**

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



TULIPY
PINK

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Disostearate/Polyhydroxystearate/Sebacate, T4 Ipa Gessneriana/Kaumanniana Meristem Cell Lysoate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorphlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanediol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-di-n-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium

Glucamate, Sodium Lactate, Leucosclero/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAK:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



BLOOMEFFECTS™

TULIPSCREEN™
Hydrating
Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



Drug Facts (continued)

- Limit your time in the sun, especially from 10a.m. – 2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium

Gluconate, Sodium Lactate, Leuconostoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



BEO187538

TULIPY PINK

BLOOMEFFECTS™

TULIPSCREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: ▶

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



TULIPY
PINK

BLOOMEFFECTS™

TULIPSCREEN™
Hydrating
Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl oz.

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaumanniiana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabolol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium Gluconate, Sodium Lactate, Leuconostoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **REAPPLY:** at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: ▶

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Saliolate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurnanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythryl Tetra-di-t-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium Gluconate, Sodium Lactate, Leuconostoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAK:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



TULIPY PINK

BLOOMEFFECTS™

TULIPSCREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl. oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **REAPPLY:** at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Children** under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butylolyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-d-l-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium Gluconate, Sodium Lactate, Leuconostoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalone, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



BLOOMEFFECTS™

TULIPSCREEN™
Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+
7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **REAPPLY:** at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butylacetyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropenediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, T4Ipa Geosmin/kauremaniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanediol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium Gluconate, Sodium Lactate, Leucosoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalone, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US
& Imported Ingredients.



BE0187538



TULIPY
PINK

BLOOMEFFECTS™

TULIPSCREEN™
Hydrating
Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl oz.

Drug Facts

Active Ingredient Purpose
Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



TULIPY PINK

Drug Facts (continued)

- limit your time in the sun, especially from 10a.m.–2p.m.
- wear long-sleeved shirts, pants, hats, & sunglasses

Other Information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Squalane, Isohexadecane, Limnanthes Alba (Meadowfoam) Seed Oil, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Ethylene/Propylene/Styrene Copolymer, Methylpropanediol, Silica, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Tulipa Gesneriana/ Kaurmanniana Meristem Cell Lysate Filtrate Extract, Butylene/Ethylene/Styrene Copolymer, Synthetic Fluorophlogopite, Iron Oxides, Caprylyl Glycol, Bisabol, Titanium Dioxide, Lecithin, Red 7, Phenylpropanol, Rosin, Calcium Sulfate, Water, Red 6, Red 30, Barium Sulfate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Glycerin, Tin Oxide, Hydrogenated Lecithin, Sodium Chloride, Sodium Gluconate, Sodium Lactate, Leuconostoc/Radish Root Ferment Filtrate, Sodium Sulfate, Sodium Hyaluronate, Potassium Sorbate, Citric Acid, Sodium Hydroxide, Fragrance, Phenethyl Alcohol

A non-sticky, hydrating lip oil with mineral SPF 40+ protection - without the chemical taste. Enriched with our Proprietary Dutch Tulip Complex, Squalane, Bisabolol, Meadowfoam Seed Oil, to hydrate & visibly plump lips with a buildable pop of color.

DISTR. BY/PAR:
BLOOMEFFECTS INC.
NEW YORK, NY 10012
Questions or Comments?
Email: info@bloomeffects.com

Made in USA of US & Imported Ingredients.



8 50078 32108 4

Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use & ask a doctor** if skin rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **REAPPLY:** at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:

BLOOMEFFECTS™

TULIPSCREEN™

Hydrating Lip Oil

40+

Mineral Active Sunscreen
Broad Spectrum SPF 40+

7 ml | 0.24 fl. oz.

Bloomeffects Tulipscreen Hydrating Lip Oil Tulipy Pink



BLOOMEFFECTS TULIPSCREEN HYDRATING LIP OIL TULIPY PINK

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82548-2340
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CALCIUM SULFATE (UNII: WAT0DDB505)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CITRIC ACID (UNII: 2968PHW8QP)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
PHENETHYL ALCOHOL (UNII: ML9LGA7468)	
RED 7 (UNII: ECW0LZ41X8)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
PHENYLPROPANOL (UNII: 0F89703O4M)	
SQUALANE (UNII: GW89575KF9)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
RED 30 (UNII: 2S42T2808B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIMNANTHES ALBA (MEADOWFOAM) SEED OIL (UNII: 412ZHA4T4Y)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	
SODIUM SULFATE (UNII: 0YPR65R21J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	

FERROSFERRIC OXIDE (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
RED 6 (UNII: 481744AI4O)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-2340-2	1 in 1 CARTON	07/08/2024	
1	NDC:82548-2340-1	7 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2024	

Labeler - Bloomeffects (096991853)

Revised: 5/2026

Bloomeffects