

FEXOFENADINE HCL- fexofenadine hcl tablet
YYBA Corp

Fexo Cam 60 and 180 73581-009

ACTIVE INGREDIENT(S), in each tablet

Fexofenadine hydrochloride USP, 180 mg

PURPOSE

Antihistamine

USE(S)

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- § runny nose
- § sneezing
- § itchy, watery eyes
- § itching of the nose or throat

WARNINGS

DO NOT USE

if you have ever had an allergic reaction to this product or any of its ingredients.

ASK A DOCTOR BEFORE USE IF

you have kidney disease. Your doctor should determine if you need a different dose.

WHEN USING THIS PRODUCT

- § do not take more than directed
- § do not take at the same time as aluminum or magnesium antacids
- § do not take with fruit juices (see Directions)

STOP USE AND ASK A DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

60 mg

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

180 mg

adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

OTHER INFORMATION

- Safety Sealed: do not use if carton is opened or if printed foil inner seal on the bottle is torn or missing.
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture

INACTIVE INGREDIENTS

Colloidal silicon dioxide, hypromellose, light liquid paraffin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

QUESTIONS OR COMMENTS

call toll-free weekdays 9 AM to 5 PM EST at **1-866-933-6337**

PRINCIPAL DISPLAY PANEL

Flexfenadine Hydrochloride Tablets, USP 180 mg 200 Container Label



3 73581 00021 0



100% SATISFACTION GUARANTEED

ALLERGY RELIEF

PRESCRIPTION STRENGTH

Fast Acting **24 HOUR**

Flexfenadine HCl, 180 mg

ANTIHISTAMINE

- ✓ Sneezing & Runny Nose
- ✓ Itchy Nose, Throat, & Eyes
- ✓ Indoor & Outdoor Allergies

VALUE SIZE

200

NON-BROWNS[®] TABLETS



GLUTEN FREE




RECOMMENDED BY HEALTHCARE PROFESSIONALS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts	Purpose
Active ingredient (in each tablet) Flexfenadine HCl 180 mg	Antihistamine
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	<ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings	<p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p>Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.</p> <p>When using this product:</p> <ul style="list-style-type: none"> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>

PEEL FOR DIRECTIONS



LIFT HERE



Owned by **Wellspring**

Affordable Trusted Relief

Albion, NY 10852, U.S.A.
866-933-6337
wellspringmeds.com

7 DAY MONEY BACK GUARANTEE

Drug Facts (continued)	
Directions	
adults and children 12 years of age and over	take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 8.2 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients

Colloidal silicon dioxide, Hydroxymethylcellulose, light liquid paraffin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, red iron oxide, sodium starch glycolate, TaC, titanium dioxide and yellow iron oxide.

Questions? call toll-free 1-866-933-6337

When taken as directed. See drug facts panel.

WELLSpring

Flexfenadine Hydrochloride Tablets, USP 60mg 200 Container Label

3 73581 00021 2

welmate
ALLERGY RELIEF
PRESCRIPTION STRENGTH
Fexofenadine HCl, 60 mg
ANTIHISTAMINE
✓ Sneezing & Runny Nose
✓ Itchy Nose, Throat, & Eyes
✓ Indoor & Outdoor Allergies

100% EFFECTIVENESS GUARANTEED

EASY TAKING
12 HOUR

VALUERSIZE
200
NON-DROWSY™
TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet) Purpose
Fexofenadine HCl 60 mg Antihistamine

Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
runny nose ■ sneezing ■ itchy, watery eyes
■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease.
Your doctor should determine if you need a different dose.

When using this product:
■ do not take more than directed
■ do not take at the same time as aluminum or magnesium antacids
■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

LIFT HERE → **PEEL FOR DIRECTIONS**

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours.
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- each tablet contains: sodium 2.7 mg
- this product meets the requirements of USP Dissolution Test 2

Inactive ingredients
colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, microcrystalline cellulose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, titanium dioxide

Questions? call toll-free 1-866-933-6337

*When taken as directed. See drug facts panel.

Subsidiary of **Wellspring**
Affordable Trusted Relief
Aumont, NY 10952 USA
866-933-6337
wellspringmeds.com

WEL-27041616

FEXOFENADINE HCL

fexofenadine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-009
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	180 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
STARCH, CORN (UNII: O8232NY3SJ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)				
Product Characteristics				
Color	pink	Score	no score	
Shape	CAPSULE	Size	18mm	
Flavor		Imprint Code	J;44	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-009-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
2	NDC:73581-009-04	40 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
3	NDC:73581-009-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
4	NDC:73581-009-01	10 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA204097	08/19/2016		

FEXOFENADINE HCL			
fexofenadine hcl tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-010
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg	
Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
LIGHT MINERAL OIL (UNII: N6K5787QVP)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
STARCH, CORN (UNII: O8232NY3SJ)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL 6000 (UNII: 30IQX730WE)	

Product Characteristics

Color	pink	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	J;43
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-010-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
2	NDC:73581-010-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
3	NDC:73581-010-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	
4	NDC:73581-010-01	10 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204097	01/01/2026	

Labeler - YYBA Corp (006339772)

Registrant - YYBA Corp (006339772)