

**MAGNESIUM OXIDE- magnesium oxide tablet**  
**Westminster Pharmaceuticals, LLC**

-----  
**Magnesium Oxide**

***Drug Facts***

**Active Ingredient**

Magnesium Oxide 400 mg (241.3 mg Elemental Magnesium)

**Purpose**

Antacid

**Use**

relieves:

- acid indigestion
- upset stomach

**Warnings**

**Ask a doctor before use if**

- you have kidney disease
- you are taking a prescription drug (antacids may interact with certain prescription drugs)
- you are pregnant or breast feeding.

Do not take more than 2 tablets in a 24 hour period.

- May have a laxative effect.

**Keep out of reach of children.**

**Directions**

- take one or two antacid tablets daily. Do not exceed two tablets unless directed by a physician.

**Other Information**

- Store at controlled room temperature 15° to 30°C (59° to 86°F).
- Tamper evident, do not use if imprinted safety seal under cap is broken or missing.

**Inactive Ingredients**

Colloidal Silicon Dioxide, Corn Starch, Croscarmellose Sodium, Microcrystalline Cellulose,

and Stearic Acid.

## Questions?

Call 1-844-221-7294 M-F 9am - 5pm EST

## PRINCIPAL DISPLAY PANEL - 400 mg Tablet Bottle Label

NDC 69367-298-20

Magnesium  
Oxide 400 mg

241.3 mg Elemental Magnesium  
Antacid

Sugar and Gluten Free

120 Tablets

Westminster  
Pharmaceuticals

NDC 69367-298-20

**Magnesium Oxide 400 mg**

241.3 mg Elemental Magnesium Antacid

Sugar and Gluten Free

120 Tablets

**WP Westminster Pharmaceuticals**

**Drug Facts**

**Active Ingredient**  
Magnesium Oxide 400 mg (241.3 mg Elemental Magnesium) ..... Antacid

**Use** relieves: ■ acid indigestion ■ upset stomach

**Warnings**  
**Ask a doctor before use if**

- you have kidney disease
- you are taking a prescription drug (antacids may interact with certain prescription drugs)
- you are pregnant or breast feeding.

Do not take more than 2 tablets in a 24 hour period.

- May have a laxative effect.

**Keep out of reach of children.**

**Directions**

- take one or two antacid tablets daily. Do not exceed two tablets unless directed by a physician.

**Other Information**

- Store at controlled room temperature 15° to 30°C (59° to 86°F).
- Tamper evident, do not use if imprinted safety seal under cap is broken or missing.

**Inactive Ingredients**  
Colloidal Silicon Dioxide, Corn Starch, Croscarmellose Sodium, Microcrystalline Cellulose, and Stearic Acid.

**Questions?** Call 1-844-221-7294 M-F 9am - 5pm EST

**Manufactured for:** Westminster Pharmaceuticals, LLC  
Nashville, TN 37217  
Rev. 07/25

**No Varnish**

3 69367 29820 9

## MAGNESIUM OXIDE

magnesium oxide tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69367-298
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM OXIDE</b> (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CATION	400 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AM3
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69367-298-20	120 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M001	10/15/2020	

**Labeler** - Westminster Pharmaceuticals, LLC (079516651)

Revised: 8/2025

Westminster Pharmaceuticals, LLC