

DAILY MINERAL SUNSCREEN 20% ZINC OXIDE- zinc oxide cream
INTEGRATIVE AESTHETICS BOSTON, LLC

Zinc Oxide 20%

Sunscreen

Helps Prevent Sunburn. If used as directed with other sun protection measures (see "Directions"), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only. Do not use on broken or damaged skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Keep out of reach of children

Apply liberally 15 minutes before sun exposure. Use a water-resistant product if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

C12-15 Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG-10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Hydrogen Dimethicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

- Protect this product from excessive heat and direct sun
- May stain some fabrics

DRUG FACTS**ACTIVE INGREDIENTS:**

Zinc Oxide 20%

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - Reapply at least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am- 2 pm
 - Wear long sleeve shirts and hats and sunglasses

INACTIVE INGREDIENTS:

C₁₂₋₁₅ Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Hydrogen Dimethicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Triethanolamine, Triethoxycaprylylsilane, Water

OTHER INFORMATION:

- Protect this product from excessive heat and direct sun
- May stain some fabrics.

Distributed by
ClearDermaceuticals, Inc
Watertown, MA
www.cleardermaceuticals.com



3 85306 20540 4



DA
MINERAL SI
20% ZIN

NON-T
SPF 40 BROAI
WATER RESIST

NET WT. 4

DAILY MINERAL SUNSCREEN 20% ZINC OXIDE

zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85306-205(NDC:58892-205)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	

CYCLOHEXASILOXANE (UNII: XHK3U310BA)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
STEARYL DIMETHICONE (400 MPA.S AT 50C) (UNII: R327X197HY)
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)
GLYCERIN (UNII: PDC6A3C0OX)
DIMETHICONE (UNII: 92RU3N3Y1O)
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 4) (UNII: 8INO2K35FA)
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
WATER (UNII: 059QF0KO0R)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
TRIETHANOLAMINE (UNII: 9O3K93S3TK)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85306-205-40	113 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/12/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	12/12/2023		

Labeler - INTEGRATIVE AESTHETICS BOSTON, LLC (053676863)

Establishment				
Name	Address	ID/FEI	Business Operations	
Fragrance Manufacturing Inc.		793406000	manufacture(85306-205)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	analysis(85306-205)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Fallien Cosmeceuticals Ltd.		958388357	relabel(85306-205)	

Revised: 5/2026

INTEGRATIVE AESTHETICS BOSTON, LLC