

**ACNE RELIEF CREAM- niacinamide, salicylic acid, centella asiatica root, coptis chinensis root cream**  
**Guangzhou Senmai Biotechnology Co., Ltd.**

-----

**Active Ingredients**

SALICYLIC ACID ..... 0.76% ..... Anti-Acne  
NIACINAMIDE ..... 2% ..... Fades Acne Scars  
COPTIS CHINENSIS ROOT EXTRACT ..... 0.24% ..... Soothe Acne  
CENTELLA ASIATICA EXTRACT ..... 0.02% ..... Soothe Acne

**Purpose**

Acne treatment

**Uses**

STEP 1: Clean the skin and keep it dry.  
STEP 2: Take an appropriate amount of this product and apply to the skin.  
STEP 3: Gently massage with your fingertips to promote absorption.

**Warnings**

1. For external use only. 2. Avoid contact with eyes. 3. Keep out of reach of children. 4. Discontinue use immediately if you experience any allergic reactions and consult a physician.

**Do not use**

on damaged or broken skin.

**When using this product**

**CAUTIONS:**

1. It is recommended to test the product behind the ear before use. If discomfort is felt, do not use.
2. If it accidentally enters the eyes, rinse immediately with water.
3. Keep out of reach of children. Do not use for children under 3 years old.
4. Do not expose to direct sunlight and high temperatures.
5. This product contains salicylic acid.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **DOSAGE**

Approximately 0.01-0.02 oz each time.

## **Product Name**

Acne Relief Cream

## **Inactive Ingredients**

WATER,  
BUTYLENE GLYCOL,  
GLYCERIN,  
PHELLODENDRON AMURENSE BARK EXTRACT,  
SALVIA MILTIORRHIZA EXTRACT,  
LONICERA JAPONICA EXTRACT,  
ASPALATHUS LINEARIS EXTRACT,  
SOPHORA FLAVESCENS EXTRACT,  
SCUTELLARIA BAICALENSIS ROOT EXTRACT,  
1,2-HEXANEDIOL,  
HYDROXYACETOPHENONE,  
ZANTHOXYLUM BUNGEANUM FRUIT EXTRACT,  
SOPHORA ANGUSTIFOLIA ROOT EXTRACT,  
CAPSICUM FRUTESCENS FRUIT EXTRACT,  
PIPER METHYSTICUM ROOT EXTRACT,  
QUATERNIUM-73,  
CETEARYL GLUCOSIDE,  
SORBITAN OLIVATE,  
CETEARYL ALCOHOL,  
ACACIA SENEGAL GUM,  
MALTODEXTRIN,  
CHITOSAN,  
CAPRYLIC/CAPRIC TRIGLYCERIDE,  
DIMETHICONE,  
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL,  
GLYCERYL STEARATE,  
PEG-100 STEARATE,  
INOSITOL,  
DIMETHYL SULFONE,  
PHENOXYETHANOL,  
ETHYLHEXYLGLYCERIN,  
POLYACRYLAMIDE,  
C13-14 ISOPARAFFIN,  
LAURETH-7,  
CARBOMER,  
ARGININE,  
ALLANTOIN,  
MENTHOL,  
XANTHAN GUM,

HYDROXYETHYLCELLULOSE,  
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL,  
DISODIUM EDTA,  
SODIUM HYALURONATE,  
CERAMIDE NP,  
TOCOPHEROL

**Manufacturer**

Guangzhou Senmai Biotechnology Co.,Ltd.

**Address**

Floor 1-4,Building A,Guanger Smart Industrial Park,No.2 Qianyi East Road, Shiling Town,Huadu District,Guangzhou,Guangdong,CN(China)

**Capacity**

20ml/0.7fl.oz


**Shelf Life**

Shelf Life ·3 Years

**Place of Origin**

Made in PRC

**RINCIPAL DISPLAY PANEL**



## Acne Relief Cream Drug Facts

| ACTIVE INGREDIENTS                       | Purpose          |
|--|------------------|
| SALICYLIC ACID..... 0.76%                | Anti-Acne        |
| NIACINAMIDE..... 2%                      | Fades Acne Scars |
| COPTIS CHINENSIS ROOT EXTRACT..... 0.24% | Soothe Acne      |
| CENTELLA ASIATICA EXTRACT..... 0.02%     | Soothe Acne      |

### HOW TO USE

STEP 1: Clean the skin and keep it dry.  
STEP 2: Take an appropriate amount of this product and apply to the skin.  
STEP 3: Gently massage with your fingertips to promote absorption.

### KEEP OUT OF REACH OF CHILDREN:

If swallowed, get medical help or contact a Poison Control Center right away.

### CAUTIONS:

1. It is recommended to test the product behind the ear before use. If discomfort is felt, do not use.
2. If it accidentally enters the eyes, rinse immediately with water.
3. Keep out of reach of children. Do not use for children under 3 years old.
4. Do not expose to direct sunlight and high temperatures.
5. This product contains salicylic acid.

**DOSAGE:** Approximately 0.01-0.02 oz each time.

### WARNINGS:

1. For external use only.
2. Avoid contact with eyes.
3. Keep out of reach of children.
4. Discontinue use immediately if you experience any allergic reactions and consult a physician.



# PEGO®

## Acne Relief Cream

For All Skin Types • Anti-Acne & Relief  
Ceramide NP/Salicylic Acid/Niacinamide/Centella Asiatica Extract

20ml-e-0.7fl.oz

INGREDIENTS □ WATER, BUTYLENE GLYCOL, GLYCERIN, PHELLODENDRON AMURENSE BARK EXTRACT, COPTIS CHINENSIS ROOT EXTRACT, SALVIA MILTIORRHIZA EXTRACT, LONICERA JAPONICA EXTRACT, ASPALATHUS LINEARIS EXTRACT, SOPHORA FLAVESCENS EXTRACT, SCUTELLARIA BAICALENSIS ROOT EXTRACT, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, ZANTHOXYLUM BUNGEANUM FRUIT EXTRACT, SOPHORA ANGUSTIFOLIA ROOT EXTRACT, CAPSICUM FRUTESCENS FRUIT EXTRACT, PIPER METHYSTICUM ROOT EXTRACT, QUATERNIUM-73, CETEARYL GLUCOSIDE, SORBITAN OLIVATE, CETEARYL ALCOHOL, NIACINAMIDE, SALICYLIC ACID, ACACIA SENEGAL GUM, MALTODEXTRIN, CHITOSAN, CAPRYLIC/CAPRIC TRIGLYCERIDE, DIMETHICONE, SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL, GLYCERYL STEARATE, PEG-100 STEARATE, INOSITOL, DIMETHYL SULFONE, PHENOXYETHANOL, ETHYLHEXYLGLYCERIN, POLYACRYLAMIDE, C13-14 ISOPARAFFIN, LAURETH-7, CARBOMER, ARGININE, ALLANTOIN, MENTHOL, XANTHAN GUM, HYDROXYETHYL CELLULOSE, MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL, DISODIUM EDTA, SODIUM HYALURONATE, CENTELLA ASIATICA EXTRACT, CERAMIDE NP, TOCOPHEROL

### 【Acne Relief Cream】

#### Ingredients for

#### Anti-Acne Care:

Salicylic Acid, Niacinamide, Coptis Chinensis Root Extract, Sophora

Flavescens Extract

#### Ingredients for

#### Nourishing Care:

Simmondsia Chinensis (Jojoba) Seed Oil, Inositol, Sodium Hyaluronate, Caprylic/Capric Triglyceride, Vitamin E

#### Ingredients for

#### Soothing Care:

Ceramide NP, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Centella Asiatica Extract, Scutellaria Baicalensis Root Extract, Lonicera Japonica Extract, Salvia Miltiorrhiza Extract

**Manufacturer :** Guangzhou Senmai Biotechnology Co., Ltd.

**ADDRESS:** Floor 1-4, Building A, Guanger Smart Industrial Park, No.2 Qianyi East Road, Shiling Town, Huadu District, Guangzhou, Guangdong, CN(China)

**Capacity:** 20ml/0.7fl.oz

**Shelf Life:** 3 Years

**Place of Origin:** Made in PRC

# ACNE RELIEF CREAM

niacinamide,salicylic acid,centella asiatica root,coptis chinensis root cream

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:84509-110 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength      | Strength          |
|---|------------------------|-------------------|
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)                       | NIACINAMIDE            | 400 mg<br>in 20 g |
| <b>COPTIS CHINENSIS ROOT</b> (UNII: CXS4LJR7EL) (COPTIS CHINENSIS ROOT - UNII:CXS4LJR7EL)   | COPTIS CHINENSIS ROOT  | 4 mg in 20 g      |
| <b>CENTELLA ASIATICA ROOT</b> (UNII: 8MXU1P42J0) (CENTELLA ASIATICA ROOT - UNII:8MXU1P42J0) | CENTELLA ASIATICA ROOT | 48 mg<br>in 20 g  |
| <b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)                 | SALICYLIC ACID         | 152 mg<br>in 20 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                             |          |
| <b>ALLANTOIN</b> (UNII: 344S277G0Z)                                  |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                                |          |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)                               |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                                   |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)                            |          |
| <b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)                   |          |
| <b>SOPHORA FLAVESCENS ROOT</b> (UNII: IYR6K8KQ5K)                    |          |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                             |          |
| <b>CAPSICUM FRUTESCENS FRUIT</b> (UNII: J1M3NA843L)                  |          |
| <b>PIPER METHYSTICUM ROOT</b> (UNII: BOW48C81XP)                     |          |
| <b>ARGININE</b> (UNII: 94ZLA3W45F)                                   |          |
| <b>MENTHOL</b> (UNII: L7T10EIP3A)                                    |          |
| <b>MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL</b> (UNII: VIF565UC2G) |          |
| <b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)                           |          |
| <b>ACACIA SENEGAL GUM</b> (UNII: 5C5403N26O)                         |          |

|   |
|---|
| <b>WATER</b> (UNII: 059QF0KO0R)   |
| <b>PHELLODENDRON AMURENSE BARK</b> (UNII: PBG27B754G)                                       |
| <b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)                                      |
| <b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)                                      |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)   |
| <b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)   |
| <b>DIMETHYL SULFONE</b> (UNII: 9H4PO4Z4FT)  |
| <b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)  |
| <b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)   |
| <b>CHITOSAN OLIGOSACCHARIDE</b> (UNII: 23R93M6Y64)  |
| <b>SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL</b> (UNII: 724GKU717M)                            |
| <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)  |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)  |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)  |
| <b>SOPHORA FLAVESCENS WHOLE</b> (UNII: X8KX602M5L)  |
| <b>INOSITOL</b> (UNII: 4L6452S749)  |
| <b>LAURETH-7</b> (UNII: Z95S6G8201)   |
| <b>CARBOMER</b> (UNII: 0A5MM307FC)  |
| <b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)  |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)  |
| <b>SALVIA MILTIORRHIZA ROOT</b> (UNII: 1693AM5SBN)  |
| <b>ZANTHOXYLUM BUNGEANUM FRUIT</b> (UNII: 3CIP16A418)                                       |
| <b>QUATERNIUM-73</b> (UNII: 5X73DDSD97A)  |
| <b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)  |
| <b>CERAMIDE NP</b> (UNII: 4370DF050B)   |
| <b>POLYACRYLAMIDE (CROSSLINKED; 0.01-0.2 MOLE PERCENT BISACRYLAMIDE)</b> (UNII: RHA9LWJ494) |
| <b>HYDROXYETHYLCELLULOSE</b> (UNII: T4V6TWG28D)   |
| <b>ASPALATHUS LINEARIS LEAF</b> (UNII: H7UGK1GJCU)  |
| <b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)  |

### Packaging

| # | Item Code        | Package Description                                 | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84509-110-01 | 20 g in 1 BOTTLE; Type 0: Not a Combination Product | 05/30/2026           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 05/30/2026           |                    |

**Labeler** - Guangzhou Senmai Biotechnology Co.,Ltd. (707735253)

**Registrant** - Dongguan Xiaogoubeige trading company Ltd. (707735253)

## Establishment

| Name                                       | Address | ID/FEI    | Business Operations                       |
|--|---------|-----------|---|
| Dongguan Xiaogoubeige trading company Ltd. |         | 707735253 | label(84509-110) , manufacture(84509-110) |

Revised: 5/2026

Guangzhou Senmai Biotechnology Co.,Ltd.