

**BIOCOTRON PED- dextromethorphan hbr, guaifenesin, phenylephrine  
hcl liquid**

**Advanced Generic Corporation**

-----  
**AGC-Biocotron Ped 261**

**Active Ingredients (in each 5mL)**

**Purpose**

Dextromethorphan HBr, 15 mg ..... Cough Suppressant  
Guaifenesin, 350 mg ..... Expectorant  
Phenylephrine HCl, 10 mg ..... Nasal Decongestant

**Purpose**

Cough Suppressant  
Expectorant  
Nasal Decongestant

**Uses**

- non-narcotic cough suppressant which temporarily calms cough due to minor throat and bronchial irritation as may occur with the common cold
- calms the cough control center and relieves coughing
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive.
- temporarily relieves nasal congestion due to the common cold
- helps decongest sinus openings and passages; temporarily relieves sinus congestion and pressure

**Warnings:**

**Do not exceed recommended dosage**

a persistent cough may be a sign of a serious condition. If cough persist for more than 1 week, tends to recur, or is accompanied by fever, rash or a persistent headache, consult a doctor

**Do not use this product if you**

are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional condition. or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

**Ask doctor or pharmacist before use if you have**

- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus) unless directed by a doctor.
- high blood pressure
- heart disease
- thyroid disease

- diabetes
- difficulty in urination due to enlargement of the prostate gland

**Stop use and ask a doctor if:**

- nervousness, dizziness, or sleeplessness occur.
- if symptoms do not improve within 7 days or are accompanied by fever

**Ask a doctor before use if you are taking** sedatives or tranquilizers.

**Keep out of the reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a doctor before use.

**Directions:** Take every 4 hours, not to exceed 6 doses in 24 hours or as directed by physician

Age	Dose
Adults and children 12 years of age or older	1 teaspoonful (5 mL) every 4 hours
Children 6 to under 12 years of age	1/2 teaspoonful (2.5 mL) every 4 hours
Children under 6 years of age	Ask a doctor

**Inactive ingredients:** citric acid, eucalyptus oil, glycerin, hydroxyethyl cellulose, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

**Questions or comments?** 1-305-403-3788

**Drug Facts**

Active ingredients (in each 5 mL teaspoonful)	Purpose
Dextromethorphan HBr..... 15 mg	.....Cough Suppressant
Guaifenesin..... 350 mg	.....Expectorant
Phenylephrine HCl..... 10 mg	.....Nasal Decongestant

**Uses:**

- non-narcotic cough suppressant which temporarily calms cough due to minor throat and bronchial irritations as may occur with the common cold
- calms the cough control center and relieves coughing
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves nasal congestion due to the common cold
- helps decongest sinus openings and passages; temporarily relieves sinus congestion and pressure

**Warnings • do not exceed recommended dosage**

- a persistent cough may be a sign of a serious condition. If cough persist for more than 1 week, tends to recur, or is accompanied by fever, rash, or a persistent headache, consult a doctor.

**Do not use this product if you** are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional disease, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus) unless directed by a doctor • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland

NDC 45737-261-16

# BIOCOTRON

## PED

Liquid

- Cough Suppressant
- Expectorant
- Nasal Decongestant

Sugar Free Alcohol Free Dye Free

Grape Flavor

Contains the same active ingredients as Broncotron® PED<sub>†</sub>

Manufactured For:



advanced generic corporation  
Miami, FL 33147  
www.advancedgeneric.com

16 fl. oz. (473 mL)

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- if symptoms do not improve within 7 days or are accompanied by fever

**Ask a doctor before use if you are taking** sedatives or tranquilizers

**If pregnant or breast feeding,** ask a doctor before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

**Directions •** take every 4 hours, not to exceed 6 doses in 24 hours or as directed by a doctor.

Age	Dose
Adults and children over 12 years of age	1 teaspoonful (5 mL) every 4 hours
Children 6 to under 12 years of age	½ teaspoonful (2.5 mL) every 4 hours
Children under 6 years of age	Ask a doctor

**Other information •** store at controlled room temperature 15°-30°C (59°-86°F)

- Tamper Evident Disclosure- Do not use this product if aluminum seal over bottle opening is torn, broken, or missing.
- Pharmacist- Preserve and dispense in tight light-resistant containers with a child resistant cap as defined in the USP.

**Inactive ingredients** citric acid, eucalyptus oil, glycerin, hydroxyethyl cellulose, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

**Questions or comments?** 1-305-403-3788

**Manufactured For:** Advanced Generic Corporation, Miami, FL 33147.  
www.advancedgeneric.com

THIS IS A BULK CONTAINER NOT INTENDED FOR DISPENSING

Lot #: Exp. Date:

Rev. 03/17



3 45737 26116 5

**BIOCOTRON PED**  
dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:45737-261
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	350 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 5 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROXYETHYL CELLULOSE (100 MPa.S AT 2%)</b> (UNII: R33S7TK2EP)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:45737-261-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2015	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	03/01/2015	

**Labeler** - Advanced Generic Corporation (831762971)