

**AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.102- zinc oxide,
octinoxate, and titanium dioxide lotion
AMOREPACIFIC CORPORATION**

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.102

Drug Facts

ACTIVE INGREDIENTS

ETHYLHEXYL METHOXYCINNAMATE 7%

TITANIUM DIOXIDE 4.15%

ZINC OXIDE 9.8%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

- Children under 6 months of age: Ask a doctor.

INACTIVE INGREDIENTS

PHYLLOSTACHIS BAMBUSOIDES JUICE, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, PHENYL TRIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, ALCOHOL, ARBUTIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXYSTEARIC ACID, SODIUM CHLORIDE, POLYMETHYL METHACRYLATE, ALUMINUM HYDROXIDE, STEARIC ACID, DISTEARDIMONIUM HECTORITE, TRIETHOXYCAPRYLYLSILANE, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, PHENOXYETHANOL, POLYGLYCERYL-3 POLYRICINOLEATE, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, DIMETHICONE, DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ETHYLHEXYLGLYCERIN, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, AQUA/WATER/EAU, SILICA, CAMELLIA JAPONICA SEED OIL, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL, PARFUM/FRAGRANCE, TITANIUM DIOXIDE, IRON OXIDES (CI 77492, CI 77491, CI 77499)

OTHER INFORMATION

Protect the product in this container from excessive heat and direct sun

Questions?

support@us.amorepacific.com

PRINCIPAL DISPLAY PANEL - 30 g (15 g x 2) Container Carton


COLOR CONTROL CUSHION COMPACT

Broad Spectrum SPF 50+

Sunscreen

AMOREPACIFIC

Net Wt. 1.05 OZ./30 g(15 gx2) e



COLOR CONTROL CUSHION COMPACT



Compact avec éponge contrôle de couleur
Broad Spectrum SPF 50+
Sunscreen

102
LIGHT (PINK)

COLOR CONTROL CUSHION COMPACT
Compact avec éponge contrôle de couleur
Broad Spectrum SPF 50+
Sunscreen

AMOREPACIFIC

Net Wt. 1.05 OZ./30 g(15 gx2) e

Drug Facts(continued)

■ **INACTIVE INGREDIENTS** ■
PHYLLOSTACHIS BAMBUSOIDES JUICE, CYCLOPENTASILOXANE, CYCLOHEXASILOXANE, PEG-10 DIMETHICONE, PHENYL TRIMETHICONE, BUTYLENE GLYCOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRYLATE, ALCOHOL, ARBUTIN, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYHYDROXYSTEARIC ACID, SODIUM CHLORIDE, POLYMETHYL METHACRYLATE, ALUMINUM HYDROXIDE, STEARIC ACID, DISTEARDIMONIUM HECTORITE, TRIETHOXYCAPRYLYLSILANE, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, PHENOXYETHANOL, POLYGLYCERYL-3 POLYRICINOLEATE, ACRYLATES/STEARYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, DIMETHICONE, DISODIUM EDTA, TRIMETHYLSILOXYSILICATE, ETHYLHEXYLGLYCERIN, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, AQUA/WATER/EAU, SILICA, CAMELLIA JAPONICA SEED OIL, CAMELLIA SINENSIS LEAF EXTRACT, CAPRYLYL GLYCOL, 1,2-HEXANEDIOL, PARFUM/FRAGRANCE, TITANIUM DIOXIDE, IRON OXIDES (CI 77492, CI 77491, CI 77499)

■ **OTHER INFORMATION** ■
Protect the product in this container from excessive heat and direct sun

COLOR CONTROL CUSHION COMPACT
Compact avec éponge contrôle de couleur



Drug Facts

■ **ACTIVE INGREDIENTS** ■
ETHYLHEXYL METHOXYCINNAMATE 7%
TITANIUM DIOXIDE 4.15%
ZINC OXIDE 9.8%

Compact avec éponge contrôlée au coussin
**Broad Spectrum SPF 50+
 Sunscreen**

102 LIGHT (PINK)



This revolutionary Color Control Cushion in a compact provides light to medium coverage with superior antioxidant and sun protection, while providing instant hydration to the skin for a flawless, luminous complexion.

Dermatologist Tested

Ce produit révolutionnaire en format compact offre une couverture légère à moyenne, contient des antioxydants puissants, offre une protection solaire supérieure, hydrate instantanément la peau et procure un teint impeccable et lumineux.

Testé sous contrôle dermatologique

■ **PURPOSE** ■
 Sunscreen

■ **USES** ■

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

■ **WARNINGS** ■

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

■ **DIRECTIONS** ■

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age: Ask a doctor.



Patented Ingredients
 Bamboo Sap Formulation
 Imported By / Importé par/pour :
 AMOREPACIFIC US, INC. DIST. NEW YORK, N.Y. 10018
 AMOREPACIFIC CORPORATION Seoul, Korea 04386
 us.amorepacific.com
 MADE IN KOREA (0636)

74027 21

AMOREPACIFIC COLOR CONTROL CUSHION COMPACT NO.102

zinc oxide, octinoxate, and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-528
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	2.94 g in 30 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2.1 g in 30 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.245 g in 30 g

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERYL-3 RICINOLEATE (UNII: MZQ63P0N0W)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PHYLLOSTACHYS RETICULATA RESIN (UNII: KX390ME4SP)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
ALCOHOL (UNII: 3K9958V90M)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU00)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y10)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
WATER (UNII: 059QF0KO0R)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-528-31	2 in 1 CARTON	06/05/2017	
1		15 g in 1 CONTAINER; Type 7: Separate Products Requiring Cross Labeling		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/26/2016	

Labeler - AMOREPACIFIC CORPORATION (631035289)

Establishment

Name	Address	ID/FEI	Business Operations
Amorepacific Corporation		694894112	manufacture(43419-528)

Revised: 1/2024

AMOREPACIFIC CORPORATION