UP AND UP ANTIBIOTIC PLUS PAIN RELIEF- neomycin, polymyxin b, pramoxine hcl cream Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Target Corporation Antibiotic Cream + Pain Relief Drug Facts

Active ingredients (in each gram)

Neomycin sulfate equivalent to 3.5 mg of neomycin base Polymyxin B 10,000 units as polymyxin B sulfate Pramoxine HCl 10 mg

Purpose

First aid antibiotic

External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrape
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

• store at 20°-25°C (68°-77°F)

Inactive ingredients

emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum

Questions?

Call 1-888-547-7400

Principal Display Panel

Compare to active ingredients in Neosporin® + Pain Relief maximum strength antibiotic cream + pain relief first aid antibiotic/pain-relieving cream Compare to active ingredients in Neosporin® + Pain Relief maximum strength antibiotic cream + pain relief first aid antibiotic/pain-relieving cream #1 doctor recommended combination of active ingredients neomycin sulfate/polymyxin B sulfate/pramoxine HCl soothing infection protection for burns, cuts and scrapes NET WT .5 OZ (14 g)



Compare to active ingredients in Neosporin® + Pain Relief*

maximum strength

antibiotic cream + pain relief

first aid antibiotic/pain-relieving cream





Compare to active ingredients in Neosporin®+ Pain Relief*

maximum strength

antibiotic cream + pain relief

first aid antibiotic/pain-relieving cream

#1 doctor recommended combination of active ingredients† neomycin sulfate/polymyxin B sulfate/pramoxine HCl soothing infection protection for burns, cuts and scrapes

NET WT .5 OZ (14 g)



245 07 0071 R02 ID295422 Distributed by Target Corporation Minneapolis, MN 55403 ©2015 Target Brands, Inc. Shop Target.com

*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

†Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl in the U.S. Source: AlphalmpactRx

: 80958 UW CE

Drug Facts

Active ingredients (in each gram)

Purpose

(III each grann)
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic
Polymycin B 10 000 units as notymycin B sulfate
First aid antibiotic

Uses first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

■ curts ■ scrages ■ burns

Wamings

For external use on ly.

Do not use

- if you are allergic to any of the ingre dients
- in the eyes
- over large areas of the body

Ask a doctor befor e use if you have

- deep or puncture wounds ■ animal bites
- serious burns
- serious burns

Drug Facts (continued)

Stopuse and aska doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other all ergic reaction develops

Keep out of reach of children. If s vallowed, get medical help or contact a Poison Control Center right away.(1-800-222-1222)

Directions

- adultsand children 2 years of age or older:
- clean the affected area
- applya. small arrount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

Inactive ingredients emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum

Questions? Call 1-888-547-7400



UP AND UP ANTIBIOTIC PLUS PAIN RELIEF

neomycin, polymyxin b, pramoxine hcl cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-313
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g	
PRAMO XINE HYDRO CHLO RIDE (UNII: 88 AYB8 67L5) (PRAMO XINE - UNII: 068 X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
METHYLPARABEN (UNII: A218 C7H19 T)		
MINERAL O IL (UNII: T5L8T28FGP)		
POLOXAMER 188 (UNII: LQA7B6G8JG)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
PETROLATUM (UNII: 4T6H12BN9U)		

Product Characteristics			
Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-313-64	1 in 1 CARTON	04/09/2015	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11673-313-58	1 in 1 CARTON	04/09/2015	
2		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	04/09/2015		

Labeler - Target Corporation (006961700)

Revised: 12/2019 Target Corporation