

OHTAS ISAN ANTACID- calcium carbonate, sodium bicarbonate powder
OHTA'S ISAN CO.,LTD.

Active Ingredients (in each spoonful)

Precipitated calcium carbonate	497 mg
Sodium bicarbonate	600 mg

Purpose

Precipitated calcium carbonate	Antacid
Sodium bicarbonate	Antacid

Uses

relieves: ■ heartburn ■ sour stomach ■ acid indigestion ■ upset stomach due to these symptoms

Warnings

Do not use more than 3 spoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician.

Ask a doctor or pharmacist before use if you are

■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
■ on a sodium-restricted diet.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Direction

take 1 spoonful (using the spoon included with this can) with water, 3 times daily.

Other Information

each spoonful contains: sodium 164 mg.

Inactive ingredients

cinnamon bark, citrus unshiu peel, clove, fennel, gentian, l-menthol, nutmeg, powdered picrasma wood, magnesium carbonate.

Principal Display Panel - Can Label

Ohta's Isan NDC 49631-178-21

ANTACID POWDER

NET WT 2.65 OZ (75g)

Ohta's Isan

ANTACID POWDER

太田胃散



NET WT 2.65 OZ (75g)

DO NOT USE IF IMPRINTED SAFETY SEAL AROUND THIS CAN IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each spoonful)
Precipitated calcium carbonate 497 mgAntacid
Sodium bicarbonate 600 mgAntacid

Purpose
Antacid

Uses

relieves: ■ heartburn ■ sour stomach ■ acid indigestion
■ upset stomach due to these symptoms

Warnings

Do not use more than 3 spoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician. →

Drug Facts (continued)

Warnings
Ask a doctor or pharmacist before use if you are
■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
■ on a sodium-restricted diet.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Direction

take 1 spoonful (using the spoon included with this can) with water, 3 times daily. →

Drug Facts (continued)

Other information
each spoonful contains: sodium 164 mg.

Inactive ingredients

cinnamon bark, citrus unshiu peel, clove, fennel, gentian, l-menthol, nutmeg, powdered picrasma wood, magnesium carbonate.

Manufactured by OHTA'S ISAN CO., LTD.
3-2, SENGOKU 2-CHOME, BUNKYO-KU, TOKYO
112-0011, JAPAN PRODUCT OF JAPAN



Principal Display Panel - Can Label

Ohta's Isan NDC 49631-178-22

ANTACID POWDER

NET WT 4.94 OZ (140g)

Ohta's Isan

ANTACID POWDER

太田胃散



NET WT 4.94 OZ (140g)

DO NOT USE IF IMPRINTED SAFETY SEAL AROUND THIS CAN IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each spoonful)
Precipitated calcium carbonate 497 mgAntacid
Sodium bicarbonate 600 mgAntacid

Purpose
Antacid

Uses

relieves: ■ heartburn ■ sour stomach ■ acid indigestion
■ upset stomach due to these symptoms

Warnings

Do not use more than 3 spoonfuls in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a physician. →

Drug Facts (continued)

Warnings
Ask a doctor or pharmacist before use if you are
■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
■ on a sodium-restricted diet.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Direction

take 1 spoonful (using the spoon included with this can) with water, 3 times daily. →

Drug Facts (continued)

Other information
each spoonful contains: sodium 164 mg.

Inactive ingredients

cinnamon bark, citrus unshiu peel, clove, fennel, gentian, l-menthol, nutmeg, powdered picrasma wood, magnesium carbonate.

Manufactured by OHTA'S ISAN CO., LTD.
3-2, SENGOKU 2-CHOME, BUNKYO-KU, TOKYO
112-0011, JAPAN PRODUCT OF JAPAN



OHTAS ISAN ANTACID

calcium carbonate, sodium bicarbonate powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49631-178
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D)			CALCIUM CARBONATE	1 g in 1 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)			SODIUM BICARBONATE	1 g in 1 g
Inactive Ingredients				
Ingredient Name				Strength
CINNAMON (UNII: 5S29HWU6QB)				
TANGERINE (UNII: KH3E3096OO)				
CLOVE (UNII: K48IKT5321)				
FENNEL (UNII: 557II4LLC3)				
GENTIANA LUTEA ROOT (UNII: S72O3284MS)				
LEVOMENTHOL (UNII: BZ1R15MTK7)				
NUTMEG (UNII: AEE24M3MQ9)				
PICRAMNA QUASSIOIDES WOOD (UNII: 75EIV4LX7W)				
MAGNESIUM CARBONATE (UNII: 0E53J927NA)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49631-178-21	1 in 1 BOX	10/16/2000	
1		75 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:49631-178-22	1 in 1 BOX	10/16/2000	
2		140 g in 1 CAN; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M001	10/16/2000	

Labeler - OHTA'S ISAN CO.,LTD. (690771738)

Establishment			
Name	Address	ID/FEI	Business Operations
OHTA'S ISAN CO.,LTD.		715739137	manufacture(49631-178)