

3% HYDROGEN PEROXIDE- hydrogen peroxide solution
Universal Distribution Center LLC

3% HYDROGEN PEROXIDE

Drug Facts

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose

First aid antiseptic / oral debriding agent

Uses

• first aid to help prevent the risk of infection in minor cuts, scrapes, and burns • aids in the removal of phlegm, mucus, or other secretions associated with an occasional sore mouth

Warnings

For external use only.

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than one week unless directed by a doctor

Ask a doctor before use if you have

• deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

First aid antiseptic:

• clean the affected area • apply a small amount of product on the affected area 1 to 3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

For use as an oral debriding agent (oral rinse)

• **adults and children over 2 years of age:**

- mix with an equal amount of water
- swish around in the mouth over affected area for at least 1 minute and then spit out.

Do not swallow

- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a dentist or doctor

Other information

- keep tightly closed and store at controlled room temperature.
- do not shake the bottle. Hold away from face when opening.

Inactive ingredient

purified Water

For the Treatment of Minor Cuts and Abrasions

For Use as a Gargle or Rinse

TAMPER EVIDENT: DO NOT USE IF THE PRINTED SAFETY SEAL AROUND OR UNDER THE CAP IS BROKEN OR MISSING.

Mfd for and Distributed by:

Universal Distribution Center LLC

330 Applegarth Road, Monroe Township,
NJ 08831

www.universaldc.com

“U” is a Registered Trademark of
Universal Distribution Center, LLC

Made in Turkey

Packaging

Package: 473 mL



Drug Facts	
Active ingredient.....	Purpose
Hydrogen peroxide (stabilized) 3%First aid antiseptic / oral debriding agent	
Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with an occasional sore mouth	
Warnings For external use only.	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor	
Ask a doctor before use if you have ■ deep or puncture wounds, animal bites, or serious burns	
Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions First aid antiseptic:	
■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
For use as an oral debriding agent (oral rinse)	
■ adults and children over 2 years of age:	
■ mix with an equal amount of water	
■ swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow	
■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor	
■ children under 12 years should be supervised in the use of this product	

HYDROGEN PEROXIDE

First Aid Antiseptic/
Oral Debriding Agent

For the Treatment of Minor
Cuts and Abrasions

For Use as a Gargle or Rinse



A square bottle uses less plastic than a similarly
sized round bottle.
Recyclable (if recycling facilities are
available in your area).

16 FL OZ (1PT) 473mL

**TAMPER EVIDENT: DO NOT USE IF THE PRINTED SAFETY
SEAL AROUND OR UNDER THE CAP IS BROKEN OR MISSING.**

■ children under 2 years of age: consult a dentist or doctor

Other Information

- keep tightly closed and store at controlled room temperature.
- do not shake the bottle. Hold away from face when opening.

Inactive Ingredient purified Water

Mfd for and Distributed by:
Universal Distribution Center LLC
330 Applegarth Road, Monroe Township, NJ 08831
www.universaldc.com
"U" is a Registered Trademark of
Universal Distribution Center, LLC



Package: 946 mL



3%

HYDROGEN PEROXIDE

First Aid Antiseptic/
Oral Debriding Agent

Drug Facts

Active ingredient.....Purpose

Hydrogen peroxide (stabilized) 3%First aid antiseptic / oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes, and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with an occasional sore mouth

Warnings

For external use only.

When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than one week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

First aid antiseptic:

- clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first

For use as an oral debriding agent (oral rinse)

- adults and children over 2 years of age:
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor


Other Information

- keep tightly closed and store at controlled room temperature.
- do not shake the bottle. Hold away from face when opening.

Oral Debriding Agent

For the Treatment of Minor
Cuts and Abrasions

For Use as a Gargle or Rinse



A square bottle uses less plastic than a similarly
sized round bottle.

Recyclable (if recycling facilities are
available in your area).

32 FL OZ (1PT) 946mL

TAMPER EVIDENT: DO NOT USE IF THE PRINTED SAFETY
SEAL AROUND OR UNDER THE CAP IS BROKEN OR MISSING.

Inactive Ingredient purified Water

Mfd for and Distributed by:
Universal Distribution Center LLC
330 Applegarth Road, Monroe Township,
NJ 08831

www.universaldc.com

"U" is a Registered Trademark of
Universal Distribution Center, LLC

ITEM# 56072



6 76979 56072 4

Made in Turkey

3% HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52000-433
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52000-433-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/08/2025	
2	NDC:52000-433-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/08/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	12/08/2025	

Labeler - Universal Distribution Center LLC (019180459)

Revised: 12/2025

Universal Distribution Center LLC