BITE AND STING RELIEF WIPE- alcohol 50% lidocaine hcl 2% cloth CVS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Ethyl Alcohol 50.0% Lidocaine HCL 2.0%

Purpose

First Aid Antiseptic Topical Analgesic

Uses

• First aid to help guard against skin infection and temporary relief of pain and itching assocaiated with insect bites.

Warnings

For external use only.

Flammable, keep away from fire or flame.

Do not use

- in the eyes over large areas of the body or bandage.
- in large quantities particularly over raw surfaces or blistered areas.

Stop use and contact a doctor if the condition persists or worsens for more than 7 days or clears up and occurs again within a few days.

Keep out of reach of children

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years and older: Apply to clean affected area no more than 3 to 4 times daily. Children under 2 years of age: consult a doctor.

Inactive ingredients

Benzalkonium Chloride, Menthol, Water.

Packaging



Bite & Sting Relief Wipe

ETHYL ALCOHOL 50% / FIRST AID ANTISEPTIC LIDOCAINE 2% / TOPICAL ANALGESIC

_ 1 IN x 2.125 IN (2.5 cm x 5.4 cm) _

	Drug Facts
Distributed by Woonsocket, R	Active Ingredients Purpose Ethyl alcohol 50.0% First Aid Antiseptic Lidocaine HCI 2.0% Topical Analgesic
	Uses First aid to help guard against skin infection and temporary relief of pain and itching associated with insect bites.
l by: CVS Pha	<i>Warnings</i> For external use only. Flammable, keep away from fire or flame.
armac	Do not use ■ in the eyes ■ over large areas of the body or bandage ■ in large quantities particularly over raw surfaces or blistered areas.
y, Inc.	Stop use and contact a doctor if the condition persists or worsens for more than 7 days or clears up and occurs again within a few days.
Une C	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
One CVS Drive,	Directions Adults and children 2 years and older: Apply to cleaned affected area no more than 3 to 4 times daily. Children under 2 years of age: consult a doctor.
	Inactive ingredients Benzalkonium Chloride, Menthol, Water.



BITE AND STING RELIEF WIPE

alcohol 50% lidocaine hcl 2% cloth

Product Information									
Product T ype	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-190						
Route of Administration	TOPICAL								

	Ingredient Name		Basis of Strength	Stren	gth
ALCOHOL (UNII: 3K9958)	M) (ALCOHOL - UNII:3K9958V90M)		ALCOHOL	50 mL in 10	-
	0987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	2 g in 100 n	nL
Inactive Ingredients					
	Ingredient Name			Strength	
BENZALKONIUM CHLOF	RIDE (UNII: F5UM2KM3W7)				
MENTHOL (UNII: L7T10EI	P3A)				
WATER (UNII: 059QF0KO	0 R)				
Product Characteris	tics				
Color	white	Score			
Shape	RECTANGLE	Size			
Flavor		Imprint	Code		
Contains					
Packaging					
00	Package Description	Ma	rketing Start Date	Marketing E	ind Da
# Item Code	v		rketing Start Date 0 1/20 19	Marketing E	nd Da
Item Code NDC:69842-190-10 30	v	06/0	Ū	Marketing E	nd Da
Item Code NDC:69842-190-10 30	in 1 BOX	06/0	Ū	Marketing E	ind Da
Item Code NDC:69842-190-10 30	in 1 BOX	06/0	Ū	Marketing F	nd Da
Item Code 30 NDC:69842-190-10 30 1 NDC:69842-190-10 3	in 1 BOX L in 1 PACKET; Type 0: Not a Combination Pr	06/0	Ū	Marketing F	nd Da
1 NDC:69842-190-10 30	in 1 BOX L in 1 PACKET; Type 0: Not a Combination Pr	o duct	Ū	Marketing E Marketing E	

Labeler - CVS (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
Diamond Wipes International, Inc.		161104729	manufacture(69842-190)

Revised: 7/2019