

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 MELT IN SUNSCREEN MILK BROAD SPECTRUM SPF 60 FACE AND BODY- avobenzene, homosalate, octisalate, octocrylene and oxybenzone lotion  
L'Oreal USA Products Inc**

-----  
**Drug Facts**

**Active ingredients**

Avobenzene 3%

Homosalate 10.72%

Octisalate 3.21%

Octocrylene 6%

Oxybenzone 3.86%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

For sunscreen use:

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

water, styrene/acrylates copolymer, polymethylsilsesquioxane, butyloctyl salicylate, cyclopentasiloxane, glycerin, dimethicone, alcohol denat., poly C10-30 alkyl acrylate, caprylyl methicone, trisiloxane, acrylates/dimethicone copolymer, PEG-100 stearate, glyceryl stearate, phenoxyethanol, potassium cetyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laurate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, xanthan gum, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin

## **Questions or comments?**

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

## Drug Facts

### Active ingredients

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 10.72%	Sunscreen
Octisalate 3.21%	Sunscreen
Octocrylene 8%	Sunscreen
Oxybenzone 3.86%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, styrene/acrylates copolymer, polymethylsilsesquioxane, butylolctyl salicylate, cyclopentasiloxane, glycerin, dimethicone, alcohol denat., poly C10-30 alkyl acrylate, caprylyl methicone, trisiloxane, acrylates/dimethicone copolymer, PEG-100 stearate, glyceryl stearate, phenoxyethanol, potassium cetyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laurate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, xanthan gum, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin

### Questions or comments?

1-888-LRP-1LABO 1-888-577-5298  
Monday - Friday (9 a.m. - 5 p.m. EST)

858262 Z

Code F.L.L.: D158830/1

US Patents Pending  
US Patent 7,151,079  
US Patent 5,667,765

Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**.

They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or **Sun Allergies**.

They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of skin cancer.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with ANTHELIOS, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

New: Get instant skincare advice from board-certified dermatologists.

DERMATOLOGIST  
BY YOUR SIDE™

@ facebook.com/LaRochePosayUSA

FACE & BODY

60

SUNSCREEN

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF60

NEW  
ANTHELIOS 60

Avec de l'eau thermale de La Roche-Posay

MELT-IN SUNSCREEN MILK  
Fast absorbing, velvety finish  
For all skin types

with CELL-OX SHIELD XL™

Advanced UVA/UVB technology  
+ Antioxidant protection

WATER RESISTANT (80 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

5.0 FL OZ - 150 ml

ANTHELIOS 60 sunscreen with  
CELL-OX SHIELD XL™

### INNOVATION

Anthelios 60 sunscreen with multi-patented CELL-OX SHIELD XL™ filtering system provides a dual breakthrough innovation:  
- an optimized combination of UVA/UVB filters chosen for its more synergistic effect to deliver broad-spectrum protection<sup>1</sup>,  
- a formula with a reduced number of ingredients in a fragrance-free, paraben-free texture adapted for even the most sensitive skin.

### Properties:

- **Broad spectrum UV filtering systems.** A unique association of photostable sunscreens with demonstrated efficacy against UVA rays.
- **Powerful antioxidant protection.** With Serra Alata, a tropical leaf extract known to defend skin cells<sup>2</sup> against free radicals caused by the sun that accelerate skin aging.
- **Breakthrough texture:** Fast-absorbing, non greasy texture leaves skin hydrated and smooth with a velvety finish.

**Results:** Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

**Dermatological safety:** Anthelios 60 sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT (80 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN

<sup>1</sup> compared to previous synergy of filters. Screened over 250 sunscreen combinations.  
<sup>2</sup> upper layers of skin.

Made in USA  
1680436

Distributed by La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay Laboratoire Pharmaceutique  
80270 La Roche-Posay France  
TSA 10007 F 92467 ASNIERES CEDEX  
www.laroche-posay.com



## Drug Facts

### Active ingredients

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10.72%	Sunscreen
Octisalate 3.21%	Sunscreen
Octocrylene 8%	Sunscreen
Oxybenzone 3.86%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- apply generously 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun

### Inactive ingredients

water, styrene/acrylate copolymer, polymethylsiloxane, butylolyl salicylate, cyclopentasiloxane, glycerin, dimethicone, alcohol denat., poly C10-30 alkyl acrylate, caprylyl methicone, trisiloxane, acrylates/dimethicone copolymer, PEG-100 stearate, glyceryl stearate, phenoxethanol, potassium cetyl phosphate, propylene glycol, caprylyl glycol, PEG-8 laureate, acrylates/C10-30 alkyl acrylate crosspolymer, triethanolamine, tocopherol, inulin lauryl carbamate, disodium EDTA, p-anisic acid, xanthan gum, diethylhexyl syringylidenemalonate, cassia alata leaf extract, maltodextrin

### Questions or comments?

1-888-LRP-1-888-1-888-571-5298  
Monday - Friday (9 a.m. - 5 p.m. EST)

858262 Z

Code F.L.L.: D158830/1

US Patents Pending  
US Patent 7,151,079  
US Patent 5,667,765

Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**. They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Skin Aging** or **Sun Allergies**. They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of skin cancer.

A pioneer in sun protection research for over 15 years, La Roche-Posay, with ANTHELIOS, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

New: Get instant skincare advice from board-certified dermatologists.

DERMATOLOGIST  
BY YOUR SIDE™

@facebook.com/LaRochePosayUSA

FACE & BODY

60

SUNSCREEN

LA ROCHE-POSAY  
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM  
SPF60

NEW  
ANTHELIOS 60

Avec de l'eau thermale de La Roche-Posay

MELT-IN SUNSCREEN MILK  
Fast absorbing, velvety finish  
For all skin types

with CELL-OX SHIELD XL™

Advanced UVA/UVB technology  
+ Antioxidant protection

WATER RESISTANT (80 MINUTES)  
Fragrance-free. Paraben-free  
Tested on sensitive skin

5.0 FL OZ - 150 ml

ANTHELIOS 60 sunscreen with  
CELL-OX SHIELD XL™

### INNOVATION

Anthelios 60 sunscreen with multi-patented CELL-OX SHIELD XL™ filtering system provides a dual breakthrough innovation:  
- an optimized combination of UVA/UVB filters chosen for its more synergistic effect to deliver broad-spectrum protection<sup>1</sup>,  
- a formula with a reduced number of ingredients in a fragrance-free, paraben-free texture adapted for even the most sensitive skin.

### Properties:

- Broad spectrum UV filtering systems. A unique association of photostable sunscreens with demonstrated efficacy against UVA rays.
- Powerful antioxidant protection. With Serra Alata, a tropical leaf extract known to defend skin cells<sup>2</sup> against free radicals caused by the sun that accelerate skin aging.
- Breakthrough texture: Fast-absorbing, non greasy texture leaves skin hydrated and smooth with a velvety finish.

Results: Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

Dermatological safety: Anthelios 60 sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT (80 MINUTES)  
FRAGRANCE-FREE  
PARABEN-FREE  
NON-COMEDOGENIC  
ALLERGY TESTED  
DERMATOLOGIST TESTED  
TESTED ON SENSITIVE SKIN

<sup>1</sup> compared to previous synergy of filters. Screened over 250 sunscreen combinations.  
<sup>2</sup> upper layers of skin.

Made In USA  
1680436

Distributed by La Roche-Posay LLC,  
New York, NY 10017

La Roche-Posay Laboratoire Pharmaceutique  
80270 La Roche-Posay France  
TSA 10007 F-92467 ASNIERES CEDEX  
www.laroche-posay.com

# LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 60 MELT IN SUNSCREEN MILK BROAD SPECTRUM SPF 60 FACE AND BODY

avobenzone, homosalate, octisalate, octocrylene and oxybenzone lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-003
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	107.2 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	32.1 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	38.6 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-003-01	1 in 1 CARTON	06/01/2013	
1		150 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2013	

**Labeler** - L'Oreal USA Products Inc (002136794)

### Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		185931458	manufacture(49967-003)

Revised: 12/2023

L'Oreal USA Products Inc