## AFTERA- levonorgestrel tablet Foundation Consumer Healthcare LLC

-----

Aftera<sup>®</sup>

**Drug Facts** 

#### **Active ingredient**

Levonorgestrel 1.5 mg

#### **Purpose**

Emergency contraceptive

#### Use

for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control)

#### **Warnings**

#### Allergy alert

Do not use if you have ever had an allergic reaction to levonorgestrel

#### Sexually transmitted diseases (STDs) alert

This product does **not** protect against HIV/AIDS or other STDs

#### Do not use

- if you are already pregnant (because it will not work)
- for regular birth control

**Ask a doctor or pharmacist before use if you are** taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of levonorgestrel.

#### When using this product you may have

- menstrual changes
- tiredness
- breast pain
- nausea
- headache
- vomiting
- lower stomach (abdominal) pain
- dizziness

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control center right away.

#### **Directions**

- take as soon as possible within 72 hours (3 days) after unprotected sex.
  The sooner you take it the better it will work.
- if you vomit within 2 hours after taking the medication, call a healthcare professional to find out if you should repeat the dose

#### Other information

- read the instructions, warnings and enclosed product leaflet before use
- do not use if carton is open or tear strip is removed or blister seal is broken or missing
- store at 20-25°C (68-77°F)

#### **Inactive ingredients**

colloidal silicon dioxide, corn starch, lactose monohydrate, magnesium stearate, potato starch, talc

#### Questions?

Call **1-888-919-0780** 

Manufactured by: Gedeon Richter, Ltd., Budapest, Hungary

#### PRINCIPAL DISPLAY PANEL - 1.5 mg Tablet Blister Pack Box

This item is electronically protected

NDC 69536-103-88

Emergency Contraceptive COMPARE TO PLAN B ONE-STEP®

Aftera® LEVONORGESTREL 1.5 mg

Reduces chance of pregnancy after unprotected sex.

One Tablet.

One Dose.

NOT FOR REGULAR BIRTH CONTROL

1 Tablet

Levonorgestrel

1.5 mg ¯



NDC 69536-103-88

**TEAR HERE TO OPEN** 

**Emergency Contraceptive** COMPARE TO PLAN B ONE-STEP®

# Aftera **LEVONORGESTREL 1.5 mg**

Reduces chance of pregnancy after unprotected sex.

**NOT FOR REGULAR BIRTH CONTROL** 

VETERA F

One Tablet. One Dose.

1 Tablet Levonorgestrel 1.5 mg



FTERA AFTERA AFTERA AFTE AFTERA AFTERACAFTERACIVE THA ARTTHA SARTERA AFTERA AFTERA AFTERA TERA AFTERA AFTERA AFTERA

Emergency Contraceptive

The sooner you take it, the more effective it will be

Take as soon as possible within 72 hours (3 days) after unprotected sex

Will not harm an existing pregnancy

**Aftera**<sup>®</sup> **LEVONORGESTREL 1.5 mg** 

#### Drug Facts

Active ingredient Levonorgestrel 1.5 mg.

Purpose Emergency contraceptive

Use for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control)

#### Warnings

Allergy alert: Do not use if you have ever had an allergic reaction to levonorgestrel

Sexually transmitted diseases (STDs) alert: This product does not protect against HIV/AIDS or other STDs

#### Do not use

- if you are already pregnant (because it will not work)
- for regular birth control

Ask a doctor or pharmacist before use if you are taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of levonorgestrel.

When using this product you may have

- menstrual changes tiredness breast pain nausea headache vomiting
- lower stomach (abdominal) pain dizziness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control center right away.

#### Directions

- take as soon as possible within 72 hours (3 days) after unprotected sex. The sooner you take it the better it will work.
- if you vomit within 2 hours after taking the medication, call a healthcare professional to find out if you should repeat the dose

#### Other information


- read the instructions, warnings and enclosed product leaflet before use
- do not use if carton is open or tear strip is removed or blister seal is broken or missing
- store at 20-25°C (68-77°F)

Inactive ingredients colloidal silicon dioxide, corn starch, lactose monohydrate, magnesium stearate, potato starch, talc

**TO Questions?** Call 1-888-919-0780



AFTERAdpAFTERA TERA AFTERA AFTI AFTERA AFTERA ERA AFTERA AFTE AFTERA AFTERA



#### **AFTERA**

levonorgestrel tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69536-103
Route of Administration	ORAL		

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength LEVONORGESTREL (UNII: 5W7SIA7YZW) (LEVONORGESTREL - UNII:5W7SIA7YZW) LEVONORGESTREL 1.5 mg

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
STARCH, POTATO (UNII: 81089SAH3T)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
TALC (UNII: 7SEV7J4R1U)		
STARCH, CORN (UNII: 08232NY3SJ)		

LACTUSE MUNUHYDRATE (UNII: EWQ5/Q8I5X)				
Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	G00	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69536-103- 88	1 in 1 BOX, UNIT-DOSE	05/10/2018		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA AUTHORIZED GENERIC	NDA021998	05/10/2018	

### **Labeler -** Foundation Consumer Healthcare LLC (079675882)

Contains

Revised: 1/2023 Foundation Consumer Healthcare LLC