

**SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE PLUS 1ST SIGNS OF AGE  
MULTI-CORRECTING- avobenzone and octisalate cream  
CLINIQUE LABORATORIES LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE + 1ST SIGNS OF AGE  
MULTI-CORRECTING CREAM**

***Drug Facts***

**Active ingredients**

Avobenzone 3.0%  
Octisalate 5.0%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

## Inactive ingredients

water\aquaeau • glycerin • neopentyl glycol diheptanoate • polyester-8 • dimethicone • sorbitan stearate • butyloctyl salicylate • polysorbate 60 • butylene glycol • sodium acrylates copolymer • silica • cetyl alcohol • niacinamide • pentylene glycol • brassica oleracea gemmifera (brussels sprouts) extract • vaccinium angustifolium (blueberry) fruit extract • brassica oleracea italica (broccoli) extract • daucus carota sativa (carrot) root extract • brassica oleracea acephala (kale) leaf extract • spinacia oleracea (spinach) leaf extract • resveratrol • plankton extract • oryza sativa (rice) bran extract • vaccinium macrocarpon (cranberry) fruit extract • cucumis sativus (cucumber) fruit extract • adenosine phosphate • salicylic acid • laminaria saccharina extract • creatine • arabidopsis thaliana extract • lactobacillus ferment • ergothioneine • micrococcus lysate • biosaccharide gum-4 • algae extract • acetyl carnitine hcl • caffeine • hordeum vulgare (barley) extract\extrait d'orge • albizia julibrissin bark extract • sigesbeckia orientalis (st. paul's wort) extract • sodium rna • sodium hyaluronate • 7-dehydrocholesterol • styrene/acrylates copolymer • isohexadecane • tocopheryl acetate • peg-100 stearate • trehalose • ethylhexylglycerin • lecithin • propylene glycol dicaprato • polyethylene • helianthus annuus (sunflower) seedcake • yeast extract\faex\extrait de levure • capryloyl glycine • peg-8 laurate • polysorbate 80 • acrylamide/sodium acryloyldimethyltaurate copolymer • phytic acid • sea whip extract • tetrahexyldecyl ascorbate • propylene glycol caprylate • disodium edta • bht • chlorphenesin • phenoxyethanol • titanium dioxide (ci 77891) • mica [iln44660]

## Other information

protect the product in this container from excessive heat and direct sun

## PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

de-aging

CLINIQUE

superdefense

broad spectrum SPF 25

fatigue + 1<sup>st</sup> signs of age

multi-correcting cream

COMBINATION OILY TO OILY

NET WT. 1.7 OZ./50 ml e

de-aging



CLINIQUE

**superdefense  
broad spectrum SPF 25**

fatigue + 1<sup>st</sup> signs of age  
multi-correcting cream

COMBINATION OILY TO OILY

POIDS NET WT. 1.7 OZ./50 ml e

**Allergy Tested. 100% Fragrance Free.**

This refreshing silky cream fights fatigue and first signs of aging, for more energized, youthful-looking skin.

**Drug Facts**

**Active ingredients**

Avobenzone 3.0%  
Octisalate 5.0%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. ▶



clinique.com



© CLINIQUE LABORATORIES, DIST. NEW YORK, N.Y. 10022  
WLB LTD, GU32 3DD, UK • WLB S NV, OEVEL, BE-2260  
NEW YORK • LONDON • PARIS  
MADE IN U.S.A. K562



**Drug Facts** (continued)

**Directions**

For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply at least every two hours • use a water resistant sunscreen if swimming or sweating  
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.–2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

**Inactive ingredients**

water/aqua/eau • glycerin • neopentyl glycol diheptanoate • polyester-8 • dimethicone • sorbitan stearate • butyloctyl salicylate • polysorbate 60 • butylene glycol • sodium acrylates copolymer • silica • cetyl alcohol • niacinamide • pentylene glycol • brassica oleracea gemmifera (brussels sprouts) extract • vaccinium angustifolium (blueberry) fruit extract • brassica oleracea italica (broccoli) extract • daucus carota sativa (carrot) root extract • brassica oleracea acephala (kale) leaf extract • spinacia oleracea (spinach) leaf extract ▶

**Drug Facts** (continued)

resveratrol • plankton extract • oryza sativa (rice) bran extract • vaccinium macrocarpon (cranberry) fruit extract • cucumis sativus (cucumber) fruit extract • adenosine phosphate • salicylic acid • laminaria saccharina extract • creatine • arabidopsis thaliana extract • lactobacillus ferment • ergothioneine • micrococcus lysate • biosaccharide gum-4 • algae extract • acetyl carnitine hcl • caffeine • hordeum vulgare (barley) extract/extrait d'orge • albizia julibrissin bark extract • sigesbeckia orientalis (st. paul's wort) extract • sodium rna • sodium hyaluronate • 7-dehydrocholesterol • styrene/acrylates copolymer • isohexadecane • tocopheryl acetate • peg-100 stearate • trehalose • ethylhexylglycerin • lecithin • propylene glycol dicaprate • polyethylene • helianthus annuus (sunflower) seedcake • yeast extract/faex/extrait de levure • capryloyl glycine • peg-8 laurate • polysorbate 80 • acrylamide/sodium acryloyldimethyltaurate copolymer • phytic acid • sea whip extract • tetrahexyldecyl ascorbate • propylene glycol caprylate • disodium edta • bht • chlorphenesin • phenoxyethanol • titanium dioxide (ci 77891) • mica [in44660]

**Other information**

protect the product in this container from excessive heat and direct sun

CULTECH INC  
 CAD#2103968



008656

K5G2-01-1111

**SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE PLUS 1ST SIGNS OF AGE MULTI-CORRECTING**

avobenzone and octisalate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49527-075
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.0306 g in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.051 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SORBITAN MONOSTEARATE</b> (UNII: NVZ4I0H58X)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BRUSSELS SPROUT</b> (UNII: KHX46H31F8)	
<b>LOWBUSH BLUEBERRY</b> (UNII: G90PX41VP0)	
<b>BROCCOLI</b> (UNII: UOI4FT57BZ)	
<b>CARROT</b> (UNII: L56Z1JK48B)	
<b>KALE</b> (UNII: 0Y3L4J38H1)	
<b>SPINACH</b> (UNII: 6WO75C6VWB)	
<b>RESVERATROL</b> (UNII: Q369O8926L)	
<b>RICE BRAN</b> (UNII: R60QEP13IC)	
<b>CRANBERRY</b> (UNII: 0MVO31Q3QS)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ADENOSINE PHOSPHATE</b> (UNII: 415SHH325A)	
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>CREATINE</b> (UNII: MU72812GK0)	
<b>ARABIDOPSIS THALIANA WHOLE</b> (UNII: AI3L60HQ81)	
<b>LIMOSILACTOBACILLUS REUTERI</b> (UNII: 9913I24QEE)	
<b>ERGOTHIONEINE</b> (UNII: BDZ3DQM98W)	
<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)	
<b>LEVACECARNINE HYDROCHLORIDE</b> (UNII: NDW10MX58T)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>BARLEY</b> (UNII: 5PVM7YLI7R)	
<b>ALBIZIA JULIBRISSIN BARK</b> (UNII: 0J9G6W44DV)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>7-DEHYDROCHOLESTEROL</b> (UNII: BK1IU07GKF)	

<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>PROPYLENE GLYCOL DICAPRATE</b> (UNII: U783H9JHWY)
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)
<b>HELIANTHUS ANNUUS SEEDCAKE</b> (UNII: 482WYF7XLC)
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)
<b>CAPRYLOYL GLYCINE</b> (UNII: 8TY5YO42NJ)
<b>PEG-8 LAURATE</b> (UNII: 762O8IWA10)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>FYTIC ACID</b> (UNII: 7IGF0S7R8I)
<b>PSEUDOPTEROGORGIA ELISABETHAE</b> (UNII: UDY3H1OUX5)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>PROPYLENE GLYCOL MONOCAPRYLATE</b> (UNII: RT9P9S09QI)
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>MICA</b> (UNII: V8A1AW0880)
<b>WATER</b> (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-075-01	1 in 1 CARTON	11/21/2019	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:49527-075-02	7 mL in 1 TUBE; Type 0: Not a Combination Product	11/21/2019	09/11/2023

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	11/21/2019	

**Labeler** - CLINIQUE LABORATORIES LLC (044475127)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
PALC		078364654	pack(49527-075) , label(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(49527-075) , label(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
Whitman Laboratories Ltd.		216866277	manufacture(49527-075) , pack(49527-075) , label(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(49527-075) , pack(49527-075) , label(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-075) , pack(49527-075) , label(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
NORTHTEC LLC		943871157	label(49527-075) , pack(49527-075)

## Establishment

Name	Address	ID/FEI	Business Operations
PADC 1		949264774	pack(49527-075) , label(49527-075)

Revised: 9/2023

CLINIQUE LABORATORIES LLC