

**SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE PLUS 1ST SIGNS OF AGE
MULTI-CORRECTING- avobenzone and octisalate cream
CLINIQUE LABORATORIES LLC**

**SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE + 1ST SIGNS OF AGE
MULTI-CORRECTING CREAM**

Drug Facts

Active ingredients

Avobenzone 3.0%

Octisalate 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau • glycerin • neopentyl glycol diheptanoate • polyester-8 • dimethicone • sorbitan stearate • butyloctyl salicylate • polysorbate 60 • butylene glycol • sodium acrylates copolymer • silica • cetyl alcohol • niacinamide • pentylene glycol • brassica oleracea gemmifera (brussels sprouts) extract • vaccinium angustifolium (blueberry) fruit extract • brassica oleracea italica (broccoli) extract • daucus carota sativa (carrot) root extract • brassica oleracea acephala (kale) leaf extract • spinacia oleracea (spinach) leaf extract • resveratrol • plankton extract • oryza sativa (rice) bran extract • vaccinium macrocarpon (cranberry) fruit extract • cucumis sativus (cucumber) fruit extract • adenosine phosphate • salicylic acid • laminaria saccharina extract • creatine • arabidopsis thaliana extract • lactobacillus ferment • ergothioneine • micrococcus lysate • biosaccharide gum-4 • algae extract • acetyl carnitine hcl • caffeine • hordeum vulgare (barley) extract\extrait d'orge • albizia julibrissin bark extract • sigesbeckia orientalis (st. paul's wort) extract • sodium rna • sodium hyaluronate • 7-dehydrocholesterol • styrene/acrylates copolymer • isohexadecane • tocopheryl acetate • peg-100 stearate • trehalose • ethylhexylglycerin • lecithin • propylene glycol dicaprate • polyethylene • helianthus annuus (sunflower) seedcake • yeast extract\faex\extrait de levure • capryloyl glycine • peg-8 laurate • polysorbate 80 • acrylamide/sodium acryloyldimethyltaurate copolymer • phytic acid • sea whip extract • tetrahexyldecyl ascorbate • propylene glycol caprylate • disodium edta • bht • chlorphenesin • phenoxyethanol • titanium dioxide (ci 77891) • mica [iln44660]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

de-aging

CLINIQUE

superdefense

broad spectrum SPF 25

fatigue + 1st signs of age

multi-correcting cream

COMBINATION OILY TO OILY

NET WT. 1.7 OZ./50 ml e

de-aging



CLINIQUE

**superdefense
broad spectrum SPF 25**

fatigue + 1st signs of age
multi-correcting cream

COMBINATION OILY TO OILY

POIDS NET WT. 1.7 OZ./50 ml e

Allergy Tested. 100% Fragrance Free.

This refreshing silky cream fights fatigue and first signs of aging, for more energized, youthful-looking skin.

Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶



clinique.com



© CLINIQUE LABORATORIES, DIST. NEW YORK, N.Y. 10022
WLB LTD, GU32 3DD, UK • WLB S NV, OEVERL BE-2260
NEW YORK • LONDON • PARIS
MADE IN U.S.A. K562



Drug Facts (continued)

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply at least every two hours • use a water resistant sunscreen if swimming or sweating
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.–2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • glycerin • neopentyl glycol diheptanoate • polyester-8 • dimethicone • sorbitan stearate • butyloctyl salicylate • polysorbate 60 • butylene glycol • sodium acrylates copolymer • silica • cetyl alcohol • niacinamide • pentylene glycol • brassica oleracea gemmifera (brussels sprouts) extract • vaccinium angustifolium (blueberry) fruit extract • brassica oleracea italica (broccoli) extract • daucus carota sativa (carrot) root extract • brassica oleracea acephala (kale) leaf extract • spinacia oleracea (spinach) leaf extract ▶

Drug Facts (continued)

resveratrol • plankton extract • oryza sativa (rice) bran extract • vaccinium macrocarpon (cranberry) fruit extract • cucumis sativus (cucumber) fruit extract • adenosine phosphate • salicylic acid • laminaria saccharina extract • creatine • arabidopsis thaliana extract • lactobacillus ferment • ergothioneine • micrococcus lysate • biosaccharide gum-4 • algae extract • acetyl carnitine hcl • caffeine • hordeum vulgare (barley) extract/extrait d'orge • albizia julibrissin bark extract • sigesbeckia orientalis (st. paul's wort) extract • sodium rna • sodium hyaluronate • 7-dehydrocholesterol • styrene/acrylates copolymer • isohexadecane • tocopheryl acetate • peg-100 stearate • trehalose • ethylhexylglycerin • lecithin • propylene glycol dicaprate • polyethylene • helianthus annuus (sunflower) seedcake • yeast extract/faex/extrait de levure • capryloyl glycine • peg-8 laurate • polysorbate 80 • acrylamide/sodium acryloyldimethyltaurate copolymer • phytic acid • sea whip extract • tetrahexyldecyl ascorbate • propylene glycol caprylate • disodium edta • bht • chlorphenesin • phenoxyethanol • titanium dioxide (ci 77891) • mica [in44660]

Other information

protect the product in this container from excessive heat and direct sun

CULTECH INC
 CAD#2103968



008656

K5G2-01-1111

SUPERDEFENSE BROAD SPECTRUM SPF 25 FATIGUE PLUS 1ST SIGNS OF AGE MULTI-CORRECTING

avobenzone and octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-075
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.0306 g in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	0.051 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BRUSSELS SPROUT (UNII: KHX46H31F8)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
BROCCOLI (UNII: UOI4FT57BZ)	
CARROT (UNII: L56Z1JK48B)	
KALE (UNII: 0Y3L4J38H1)	
SPINACH (UNII: 6WO75C6VWB)	
RESVERATROL (UNII: Q369O8926L)	
RICE BRAN (UNII: R60QEP13IC)	
CRANBERRY (UNII: 0MVO31Q3QS)	
CUCUMBER (UNII: YY7C30VXJT)	
ADENOSINE PHOSPHATE (UNII: 415SHH325A)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)	
CREATINE (UNII: MU72812GK0)	
ARABIDOPSIS THALIANA WHOLE (UNII: AI3L60HQ81)	
LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
LEVACECARNINE HYDROCHLORIDE (UNII: NDW10MX58T)	
CAFFEINE (UNII: 3G6A5W338E)	
BARLEY (UNII: 5PVM7YLI7R)	
ALBIZIA JULIBRISSIN BARK (UNII: 0J9G6W44DV)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
7-DEHYDROCHOLESTEROL (UNII: BK1IU07GKF)	

ISOHEXADECANE (UNII: 918X1OUF1E)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PEG-100 STEARATE (UNII: YD01N1999R)
TREHALOSE (UNII: B8WCK70T7I)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
PROPYLENE GLYCOL DICAPRATE (UNII: U783H9JHWY)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
HELIANTHUS ANNUUS SEEDCAKE (UNII: 482WYF7XLC)
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)
CAPRYLOYL GLYCINE (UNII: 8TY5YO42NJ)
PEG-8 LAURATE (UNII: 762O8IWA10)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
FYTIC ACID (UNII: 7IGF0S7R8I)
PSEUDOPTEROGORGIA ELISABETHAE (UNII: UDY3H1OUX5)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)
PROPYLENE GLYCOL MONOCAPRYLATE (UNII: RT9P9S09QI)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-075-01	1 in 1 CARTON	11/21/2019	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		
2	NDC:49527-075-02	7 mL in 1 TUBE; Type 0: Not a Combination Product	11/21/2019	09/11/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/21/2019	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
PALC		078364654	pack(49527-075) , label(49527-075)

Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-075) , pack(49527-075) , label(49527-075)

Establishment

Name	Address	ID/FEI	Business Operations
NORTHTEC LLC		943871157	label(49527-075) , pack(49527-075)

Revised: 12/2024

CLINIQUE LABORATORIES LLC