

**TRAUMA PLUS GEL- calendula officinalis, arnica montana, hypericum perforatum, symphytum officinale, bellis perennis, ledum palustre, sulphuricum acidum, calcarea fluorica, ferrum phosphoricum, rhus tox, ruta graveolens, natrum sulphuricum gel**  
**Energique, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**Drug Facts:**

**ACTIVE INGREDIENTS:**

(in gel): 2.72% of Arnica Montana 30C, Bellis Perennis 12X, Calcarea Fluorica 30X, Ferrum Phosphoricum 30X, Hypericum Perforatum 30C, Ledum Palustre 12X, Natrum Sulphuricum 30C, Rhus Tox 30X, Ruta Graveolens 30X, Sulphuricum Acidum 12X, Symphytum Officinale 6X; 0.01% of Arnica Montana 1X, Calendula Officinalis 1X, Hypericum Perforatum 1X.

**INDICATIONS:**

May temporarily relieve pain associated with bumps, bruises, abrasions, strains, sprains, fractures, stiffness; for all minor injuries.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**WARNINGS:**

**For external use only.** If an adverse reaction occurs, discontinue use.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing.

Store in a cool, dry place. Do not expose product to extreme temperatures.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Apply small amount every 10 minutes for 3 doses immediately after injury, then 2 to 3 times daily. For topical use only.

**INDICATIONS:**

May temporarily relieve pain associated with bumps, bruises, abrasions, strains, sprains, fractures, stiffness; for all minor injuries.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## INACTIVE INGREDIENTS:

Purified Water, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol, Ethylhexylglycerin, Tocopherol, Sodium Hydroxide, Aloe Barbadensis 200X, Edetate Disodium (EDTA).

## QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd.

Woodbine, IA 51579 **800.869.8078**

## PACKAGE LABEL DISPLAY:

**ENERGIQUE**

SINCE 1987

**HOMEOPATHIC REMEDY**

**TRAUMA+GEL**

**Net wt. 2 oz. (57 g)**

**WARNINGS:** For external use only. If an adverse reaction occurs, discontinue use. If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place. Do not expose product to extreme temperatures.

**INDICATIONS:** May temporarily relieve pain associated with bumps, bruises, abrasions, strains, sprains, fractures, stiffness; for all minor injuries.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc.  
201 Apple Blvd.

Woodbine, IA 51579 **800.869.8078**



**HOMEOPATHIC REMEDY**

**TRAUMA+GEL™**

**Net wt. 2 oz. (57 g)**

**Active Ingredients (in gel):** 2.72% of Arnica 30C, Bellis 12X, Calc Fluor 30X, Ferrum Phos 30X, Hypericum 30C, Ledum 12X, Nat Sulphuricum 30C, Rhus Tox 30X, Ruta 30X, Sulphuricum Ac 12X, Symphytum 6X; 0.01% of Arnica 1X, Calendula 1X, Hypericum 1X.

**Inactive Ingredients:** Aloe Barbadensis Leaf Juice, Water, Benzyl Alcohol (and) Ethylhexylglycerin (and) Tocopherol, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Sodium Hydroxide.

**DIRECTIONS:** Apply small amount every 10 minutes for 3 doses immediately after injury, then 2 to 3 times daily. For topical use only.

LOT: XXXXXX

## TRAUMA PLUS GEL

calendula officinalis, arnica montana, hypericum perforatum, symphytum officinale, bellis perennis, ledum palustre, sulphuricum acidum, calcarea fluorica, ferrum phosphoricum, rhus tox, ruta graveolens, natrum sulphuricum gel

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:44911-0466
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	1 [hp_X] in 1 g
<b>ARNICA MONTANA</b> (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	1 [hp_X] in 1 g
<b>HYPERICUM PERFORATUM</b> (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	1 [hp_X] in 1 g
<b>COMFREY ROOT</b> (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	6 [hp_X] in 1 g
<b>BELLIS PERENNIS</b> (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	12 [hp_X] in 1 g
<b>LEDUM PALUSTRE TWIG</b> (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	12 [hp_X] in 1 g
<b>SULFURIC ACID</b> (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF)	SULFURIC ACID	12 [hp_X] in 1 g
<b>CALCIUM FLUORIDE</b> (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	30 [hp_X] in 1 g
<b>FERROSFERRIC PHOSPHATE</b> (UNII: 91GQH8I5F7) (FERROSFERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSFERRIC PHOSPHATE	30 [hp_X] in 1 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	30 [hp_X] in 1 g
<b>RUTA GRAVEOLENS FLOWERING TOP</b> (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	30 [hp_X] in 1 g
<b>SODIUM SULFATE</b> (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	30 [hp_C] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0466-1	57 g in 1 TUBE; Type 0: Not a Combination Product	08/20/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/20/2018	

**Labeler** - Energique, Inc. (789886132)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0466) , api manufacture(44911-0466) , label(44911-0466) , pack(44911-0466)

Revised: 10/2020

Energique, Inc.