

TOPRICIN- aesculus hippocastanum, arnica montana, belladonna, crotalus horridus, echinacea, graphites, heloderma, lachesis mutus, naja tripudians, rhus toxicodendron, ruta graveolens cream
Topical BioMedics, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Topricin Pain Relief Cream [0.75oz, 2oz, 4oz, 8oz, 16 oz, 32 oz]

Active Ingredients

Aesculus hippocastanum 6X

Arnica montana 6X

Belladonna 6X

Crotalus horridus 8X

Echinacea 6X

Graphites 6X

Heloderma 8X

Lachesis mutus 8X

Naja tripudians 8X

Rhus toxicodendron 6X

Ruta graveolens 6X

Uses

Rapid, soothing relief of pain, stiffness, tingling, or burning nerve pain associated with:

Arthritis and other joint pain and discomfort

Fibromyalgia

Carpal Tunnel Syndrome and other types of nerve pain

Pains & muscle cramps of the back, neck, shoulder, legs, hands & feet

Sports injuries (muscle pulls & soreness, impact, sprains, dislocations)

Repetitive motion injuries, such as bursitis, tendonitis and sciatica

First Aid for simple trauma (bruises, minor burns, cuts, scrapes & strains)

Purpose

Relieves pain in the lower back, hip and spine

Treats pain of impact, falling injuries and contusion to muscles and joints

Treats muscle spasms night leg cramps

Relief of impact injuries & deep muscle bruising

Relieves sharp stitching pain in joints & muscles

Relieves skin conditions

Relief of burning pain in the hands and feet
Relief of sciatic pain and carpal tunnel
Relieves nerve injury pain
Pain relief of muscle cramping, joint and post-surgical pain
Relief of injuries to the knee, shin and elbow

Warnings

For external use only. Do not apply in eyes. Ask doctor or pharmacist before using if you are taking a prescription medication. Ask doctor or pharmacist before using if you are pregnant or nursing. **Keep all medicines out of reach of children.** Use only as directed, see doctor if pain persists for more than 3 days or worsens, if new symptoms occur, or if redness or swelling are present because these could be signs of a more serious condition. Before considering any self help regimen always consult your doctor, especially if you are taking prescription medication.

Directions

Generously apply 3-4 times daily or more often if needed, 3 inches on and around affected area. Massage in until absorbed, re-apply before bedtime and in the morning.

Use before and after sports work outs and other physical activities.

Apply immediately for acute trauma injuries (sprain, strain, bruise, and impact injuries).

Inactive Ingredients

Inactive Ingredients: Captex 300 (from coconut fatty acids), Carbopol® Ultrez 10 (from sucrose), Cetyl Alcohol (from coconut oil), Spectrastat G 2 (derived from coconut), Glycerine (vegetable-based), Hydrokote (palm kernel oil with lecithin), Isopropyl Myristate emollient (from palm seeds), Lipomulse (from coconut fatty acids), Purified Water, Sodium hydroxide, Steareth-21 (from stearic acid cocoa butter)

Other Information

This homeopathic medicine is manufactured in the United States at the highest quality standards. Homeopathic medicines are safe, gentle and help your body heal. Safe for children (2-years and above), adults and the elderly. No odor or fragrance, no petroleum, no mineral oil, no lanolin, no capsaicin, no menthol, non-greasy, non-staining and paraben free. Store at room temperature. **Tamper Evident. Do not use if bottle has been opened.** For severe injury, always seek medical attention.

Principal Display Panel

NDC# 61500-5527-1

Topricin®

Pain Relief Cream

Moisturizing Relief for Arthritis, Joint and Nerve Pain

Homeopathic

Patented for Neuropathy

Ideal for Diabetics

US Patents # 5,795,573 and #7,871,647

Net wt. 0.75 oz.

Paraben Free · Doctor Recommended

NDC# 61500-5527-1

Topricin[®] Pain Relief Cream

*Moisturizing Relief for
Arthritis, Joint and Nerve Pain*

Homeopathic

Patented for Neuropathy
Ideal for Diabetics

US Patents #5,795,573 and #7,871,647

Net wt. 0.75 oz.

Paraben Free • Doctor Recommended

Drug Facts

Active Ingredients: Aesculus hippocastanum 6X, Arnica montana 6X, Belladonna 6X, Crotaul horridus 8X, Echinacea 6X, Graphites 6X, Heloderma 8X, Lachesis mutus 8X, Naja tripudians 8X, Rhus toxicodendron 6X, Ruta graveolens 6X

Uses: Rapid, soothing relief of pain, stiffness, tingling or burning nerve pain associated with: * Arthritis * Fibromyalgia * Carpal Tunnel * joint, nerve and back pain * first aid for simple trauma: * bug bites * bruises * minor burns and strains * Patented for Neuropathy

Warnings: * For external use only * Do not apply in eyes * Keep out of reach of children. * If swallowed, get medical help or contact a Poison Control Center right away. * Use only as directed * See doctor if pain persists for more than 3 days or worsens, if new symptoms occur, or if redness or swelling are present, because these could be signs of a more serious condition

Directions: Generously apply 3-4 times daily or more often if needed, 3 inches on and around the affected area. * Massage in until absorbed, re-apply before bed and in the morning. * Use before and after sports work outs and competitions. * Apply immediately for acute trauma injuries (sprains, strains, bruise, and impact injuries).

Inactive Ingredients: Captex 300 (from coconut fatty acids), Carbopol[®] Ultrez 10 (from sucrose), Cetyl Alcohol (from coconut oil), Spectrastat G 2 (derived from coconut), Glycerine (vegetable-based), Hydrokote (palm kernel oil with lecithin), Isopropyl Myristate emollient (from palm seeds), Lipomulse (from coconut fatty acids), Purified Water, Sodium hydroxide, Steareth-21 (from stearic acid cocoa butter)

Questions/comments?

Formulated By: Topical BioMedics, Inc.
Rhinebeck, NY 12572 • 1-845-871-4900
info@topricin.com **Made in USA**



TOPRICIN

aesculus hippocastanum, arnica montana, belladonna, crotalus horridus, echinacea, graphites, heloderma, lachesis mutus, naja tripudians, rhus toxicodendron, ruta graveolens cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61500-5527
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AESCULUS HIPPOCASTANUM FLOWER (UNII: KK0Z92II8M) (AESCULUS HIPPOCASTANUM FLOWER - UNII:KK0Z92II8M)	AESCULUS HIPPOCASTANUM FLOWER	6 [hp_X] in 170 g
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	6 [hp_X] in 170 g
CROTALUS HORRIDUS HORRIDUS VENOM (UNII: YHA2XLJ956) (CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)	CROTALUS HORRIDUS HORRIDUS VENOM	8 [hp_X] in 170 g
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	6 [hp_X] in 170 g
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	6 [hp_X] in 170 g
HELODERMA HORRIDUM VENOM (UNII: O9M1UQ4YIO) (HELODERMA HORRIDUM VENOM - UNII:O9M1UQ4YIO)	HELODERMA HORRIDUM VENOM	8 [hp_X] in 170 g
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	8 [hp_X] in 170 g
NAJA NAJA VENOM (UNII: ZZ4AG7L7VM) (NAJA NAJA VENOM - UNII:ZZ4AG7L7VM)	NAJA NAJA VENOM	8 [hp_X] in 170 g
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	6 [hp_X] in 170 g
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_X] in 170 g
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_X] in 170 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-100 STEARATE (UNII: YD01N1999R)	
WATER (UNII: 059QF0K00R)	
STEARETH-21 (UNII: 53J3F32P58)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROGENATED PALM KERNEL OIL (UNII: FM8D1RE2VP)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61500-5527-1	21 g in 1 TUBE; Type 0: Not a Combination Product	04/05/2016	
2	NDC:61500-5527-5	170 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2016	
3	NDC:61500-5527-4	113 g in 1 JAR; Type 0: Not a Combination Product	04/01/2016	
4	NDC:61500-5527-2	57 g in 1 TUBE; Type 0: Not a Combination Product	04/01/2016	
5	NDC:61500-5527-8	227 g in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2016	
6	NDC:61500-5527-6	454 g in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2016	
7	NDC:61500-5527-3	907 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	04/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		04/01/2016	

Labeler - Topical BioMedics, Inc. (125911037)

Establishment

Name	Address	ID/FEI	Business Operations
TRIVIDIA MANUFACTURING SOLUTIONS, INC		018927392	manufacture(61500-5527)

Revised: 4/2016

Topical BioMedics, Inc.