DECCOX- decoquinate granule Zoetis Inc.

Deccox®

(Decoquinate Type A Medicated Article) Coccidios tat

Active ingredient

Ingredients

Corn meal, soybean oil, lecithin and silicon dioxide

Must be mixed with other ingredients before feeding. Do not use in feeds containing bentonite. Mixing and conveying equipment should be properly grounded.

Cattle

For the prevention of coccidios is in ruminating and non-ruminating calves (including veal calves) and cattle caused by *Eimeria bovis* and *E. zuernii*.

Thoroughly mix Deccox into the ration at a rate to provide 22.7mg decoquinate per 100lbs (0.5mg/kg) of body weight. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard. Coccidiostats are not indicated for use in adult animals due to continuous previous exposure.

• 1.For Supplements or Topdress

• a. Type B Medicated Feed

lbs Deccox per ton of Supplement	Decoquinate Levels		Levels	Daily Feeding Rate per Head
	g/ton	%	mg/lb	
167	4542	0.5	2271	*(See footnote)

^{*} This supplement must be mixed with grain at the rate of 1 part supplement with 9 parts grain. The resulting mixture contains 0.05% decoquinate and is then to be fed at the rate of 1/10 lb per 100 lbs body weight daily.

•

b. Liquid - Type B Medicated Feed

- (1)Add the appropriate amount of Deccox to liquid supplement to provide the proper decoquinate level per head daily (see table below).
- (2)The pH of the supplement must be between 5.0 to 6.5.
- (3)Supplements must contain a suspending agent to maintain viscosity of not less than 500 centipoises.

lbs Deccox per ton of Liquid	Decoquinate Levels		evels	Daily Feeding Rate per Head
Supplement	g/ton	%	mg/lb	
4.18	114	0.0125	56.8	¹ /10 lb/25 lbs body weight

8.36	227	0.025	113.5	¹ /10 lb/50 lbs body weight
16.7	454	0.05	227.0	$^{1}/10$ lb/100 lbs body weight

c .Type C Medicated Feed

The table below shows the amount of Deccox required per ton of supplement to provide proper decoquinate levels per head daily

lbs Deccox per ton of	Decoquinate Levels g/ton % mg/lb		r ton of Decoquinate Leve		Levels	Daily Feeding Rate per
Feed			mg/lb	Head		
16.7	454	0.05	227	1/10 lb/100 lbs body weight		
33.4	908	0.1	454	1/10 lb/200 lbs body weight		
41.75	1136	0.125	568	1/10 lb/250 lbs body weight		

2. For Complete Ration - Type C Medicated Feed

The table below shows the amount of Deccox required per ton of supplement to provide proper decoquinate levels per head daily.

lbs Deccox per ton of Feed		quinate I		Daily Feeding Rate per Head
	g/ton	%	mg/lb	
0.5	13.6	0.0015	6.8	20 lbs
0.7	19.0	0.0021	9.5	14.3 lbs
1.0	27.2	0.0030	13.6	10 lbs

The following formula can be used to calculate the amount of Deccox (6% decoquinate) to be included in one ton of feed to provide the daily dosage of 22.7 mg decoquinate per 100 lbs body weight.

Avg. Weight of Individual Animal to be Medicated	× 454	_ lbs Deccox to be added per ton
Avg. Pounds of Medicated Feed per Animal, per Day	× 27,200	feed

Note: Mix Deccox in a ratio of 1:9 with ground grain prior to adding it to the mixer.

Warning

Do not feed to cows producing milk for human consumption

Sheep

For Complete Ration - Type C Medicated Feed

For the prevention of coccidios is in young sheep caused by *Eimeria ovinoidalis*, *E. crandallis*, *E. parva*, and *E. bakuensis*.

Thoroughly mix Deccox into the ration at a rate to provide 22.7mg decoquinate per 100lbs (0.5mg/kg) of body weight. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard.

Sheep Body Weight in	lbs Deccox per ton of	Decoquinate Levels			Daily Feeding Rate
lbs	Feed	g/ton	%	mg/lb	per Head
30	0.5	13.6	0.0015	6.8	1.0 lbs
60	0.5	13.6	0.0015	6.8	2.0 lbs
90	0.5	13.6	0.0015	6.8	3.0 lbs

Warning

Do not feed to sheep producing milk for human consumption

Chickens

For Complete Ration - Type C Medicated Feed

For the prevention of coccidios is in broiler chickens - caused by Eimeria tenella, E. necatrix, E. acervulina, E. mivati, E. maxima, and E. brunetti.

Thoroughly mix one (1) pound of Deccox in each ton of complete ration and feed continuously

Warning

Do not feed to laying hens producing eggs for human consumption

Goats

For Complete Ration - Type C Medicated Feed

For the prevention of coccidios is in young goats caused by *Eimeria christenseni* and *E. ninakohlyakimovae*.

Thoroughly mix Deccox into the ration at a rate to provide 22.7mg decoquinate per 100lbs (0.5mg/kg) of body weight. Feed for at least 28 days during periods of coccidiosis exposure or when experience indicates that coccidiosis is likely to be a hazard.

Goats Body Weight in	lbs Deccox per ton of	Decoquinate Levels			Daily Feeding Rate
lbs	Feed	g/ton	%	mg/lb	per Head
30	0.5	13.6	0.0015	6.8	1.0 lbs

Warning

Do not feed to goats producing milk for human consumption

Restricted Drug (California) - Use only as directed. Not for human use.

Approved by FDA under NADA # 039-417

Storage

Store below 25°C (77°F), excursions permitted to 37°C (99°F). Keep bag tightly closed.

Manufactured by Zoetis LLC Chicago Heights, IL

Distributed by:


Zoetis Inc. Kalamazoo, MI 49007 Product of India

Net wt 50 LB (22.68 kg)

40026636



PRINCIPAL DISPLAY PANEL - 22.68 kg Bag



Deccox 50 lb bag

DECCOX

decoquinate granule			
Product Information			
Product Type	OTC TYPE A MEDICATED ARTICLE ANIMAL DRUG	Item Code (Source)	NDC:54771- 1601
Route of Administration	ORAL		

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
DECOQUINATE (UNII: 534I52PVWH) (DECOQUINATE - UNII:534I52PVWH)	DECOQUINATE	27.2 g in 0.45 kg			

Product Characteristics					
Color	WHITE (White to Tan)	Score			
Shape		Size			
Flavor		Imprint Code			
Contains					

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:54771-1601-0	22.68 kg in 1 BAG		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NADA	NADA039417	01/03/2009				

Labeler - Zoetis Inc. (828851555)

Establishment					
Name	Address	ID/FEI	Business Operations		
Hikal Limited		918602129	API MANUFACTURE		

Establishment						
Name	Address	ID/FEI	Business Operations			
Zoetis LLC		099219842	MANUFACTURE			

Revised: 10/2019 Zoetis Inc.