

**COUGH AND COLD HBP- chlorpheniramine maleate, dextromethorphan  
hbr tablet, film coated  
Walgreen Company**

-----  
**Walgreens 44-689 Cough and Cold HBP**

***Active ingredients (in each tablet)***

Chlorpheniramine maleate 4 mg  
Dextromethorphan HBr 30 mg

***Purpose***

Antihistamine  
Cough suppressant

***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing due to the common cold

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with excessive phlegm (mucus)
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages

- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- **do not take more than directed**
- adults and children 12 years and over: 1 tablet every 6 hours, not more than 4 tablets in 24 hours
- children under 12 years: do not use

### **Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### **Inactive ingredients**

croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

### **Questions or comments?**

**1-800-426-9391**

### **Principal display panel**

#### **Walgreens**

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients  
in Coricidin® HBP Cough & Cold††

NDC 0363-9689-21

**Cough &  
Cold HBP**

CHLORPHENIRAMINE MALEATE / ANTIHISTAMINE  
DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

Decongestant Free

- Relieves cough, runny nose & sneezing
- Cough & cold relief for people  
with high blood pressure

**16**

TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.

†† This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademark Coricidin® HBP Cough & Cold.

50844 REV0224A68921

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2021 Walgreen Co.




**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bayer-HealthCare LLC, owner of the registered trademark Coricidin® HBP Cough & Cold.

DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
Walgreens.com  
©2021 Walgreen Co.  
50844 REV0224A68921

**Drug Facts** KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Active ingredients (in each tablet)**  
Chlorpheniramine maleate 4 mg.....Antihistamine  
Dextromethorphan HBr 30 mg.....Cough suppressant

**Purpose**  
Cough suppressant

**Uses**  
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold  
temporarily relieves runny nose and sneezing due to the common cold

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
difficulty in urination due to enlargement of the prostate gland  
cough that occurs with excessive phlegm (mucus)    glaucoma  
a breathing problem such as emphysema or chronic bronchitis  
persistent or chronic cough such as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product**  
excitability may occur, especially in children  
marked drowsiness may occur  
alcohol, sedatives, and tranquilizers may increase drowsiness

**Drug Facts (continued)**

avoid alcoholic beverages  
use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
do not take more than directed  
adults and children 12 years and over:  
1 tablet every 6 hours, not more than 4 tablets in 24 hours  
children under 12 years: do not use

**Other information**  
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
see end flap for expiration date and lot number

**Inactive ingredients**  
croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**  
1-800-426-9391

NDC 0363-9689-21



Compare to the active ingredients in Coricidin® HBP Cough & Cold™

# Cough & Cold HBP

CHLORPHENIRAMINE MALEATE / ANTIHISTAMINE  
DEXTROMETHORPHAN HBR / COUGH SUPPRESSANT

**Decongestant Free**

- Relieves cough, runny nose & sneezing
- Cough & cold relief for people with high blood pressure

**16 TABLETS**



ACTUAL SIZE

W3ORG0122-F  
REV-0524

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

ITEM 987227 W00000-0000-0



3 11917 19294 9

B-2201-689-21-HR  
REV0224A68921

**Walgreens 44-689**

<b>COUGH AND COLD HBP</b>			
chlorpheniramine maleate, dextromethorphan hbr tablet, film coated			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9689
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)		CHLORPHENIRAMINE MALEATE	4 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	30 mg
Inactive Ingredients			
	Ingredient Name	Strength	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)			
<b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)			

<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;689
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9689-21	2 in 1 CARTON	01/25/2022	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/25/2022	

**Labeler** - Walgreen Company (008965063)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-9689) , pack(0363-9689)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-9689)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-9689)

