

**COUGH AND COLD HBP- chlorpheniramine maleate, dextromethorphan
hbr tablet, film coated
Walgreen Company**

Walgreens 44-689 Cough and Cold HBP

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Dextromethorphan HBr 30 mg

Purpose

Antihistamine
Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves runny nose and sneezing due to the common cold

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with excessive phlegm (mucus)
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages

- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- adults and children 12 years and over: 1 tablet every 6 hours, not more than 4 tablets in 24 hours
- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

Walgreens

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients
in Coricidin® HBP Cough & Cold††

NDC 0363-9689-21

**Cough &
Cold HBP**

CHLORPHENIRAMINE MALEATE / ANTIHISTAMINE
DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

Decongestant Free

- Relieves cough, runny nose & sneezing
- Cough & cold relief for people with high blood pressure

16
TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
OPENED OR IF BLISTER UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.

†† This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered
trademark Coricidin® HBP Cough & Cold.

50844 REV0224A68921

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2021 Walgreen Co.




TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bayer-HealthCare LLC, owner of the registered trademark Coricidin® HBP Cough & Cold.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
Walgreens.com
©2021 Walgreen Co.
50844 REV0224A68921

Drug Facts KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)
Chlorpheniramine maleate 4 mg.....Antihistamine
Dextromethorphan HBr 30 mg.....Cough suppressant

Purpose
Cough suppressant

Uses
temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
temporarily relieves runny nose and sneezing due to the common cold

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
difficulty in urination due to enlargement of the prostate gland
cough that occurs with excessive phlegm (mucus) glaucoma
a breathing problem such as emphysema or chronic bronchitis
persistent or chronic cough such as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
excitability may occur, especially in children
marked drowsiness may occur
alcohol, sedatives, and tranquilizers may increase drowsiness

Drug Facts (continued)

avoid alcoholic beverages
use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if cough persists more than 1 week, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
do not take more than directed
adults and children 12 years and over:
1 tablet every 6 hours, not more than 4 tablets in 24 hours
children under 12 years: do not use

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
croscarmellose sodium, D&C red #27 aluminum lake, FD&C yellow #6 aluminum lake, lactose anhydrous, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments?
1-800-426-9391

NDC 0363-9689-21



Compare to the active ingredients in Coricidin® HBP Cough & Cold™

Cough & Cold HBP

CHLORPHENIRAMINE MALEATE / ANTIHISTAMINE
DEXTROMETHORPHAN HBR / COUGH SUPPRESSANT

Decongestant Free

- Relieves cough, runny nose & sneezing
- Cough & cold relief for people with high blood pressure

16 TABLETS



ACTUAL SIZE

W3ORG0122-F
REV-0524

PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

ITEM 987227 W00000-0000-0



3 11917 19294 9

B-2201-689-21-HR
REV0224A68921

Walgreens 44-689

COUGH AND COLD HBP			
chlorpheniramine maleate, dextromethorphan hbr tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9689
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg	
Inactive Ingredients			
Ingredient Name	Strength		
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)			

FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;689
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9689-21	2 in 1 CARTON	01/25/2022	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/25/2022	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-9689) , pack(0363-9689)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-9689)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-9689)

