

**VIADERMA CARE TETRACYCLINE HCL FIRST AID ANTIBIOTIC- tetracycline hydrochloride solution
ViaDerma Distribution, Inc.**

ViaDerma Care Tetracycline HCl First Aid Antibiotic

Drug Facts

Active ingredients (in each gram)

Tetracycline HCl 30 mg

Purposes

First aid antibiotic

Uses

- First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- Longer than 1 week unless directed by a doctor
- In the eyes
- Over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Other information

- Store between 68°-77°F (20-25°C)
- May stain cloth

Inactive ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, tocopherol, water.

Package Labeling:

PANTONE®
6169 C

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck

Drug Facts

Active ingredients (in each gram) Purposes
Tetracycline HCl 30 mg.....First aid antibiotic

Uses

- First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- Longer than 1 week unless directed by a doctor
- In the eyes
- Over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Drug Facts (Cont)

Other information

- Store between 68-77°F (20-25°C)
- May stain cloth

Inactive ingredients

Acetic acid, ascorbic acid, butylated hydroxyanisole, butylated hydroxytoluene, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, gluconolactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, sodium hydroxide, sorbic acid, tocopherol, water.

ViaDerma™

Licensed to: Viaderma Distribution Inc.
by: Viaderma, Inc.

Distributed by: Viaderma Distribution Inc.
1050 E. Flamingo Road, Suite 107
Las Vegas, NV 89119

Report any serious adverse events to:

Viaderma Distribution Inc.
Tel: 1-800-585-8685
www.viaderma.com



Care™
ViaDerma



ViaDerma
Care™

Tetracycline HCl

(30 mg)

First Aid Antibiotic

Fast-Acting & Trusted Infection Protection

Essential first aid care at
home or on-the-go!

Net Wt. 0.5 oz (15 mL)

Patented Technology
U.S. Pat. No. 12,465,567



LOT#

EXP:

ViaDerma
Care™

First Aid Antibiotic

Formulated with
Tetracycline HCl
(30 mg)

The infection-fighting
power of our formula
helps protect:

Minor cuts, scrapes,
and burns from
harmful bacteria.



Powered by
SKINPASS®

Patented Fast Absorption Technology

Scan to learn more.



WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE. ■ LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR. ■ IN THE EYES. ■ OVER LARGE AREAS OF THE BODY, BITES OR SERIOUS BURNS. **KEEP OUT OF REACH OF CHILDREN.** If swallowed, get medical help or contact a poison control center right away. **KEEP OUT OF REACH OF CHILDREN.** If swallowed, get medical help or contact a poison control center right away.



ViaDerma

Care™

First Aid Antibiotic

Tetracycline HCl (30 mg)

Net Wt. 0.5 oz (15 mL)

DIRECTIONS: ■ CLEAN THE AFFECTED AREA. ■ APPLY A SMALL AMOUNT OF THIS PRODUCT
■ UNTIL AN AMOUNT EQUAL TO THE SURFACE AREA OF THE TOP OF A RINGER ON THE AREA TO
■ BE TREATED. ■ MAY BE COVERED WITH A STERILE BANDAGE DAILY. ■ REPORT ANY SERIOUS ADVERSE EVENTS TO:
■ **DISTRIBUTION INC.** 1-800-338-6655. ■ **DISTRIBUTION INC.** www.vaderma.com ■ **MADE IN THE USA**

VIADERMA CARE TETRACYCLINE HCL FIRST AID ANTIBIOTIC

tetracycline hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TETRACYCLINE HYDROCHLORIDE (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8V8B5M810T)	TETRACYCLINE HYDROCHLORIDE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	

TOCOPHEROL (UNII: R0ZB2556P8)

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-021-15	1 in 1 CARTON	12/30/2025	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	12/30/2025	

Labeler - ViaDerma Distribution, Inc. (081113521)

Registrant - Filltech USA, LLC (926433855)

Revised: 1/2026

ViaDerma Distribution, Inc.