

**TOM FORD SHADE AND ILLUMINATE FOUNDATION BROAD SPECTRUM SPF 45
SOFT RADIANCE CUSHION COMPACT REFILL- octinoxate, titanium dioxide, and
zinc oxide cream
TOM FORD BEAUTY DIST**

**TOM FORD SHADE AND ILLUMINATE FOUNDATION BROAD SPECTRUM SPF 45
SOFT RADIANCE CUSHION COMPACT REFILL**

Drug Facts

Active ingredients

Octinoxate 7.0%
Titanium Dioxide 7.6%
Zinc Oxide 3.6%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • phenyl trimethicone • dimethicone • pentaerythrityl tetraisostearate • methyl trimethicone • propanediol • lauryl peg-9 polydimethylsiloxyethyl dimethicone • glycerin • silica • isohexadecane • sodium hyaluronate • tocopheryl acetate • acetyl hexapeptide-8 • caffeine • sapindus mukorossi fruit extract • tremella fuciformis sporocarp extract • hylocereus undatus fruit extract • caprylic/capric triglyceride • dimethicone/peg-10/15 crosspolymer • diisostearyl malate • caesalpinia spinosa gum • trehalose • dimethicone/vinyl dimethicone crosspolymer • cetyl peg/ppg-10/1 dimethicone • linoleic acid • methicone • triolein • jojoba esters • lactobacillus ferment • morinda citrifolia fruit extract • betaine • phytosteryl canola glycerides • oleic acid • hydrogenated coco-glycerides • alumina • dimethicone silylate • phospholipids • magnesium sulfate • trimethylsiloxy silicate • lavandula angustifolia (lavender) oil • triethoxycaprylylsilane • disteardimonium hectorite • propylene carbonate • polysilicone-11 • peg-75 • caprylyl glycol • polyglyceryl-2 triisostearate • hydroxethyl urea • stearyl alcohol • polymethylsilsesquioxane • ceteryl alcohol • dipropylene glycol • glyceryl stearate • behenyl alcohol • stearic acid • butylene glycol • dimethicone/divinyldimethicone silsesquioxane crosspolymer • palmitic acid • ammonium polyacryloyldimethyl taurate • linalool • tocopherol • bht • sodium citrate • disodium edta • phenoxyethanol • potassium sorbate • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] <iln47200>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 12 g Jar Carton

TF

TOM FORD

SHADE AND ILLUMINATE FOUNDATION

BROAD SPECTRUM SPF 45

SOFT RADIANCE CUSHION COMPACT REFILL

NET WT. .42 OZ./12 g e

Drug Facts
[continued]

alcohol • dipropylene glycol • glyceryl stearate • behenyl alcohol • stearic acid • butylene glycol • dimethicone/ divinyl dimethicone silsesquioxane crosspolymer • palmitic acid • ammonium polyacryloyldimethyl taurate • linalool • tocopherol • bht • sodium citrate • disodium edta • phenoxyethanol • potassium sorbate • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499)] <iln47200>

Other information

protect the product in this container from excessive heat and direct sun

TOM FORD BEAUTY, DIST.
NEW YORK, NY 10022
WLB LTD, GU32 3DD, UK
WLBS NV, OEVEL, BE-2260
MADE IN BELGIUM T7A8



TF

TOM FORD

**SHADE AND ILLUMINATE FOUNDATION
BROAD SPECTRUM SPF 45
SOFT RADIANCE CUSHION COMPACT REFILL
NET WT./POIDS NET .42 OZ./12 g e**

T7A8-01-1111

Drug Facts

| Active ingredients | Purpose |
|---|-----------|
| Octinoxate 7.0% Titanium Dioxide 7.6% Zinc Oxide 3.6% | Sunscreen |

Use helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Drug Facts [continued]

■ wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • phenyl trimethicone • dimethicone • pentaerythrityl tetraisostearate • methyl trimethicone • propanediol • lauryl peg-9 polydimethylsiloxyethyl dimethicone • glycerin • silica • isohexadecane • sodium hyaluronate • tocopheryl acetate • acetyl hexapeptide-8 • caffeine • sapindus mukorossi fruit extract • tremella fuciformis sporocarp extract • hylocereus undatus fruit extract • caprylic/capric triglyceride • dimethicone/peg-10/15 crosspolymer •



TOM FORD SHADE AND ILLUMINATE FOUNDATION BROAD SPECTRUM SPF 45 SOFT RADIANCE CUSHION COMPACT REFILL

octinoxate, titanium dioxide, and zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:76398-011 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 7 g in 100 g |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 7.6 g in 100 g |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 3.6 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| PENTAERYTHRITYL TETRAISOSTEARATE (UNII: 9D7IK5483F) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |

| | |
|--|--|
| LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| ISOHEXADECANE (UNII: 918X1OUF1E) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL) | |
| CAFFEINE (UNII: 3G6A5W338E) | |
| SAPINDUS MUKOROSI FRUIT (UNII: 66H9NW427Y) | |
| TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G) | |
| SELENICEREUS UNDATUS FRUIT (UNII: WUG58TD53X) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ) | |
| CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO) | |
| TREHALOSE (UNII: B8WCK70T7I) | |
| LINOLEIC ACID (UNII: 9KJL21T0QJ) | |
| METHICONE (20 CST) (UNII: 6777U11MKT) | |
| GLYCERYL TRIOLEATE (UNII: O05EC62663) | |
| LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE) | |
| NONI FRUIT (UNII: 7829X3G2X5) | |
| BETAINE (UNII: 3SCV180C9W) | |
| OLEIC ACID (UNII: 2UMI9U37CP) | |
| HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| LAVENDER OIL (UNII: ZBP1YXW0H8) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| POLYGLYCERYL-2 TRIISOSTEARATE (UNII: 68DUY2D39A) | |
| HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR) | |
| STEARYL ALCOHOL (UNII: 2KR89I4H1Y) | |
| POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PALMITIC ACID (UNII: 2V16EO95H1) | |
| AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S) (UNII: F01RIY4371) | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |

| | |
|--|--|
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| MICA (UNII: V8A1AW0880) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |

| Packaging | | | | |
|------------------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:76398-011-01 | 1 in 1 CARTON | 11/15/2019 | |
| 1 | | 12 g in 1 JAR; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|------------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M020 | 11/15/2019 | |

Labeler - TOM FORD BEAUTY DIST (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

| Establishment | | | |
|----------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Cosmax, Inc. | | 689049693 | manufacture(76398-011) |

| Establishment | | | |
|----------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Estee Lauder N.V. | | 370151326 | manufacture(76398-011) |

Revised: 12/2023

TOM FORD BEAUTY DIST