

**ALLERGY PLUS SINUS RELIEF- diphenhydramine hcl and phenylephrine
hcl tablet, film coated
Rite Aid Corporation**

Rite Aid 44-485

Active ingredients (in each tablet)

Diphenhydramine HCl 25 mg
Phenylephrine HCl 10 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - nasal congestion
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
- temporarily relieves these symptoms due to the common cold:
 - nasal congestion
 - runny nose
 - sneezing
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- heart disease
- diabetes
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

- glaucoma
- thyroid disease

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- symptoms do not improve within 7 days or are accompanied by fever
- nervousness, dizziness, or sleeplessness occur

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 1 tablet every 4 hours
 - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- **each tablet contains:** calcium 25 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal display panel

Compare to the active ingredients in
Benadryl® Allergy Plus Congestion*

**ALLERGY PLUS
SINUS RELIEF
PHENYLEPHRINE HCl
DIPHENHYDRAMINE HCl**

ANTIHISTAMINE
NASAL DECONGESTANT
RELIEF OF

Sneezing, runny nose, sinus congestion,
sinus pressure, itchy throat,
& itchy, watery eyes

24
TABLETS

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion. 50844 ORG122048508

DISTRIBUTED BY:
RITE AID, 200 NEWBERRY COMMONS,
ETTERS, PA 17319 www.riteaid.com

SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

ALLERGY PLUS SINUS RELIEF

DIPHENHYDRAMINE HCl · PHENYLEPHRINE HCl
ANTIHISTAMINE · NASAL DECONGESTANT

NDC 11822-0485-8

Compare to the active ingredients in
Benadryl® Allergy Plus Congestion*

ALLERGY PLUS SINUS RELIEF

DIPHENHYDRAMINE HCl
PHENYLEPHRINE HCl

ANTIHISTAMINE
NASAL DECONGESTANT

RELIEF OF
Sneezing, runny nose, sinus congestion,
sinus pressure, itchy throat,
& itchy, watery eyes

ACTUAL SIZE

24
TABLETS



**ALLERGY PLUS
SINUS RELIEF**
 DIPHENHYDRAMINE HCl · PHENYLEPHRINE HCl
 ANTIHISTAMINE · NASAL DECONGESTANT

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS
 OPENED OR IF BLISTER UNIT IS TORN, BROKEN
 OR SHOWS ANY SIGNS OF TAMPERING

no print / no varnish area
 lot no. & exp. date



*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Plus Congestion. 50844 086122048508
DISTRIBUTED BY:
 RITE AID, 200 NEWBERRY COMMONS,
 ETTERS, PA 17319 www.riteaid.com
SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.

P-1170-485-00-R3
 086122048508

Drug Facts (continued)
 microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

Warnings

- runny nose ■ sneezing ■ nasal congestion
- temporarily relieves these symptoms due to the common cold: ■ nasal congestion
- itching of the nose or throat ■ itchy, watery eyes
- runny nose ■ sneezing ■ nasal congestion
- temporarily relieves these symptoms due to the

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug.
- If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland ■ diabetes ■ thyroid disease
- heart disease ■ glaucoma ■ high blood pressure
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking

- sedatives or tranquilizers.

Directions ■ do not take more than directed

- adults and children 12 years and over
- take 1 tablet every 4 hours
- do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- each tablet contains: calcium 25 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, aluminum lake, hypromellose, magnesium stearate.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than directed

- adults and children 12 years and over
- take 1 tablet every 4 hours
- do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

Other information

- each tablet contains: calcium 25 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, aluminum lake, hypromellose, magnesium stearate.



Rite Aid 44-485

ALLERGY PLUS SINUS RELIEF

diphenhydramine hcl and phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0485
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0485-8	2 in 1 CARTON	08/10/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/10/2005	

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-0485) , pack(11822-0485)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(11822-0485)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-0485)

Revised: 4/2025

Rite Aid Corporation