

ANTACID MINT- aluminum hydroxide, magnesium hydroxide, dimethicone suspension
Chain Drug Marketing Association

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

qc ant mnt

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)

Magnesium hydroxide 200 mg

Simethicone 20mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before each use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls, as needed, up to four times a day, or as directed by a doctor
- do not take more than 16 teaspoonfuls in 24 hours unless directed by a doctor or use the maximum dosage for more than 2 weeks

- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

package Label

NDC 63868-694-57



*Compare to the
Active Ingredients
in MAALOX® Regular
Strength

Regular Strength Antacid Suspension

Antacid & Antigas

Alumina, Magnesia, and
Simethicone
Oral Suspension USP

Fast Relief of:
Acid Indigestion
Heartburn
Sour Stomach
Pressure & Bloating



Cool Mint
Flavored Liquid

12 FL OZ (355 mL)

REV GC-0119
231-11212-3

Drug Facts

TAMPER EVIDENT: DO NOT USE IF BREAKAWAY
BAND ON BOTTLE CAP IS MISSING OR BROKEN.

Active ingredients

(in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel USP)	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

Purposes

Uses relieves • heartburn • sour stomach • acid indigestion
• the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescriptions drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

if pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions

- shake well before each use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls four times a day or as directed by a doctor
- do not exceed 16 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

*This product is not manufactured or distributed by the owner of the registered trademark MAALOX®

REV GC-0119
931-11212-3



Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300



ANTACID MINT

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-694
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNIT-50-RAT2-II-NO) (ALUMINUM HYDROXIDE - UNIT-50-RAT2-II-NO)	ALUMINUM	200 mg

ALUMINUM HYDROXIDE (UNII: 3QB01Z10N0) (ALUMINUM HYDROXIDE - UNII:3QB01Z10N0)	HYDROXIDE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QP1IU3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-694-57	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	03/01/2014	

Labeler - Chain Drug Marketing Association (011920774)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(63868-694)