

**WARTS - MOLES - SKIN TAGS - antimon. crud., bryonia, calc.carb., causticum, dulcamara, graphites, lycopodium, merc. sulph. rub., nat. carb., nitricum ac., nux vom., rhus toxicodendron, sabina, sepia, silicea, staphysag., sulphur, thuja occ., taraxacum pellet  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Warts - Moles - Skin Tags**

## **INDICATIONS & USAGE SECTION**

**Warts - Moles - Skin Tags** Formulated for various types of skin conditions such as warts (including genital), moles, keloids, molluscum and skin tags.

## **DOSAGE & ADMINISTRATION SECTION**

**Directions: ORAL USE ONLY - SHAKE WELL.** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

## **ACTIVE INGREDIENT SECTION**

Antimon. crud. 20x, Bryonia 20x, Calc.carb. 20x, Causticum 20x, Dulcamara 20x, Graphites 20x, Lycopodium 20x, Merc. sulph. rub. 20x, Nat. carb. 20x, Nitricum ac. 20x, Nux vom. 20x, Rhus toxicodendron 20x, Sabina 20x, Sepia 20x, Silicea 20x, Staphysag. 20x, Sulphur 20x, Thuja occ. 20x, Taraxacum 8x, Thuja occ. 8x, Taraxacum 3x, Thuja occ. 3x.

## **PURPOSE SECTION**

Formulated for various types of skin conditions such as warts (including genital), moles, keloids, molluscum and skin tags.

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

## **QUESTIONS? SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

## **WARNINGS SECTION**

**Warning:** Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

## **PREGNANCY OR BREAST FEEDING SECTION**

Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days

**KEEP OUT OF REACH OF CHILDREN SECTION**

Keep out of reach of children

**PACKAGE LABEL**

**www.newtonlabs.net**  
 Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012  
**Questions? 1.800.448.7256**  
**Warning:** Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

**Warts ~ Moles  
~ Skin Tags**

*Formulated for various types of skin conditions such as warts (including genital), moles, keloids, molluscum and skin tags.*

**1 oz (28.35 g)**

Dispensed by healthcare professionals only.  
 Not for over-the-counter sale.  
**Directions:** Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.  
**Active Ingredients:** Antimon. crud. 20x, Bryonia 20x, Calc. carb. 20x, Causticum 20x, Dulcamara 20x, Graphites 20x, Lycopodium 20x, Merc. sulph. rub. 20x, Nat. carb. 20x, Nitricum ac. 20x, Nux vom. 20x, Rhus toxicodendron 20x, Sabina 20x, Sepia 20x, Silicea 20x, Staphysag. 20x, Sulphur 20x, Thuja occ. 20x, Taraxacum 8x, Thuja occ. 8x, Taraxacum 3x, Thuja occ. 3x.  
**Inactive Ingredients:** Gluten-free, non-GMO, beet-derived sucrose pellets.

**Stock# R067 Lot#**

**WARTS - MOLES - SKIN TAGS**

antimon. crud., bryonia, calc.carb., causticum, dulcamara, graphites, lycopodium, merc. sulph. rub., nat. carb., nitricum ac., nux vom., rhus toxicodendron, sabina, sepia, silicea, staphysag., sulphur, thuja occ., taraxacum pellet

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55714-4533
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Antimony Trisulfide</b> (UNII: F79059 A38U) (Antimony Trisulfide - UNII:F79059 A38U)	Antimony Trisulfide	20 [hp_X] in 1 g
<b>Bryonia Alba Root</b> (UNII: T7J046 YI2B) (Bryonia Alba Root - UNII:T7J046 YI2B)	Bryonia Alba Root	20 [hp_X] in 1 g
<b>Oyster Shell Calcium Carbonate, Crude</b> (UNII: 2E32821G6I) (Oyster Shell Calcium Carbonate, Crude - UNII:2E32821G6I)	Oyster Shell Calcium Carbonate, Crude	20 [hp_X] in 1 g
<b>Causticum</b> (UNII: DD5FO1WKFU) (Causticum - UNII:DD5FO1WKFU)	Causticum	20 [hp_X] in 1 g
<b>Solanum Dulcamara Top</b> (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	20 [hp_X] in 1 g

<b>Graphite</b> (UNII: 4QQN74LH4O) (Graphite - UNII:4QQN74LH4O)	Graphite	20 [hp_X] in 1 g
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	20 [hp_X] in 1 g
<b>Mercuric Sulfide</b> (UNII: Z10T668SF1) (Mercuric Cation - UNII:ED30FJ8Y42)	Mercuric Sulfide	20 [hp_X] in 1 g
<b>Sodium Carbonate</b> (UNII: 45P3261C7T) (Carbonate Ion - UNII:7UJQ5OPE7D)	Sodium Carbonate	20 [hp_X] in 1 g
<b>Nitric Acid</b> (UNII: 411VRN1TV4) (Nitric Acid - UNII:411VRN1TV4)	Nitric Acid	20 [hp_X] in 1 g
<b>Strychnos Nux-vomica Seed</b> (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	20 [hp_X] in 1 g
<b>Toxicodendron Pubescens Leaf</b> (UNII: 610182RP7A) (Toxicodendron Pubescens Leaf - UNII:610182RP7A)	Toxicodendron Pubescens Leaf	20 [hp_X] in 1 g
<b>Juniperus Sabina Leafy Twig</b> (UNII: Z5BEX9K2G1) (Juniperus Sabina Leafy Twig - UNII:Z5BEX9K2G1)	Juniperus Sabina Leafy Twig	20 [hp_X] in 1 g
<b>Sepia Officinalis Juice</b> (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	20 [hp_X] in 1 g
<b>Silicon Dioxide</b> (UNII: ETJ7Z6XBU4) (Silicon Dioxide - UNII:ETJ7Z6XBU4)	Silicon Dioxide	20 [hp_X] in 1 g
<b>Delphinium Staphisagria Seed</b> (UNII: 00543AP1JV) (Delphinium Staphisagria Seed - UNII:00543AP1JV)	Delphinium Staphisagria Seed	20 [hp_X] in 1 g
<b>Sulfur</b> (UNII: 70FD1KFU70) (Sulfur - UNII:70FD1KFU70)	Sulfur	20 [hp_X] in 1 g
<b>Thuja Occidentalis Leafy Twig</b> (UNII: 1NT28V9397) (Thuja Occidentalis Leafy Twig - UNII:1NT28V9397)	Thuja Occidentalis Leafy Twig	20 [hp_X] in 1 g
<b>Taraxacum Officinale</b> (UNII: 39981FM375) (Taraxacum Officinale - UNII:39981FM375)	Taraxacum Officinale	8 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Sucrose</b> (UNII: C151H8M554)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4533-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4533-2	56.7 g in 1 BOTTLE, GLASS		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 6/2011

Newton Laboratories, Inc.