

MEIJER ELEMENTS ADVANCED FIRMING AND ANTI-WRINKLE- avobenzone, octisalate and octocrylene cream

Meijer Distribution Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

meijer elements® Advanced Firming and Anti-Wrinkle Moisturizer Day Cream Broad Spectrum SPF18 Sunscreen

Active ingredient

Avobenzone 2.0%

Octisalate 5.0%

Octocrylene 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on

- damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash occurs.

Keep Out of Reach of Children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients

water, cyclopentasiloxane, cyclohexasiloxane, glycerin, titanium dioxide, alumina, simethicone, squalane, glyceryl stearate, PEG-100 stearate, simmondsia chinensis (jojoba) seed oil, beeswax, myristyl myristate, stearic acid, polyglyceryl-10 pentastearate, bhenyl alcohol, sodium steroyl lactylate, tocopheryl acetate (vitamin E), dipalmitoyl hydroxyproline, butylene glycol, carbomer, polysorbate 20, palmitoyl oiligopeptide, palmitoyl tetrapeptide-7, lecithin, soy isoflavones, polysorbate 80, alcohol, propylene glycol, diazolidinyl urea, methylparaben, propylparaben, cetearyl alcohol, steareth-2, phenoxyethanol, polyacrylate-13, polyisobutene, glycine soja (soybean) protein, fragrance, triethanolamine, xanthan gum, retinyl palmitate, allantoin.

Package/Label Principal Display Panel

meijer elements®

Advanced Firming & Anti-Wrinkle Moisturizer

Day Cream Broad Spectrum SPF18 Sunscreen

with encapsulated Pro-Vitamin A & Matrixyl® & Sepilift®

*Complare to L'Oreal® Advanced Revitalift® Complete Day Cream SPF18 ingredients

NET WT 1.7 OZ (48 g)

DIST. BY MEIJER

DISTRIBUTION, INC.

2929 WALKER AVE. NW

GRAND RAPIDS, MI 49544

www.meijer.com

Manufactured in Israel

2F692 6E C4

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Avobenzone, 2.0%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate, 5.0%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene, 5.0%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> • helps prevent sunburn • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings</p> <p>For external use only.</p> <p>Do not use on • damaged or broken skin.</p> <p>When using this product • keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor • if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> • Apply liberally 15 minutes before sun exposure. • Children under 6 months of age: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses <p>Other information</p> <ul style="list-style-type: none"> • protect the product in this container from excessive heat and direct sun <p>Inactive ingredients water, cyclopentasiloxane, cyclohexasiloxane, glycerin, titanium dioxide, alumina, simethicone, squalane, glyceryl stearate, PEG-100 stearate, simmondsia chinensis (jojoba) seed oil, beeswax, myristyl myristate, stearic acid, polyglyceryl-10 pentastearate, bhenyl alcohol, sodium steroyl lactylate, tocopheryl acetate (vitamin E), dipalmitoyl hydroxyproline, butylene glycol, carbomer, polysorbate 20, palmitoyl oiligopeptide, palmitoyl tetrapeptide-7, lecithin, soy isoflavones, polysorbate 80, alcohol, propylene glycol, diazolidinyl urea, methylparaben, propylparaben, cetearyl alcohol, steareth-2, phenoxyethanol, polyacrylate-13, polyisobutene, glycine soja (soybean) protein, fragrance, triethanolamine, xanthan gum, retinyl palmitate, allantoin.</p>	Active ingredients	Purpose	Avobenzone, 2.0%	Sunscreen	Octisalate, 5.0%	Sunscreen	Octocrylene, 5.0%	Sunscreen	<p>FIRMING & ANTI-WRINKLE: AN INNOVATIVE TECHNOLOGY</p> <p>Now experience the advanced actions against the signs of skin aging. New Firming & Anti-Wrinkle Day Cream Broad Spectrum SPF18 Sunscreen, with effective encapsulated Pro-Vitamin A, Matrixyl® and Sepilift® will increase cell turnover, reduce wrinkles, firm the skin, and provide 24 hour moisturization.</p>	<p>meijer elements.</p>	<p>DIRECTIONS FOR USE: Every day, smooth gently onto face and neck until thoroughly absorbed. Use in the AM, alone or under makeup.</p> <p>Results: Skin's elasticity is improved Visible reduction of wrinkles and skin looks smoother Firmer skin</p> <p>Matrixyl® is a registered trademark owned by Sederma. Sepilift® is a registered trademark owned by Seppic.</p>
Active ingredients	Purpose										
Avobenzone, 2.0%	Sunscreen										
Octisalate, 5.0%	Sunscreen										
Octocrylene, 5.0%	Sunscreen										
<p>DIST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER AVE. NW GRAND RAPIDS, MI 49544 www.meijer.com Manufactured in Israel 37815 6E C3</p> 	<p>FORMULA ESSENTIALS</p> <ul style="list-style-type: none"> • UV SPF18 sunscreen • Dermatologist tested for gentleness • Non-greasy • Non-Comedogenic <p>* This product is not manufactured or distributed by L'Oreal®, owner of the registered trademark Revitalift®.</p>	<p>Advanced Firming & Anti-Wrinkle Moisturizer</p> <p>DAY CREAM BROAD SPECTRUM SPF18 SUNSCREEN</p> <p>with encapsulated Pro-Vitamin A & Matrixyl® & Sepilift®</p> <p>NET WT 1.7 OZ (48 g)</p>	<p>TRIPLE-ACTION TECHNOLOGY</p> <p>Advanced Anti-Wrinkle Action: Encapsulated Pro-Vitamin A and Sepilift® will hasten skin renewal, reducing the amount of fine lines and wrinkles and their depth. Results can be seen in just two weeks. The new technology will continually act to help fight the signs of aging.</p> <p>Innovative Firming: Matrixyl® has proven to show renewed elastin and collagen fibers*. Skin's surface is remodeled, becoming more resilient and toned.</p> <p>Continuous Moisturization & Skin Protection: Provides 24 hour moisturization to soothe dry skin. Broad spectrum UVA/UVB SPF18 protects the skin and prevents skin damage by UV exposure.</p> <p><small>* In-vitro testing</small></p>								

Carton Label

MEIJER ELEMENTS ADVANCED FIRING AND ANTI-WRINKLE

avobenzone, octisalate and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-263
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
GLYCERIN (UNII: PDC6A3C0OX)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SQUALANE (UNII: GW89575KF9)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
JOJOBA OIL (UNII: 724GKU717M)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DOCOSANOL (UNII: 9G1OE216XY)	
SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CARBOMER 1342 (UNII: 809Y72KV36)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SOY ISOFLAVONES (UNII: 71B37NR06D)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A218C7H9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
STEARETH-2 (UNII: V56DFE46J5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)	
SOYBEAN (UNII: L7HT8F1ZOD)	
TROLAMINE (UNII: 9O3K93S3TK)	
XANTHAN GUM (UNII: TTV12P4NEE)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ALLANTOIN (UNII: 344S277G0Z)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-263-22	1 in 1 CARTON		
1		48 g in 1 JAR		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	05/11/2012		

Labeler - Meijer Distribution Inc. (006959555)