

**NEUTROGENA SHEER ZINC DRY-TOUCH SUNSCREEN BROAD SPECTRUM SPF50-
zinc oxide lotion
Kenvue Brands LLC**

Neutrogena Sheer Zinc Dry-Touch Sunscreen Broad Spectrum SPF 50

Drug Facts

Active ingredients

Zinc Oxide 21.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water, C 12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

Questions or Comments?

Call toll-free **800-299-4786** or **215-273-8755** (collect).

neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 147 mL Tube Label

VALUE SIZE

Neutrogena

Sheer Zinc[®]

DRY-TOUCH

SUNSCREEN

**Broad Spectrum SPF 50
50**

pureSCREEN[®]

100% zinc oxide uva uvb

ACCEPTED

e

NATIONALECZEMA.ORG

NATIONAL

ECZEMA

ASSOCIATION


hypoallergenic
water resistant
(80 minutes)

#1 DERMATOLOGIST


RECOMMENDED SUNCARE

5.0 FL OZ (147 mL)

lacquer free area




50
pureSCREEN®
100% zinc oxide uva+uvb

 hypoallergenic
water resistant
(80 minutes)

**#1 DERMATOLOGIST
RECOMMENDED SUNCARE**

5.0 FL OZ (147 mL)


30042388

Drug Facts

Active ingredient	Purpose
Zinc Oxide 21.6%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun


Warnings For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum value of SPF 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients
Water, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

Questions or comments?
Call toll-free 800-299-4786
or 215-273-8755 (collect)
neutrogena.com


0 86800 11157 3

non-printable area

NEUTROGENA SHEER ZINC DRY-TOUCH SUNSCREEN BROAD SPECTRUM SPF50			
zinc oxide lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0476
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYL METHICONE (8 MPA.S) (UNII: 3YWG8XYT8H)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETYL DIMETHICONE/BIS-VINYLDIMETHICONE CROSSPOLYMER (UNII: AE7QA6TW0Q)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
OCTYLDODECYL CITRATE CROSSPOLYMER (UNII: X323T6QO4M)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FEVERFEW (UNII: Z64FK7P217)	
GLYCERYL DIBEHENATE (UNII: R8WTH25YS2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0476-5	147 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2018	09/06/2022
2	NDC:69968-0476-1	14 mL in 1 TUBE; Type 0: Not a Combination Product	10/17/2016	12/15/2020
3	NDC:69968-0476-2	12 in 1 CARTON	10/17/2016	
3		14 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/17/2016	

