

**SUN SHIELD MINERAL UV BARRIER PROTECT BROAD SPECTRUM SPF 40
SUNSCREEN- zinc oxide lotion
Obagi Cosmeceuticals LLC**

Sun Shield™ Mineral UV Barrier Protect Broad Spectrum SPF 40 Sunscreen
Drug Facts

Active ingredient

Zinc Oxide 9.4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: ask a doctor

Other information

- protect this product from excessive heat and direct sun

Inactive ingredients

aqua/water/eau, C12-15 alkyl benzoate, butyloctyl salicylate, propanediol, cetyl PEG/PPG-10/1 dimethicone, isododecane, methyl trimethicone, caprylic/ capric triglyceride, PEG-30 dipolyhydroxystearate, silica, glycerin, polyglyceryl-3 diisostearate, squalane, phenoxyethanol, magnesium sulfate, sodium chloride, stearalkonium hectorite, ethyl ferulate, triethoxycaprylylsilane, ethylhexylglycerin, sodium lauroyl lactylate, ceramide NP, ceramide AP, phytosphingosine, cholesterol, xanthan gum, carbomer, sr-(spider polypeptide-1 oligopeptide-178), tocopherol, ceramide EOP.

Questions or comments?

1.800.636.7546 Monday – Friday 9 a.m.–4 p.m. Pacific Time

DISTRIBUTED BY
Obagi Cosmeceuticals LLC,
Long Beach, CA 90806.

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

OBAGI®
MEDICAL

SUN SHIELD™

Mineral UV
Barrier Protect
Broad Spectrum SPF 40
Sunscreen Lotion

ceramides, squalane

SPF 40

1.7 fl. oz. / 50 mL

OBAGI[®]
MEDICAL

OBAGI[®]
MEDICAL

SUN SHIELD™

Mineral UV
Barrier Protect
Broad Spectrum SPF 40
Sunscreen Lotion
ceramides, squalane

SPF 40

1.7 fl. oz. / 50 mL

Drug Facts (continued)

Inactive ingredients

aqua/water/eau, C12-15 alkyl benzoate, butyloctyl salicylate, propanediol, cetyl PEG/PPG-10/1 dimethicone, isododecane, methyl trimethicone, caprylic/capric triglyceride, PEG-30 dipolyhydroxystearate, silica, glycerin, polyglyceryl-3 diisostearate, squalane, phenoxyethanol, magnesium sulfate, sodium chloride, stearylalkonium hectorite, ethyl ferulate, triethoxycaprylylsilane, ethylhexylglycerin, sodium lauroyl lactylate, ceramide NP, ceramide AP, phytosphingosine, cholesterol, xanthan gum, carbomer, sr-(spider polypeptide-1 oligopeptide-178), tocopherol, ceramide EOP.

Questions or comments?

1.800.636.7546 Monday–Friday
9 a.m.–4 p.m. Pacific Time

Drug Facts

Active ingredient

Zinc Oxide 9.4%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: ask a doctor

Other information

- protect this product from excessive heat and direct sun ▶

Provides UVA/UVB broad-spectrum protection with 100% active mineral filters and antioxidants, shielding the skin from harmful rays, photodamage, and oxidative stress. Helps soothe the skin, maintain moisture balance, and support the skin barrier with Squalane and skin-strengthening Ceramides. This non-comedogenic, enriched formula is ideal for sensitive, acne-prone, and post-procedure* skin.

**MINERAL UV
BARRIER PROTECT
BENEFITS**

Protects from premature skin damage and aging

Helps restore skin barrier

Non-comedogenic



*For use with non-ablative cosmetic procedures.


QR
CODE
FPO

SCAN TO AUTHENTICATE

DISTRIBUTED BY
Obagi Cosmeceuticals LLC,
Long Beach, CA 90806.
www.obagi.com
©2025 Obagi Cosmeceuticals LLC
Made in USA with US and imported
components. 8121-1



Lot Number



SUN SHIELD MINERAL UV BARRIER PROTECT BROAD SPECTRUM SPF 40 SUNSCREEN

zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62032-002 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 9.4 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| METHYL TRIMETHICONE (UNII: S73ZQI0GXM) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| PEG-30 DIPOLYHYDROXYSTEARATE (4000 MW) (UNII: 9713Q0S7FO) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) | |
| SQUALANE (UNII: GW89575KF9) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| STEARALKONIUM HECTORITE (UNII: O LX698AH5P) | |
| ETHYL FERULATE (UNII: 5B8915UELW) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |

| | |
|--|--|
| SODIUM LAUROYL LACTYLATE (UNII: 7243K85WFO) | |
| CERAMIDE NP (UNII: 4370DF050B) | |
| CERAMIDE AP (UNII: F1X8L2B00J) | |
| PHYTOSPHINGOSINE (UNII: GIN46U9Q2Q) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| CERAMIDE 1 (UNII: 5THT33P7X7) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62032-002-07 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | 04/28/2026 | |
| 2 | NDC:62032-002-41 | 10 mL in 1 BOTTLE; Type 0: Not a Combination Product | 04/28/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC MONOGRAPH DRUG | M020 | 04/28/2026 | |

Labeler - Obagi Cosmeceuticals LLC (790553353)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------|---------|-----------|------------------------|
| Dermaceutical Laboratories | | 080375664 | MANUFACTURE(62032-002) |

Revised: 5/2026

Obagi Cosmeceuticals LLC