

WALGREENS URINARY PAIN RELIEF - phenazopyridine hydrochloride tablet
Walgreens Co

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

DRUG FACTS

Phenazopyridine Hydrochloride 95 mg

Purpose;

Urinary Analgesic

Uses

fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections.

Do not exceed recommended dosage

Ask a Doctor before use if you have

kidney disease,
allergies to foods, preservatives or dyes,

had a hypersensitive reaction to phenazopyridine.

When using this product

stomach upset may occur, taking this product with or after meals may

reduce stomach upset,

your urine will become reddish orange in color. This is not harmful, but care should

be taken to avoid staining clothing or other items.

Stop use and ask a doctor if

if your symptoms last for more than 2 days

you suspect you are having an adverse reaction

to the medication.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children

in case of an overdose, get medical help or contact

a Poison Control Center right away.

Directions

Adults and children 12 and over; take 2 tablets 3 times daily with a full glass of water, with or after meals as needed.

Children under 12 consult a doctor.

Do not use for more than 2 days ;12 tablets; without consulting a doctor.

magnesium stearate, microcrystalline cellulose. May also contain carnauba wax,

croscarmellose sodium, hypromellose, lactose, magnesium silicate, maize starch, pharmaceutical

glaze, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate.



The image shows the packaging for Walgreens Urinary Pain Relief Tablets. The top section is white with the Walgreens logo and the text "The Brand America Trusts®" and "NDC 0363-0773-32". Below this is a blue section with the text "Fast Relief of Urinary Discomfort" and "Pain • Burning • Urgency & Frequency". The middle section is blue with the Walgreens logo, "Urinary Pain Relief Tablets", and "Phenazopyridine Hydrochloride 95 mg". Below this is a yellow section with the text "Quick Relief of Pain, Burning, Urgency & Frequency". The bottom section is blue with the Walgreens logo, "Urinary Pain Relief Tablets", and "Phenazopyridine Hydrochloride 95 mg". A small circular logo with the word "PHARMACIST" is visible in the bottom left corner.

Walgreens
The Brand America Trusts®

NDC 0363-0773-32

Fast Relief of Urinary Discomfort

Pain • Burning • Urgency & Frequency

Walgreens
The Brand America Trusts®

Urinary Pain Relief Tablets
Phenazopyridine Hydrochloride 95 mg

Quick Relief of Pain, Burning, Urgency & Frequency

Walgreens
The Brand America Trusts®

Urinary Pain Relief Tablets
Phenazopyridine Hydrochloride 95 mg

PHARMACIST



32 Tablets

Compare to AZO Standard® active ingredient*

ITEM 589725



*This product is not manufactured or distributed by Amerifit Nutrition, Inc., owners of the registered trademark Azo Standard®.

Dist by: Walgreen Co., Deerfield, IL 60015-4681
100% Satisfaction Guaranteed
Questions - 1-800-321-7178
www.walgreens.com



Caution: Tablets sealed in cellophane. Do not use if cellophane is open or damaged

Drug Facts

Active ingredient (in each tablet)

Phenazopyridine Hydrochloride 95 mg

Purpose

Urinary Analgesic

Use fast relief from urinary pain, burning, urgency and frequency associated with urinary tract infections

Warnings Do not exceed recommended dosage

- Ask a doctor before use if you have: kidney disease, allergies to foods, preservatives or dyes, had a hypersensitive reaction to phenazopyridine

When using this product: stomach upset may occur, taking this product with or after meals may reduce stomach upset, your urine will become reddish-orange in color. This is not harmful, but care should be taken to avoid staining clothing or other items.

Stop use and ask a doctor if: your symptoms last for more than 2 days, you suspect you are having an adverse reaction to the medication

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions Adults and children 12 and over: take 2 tablets 3 times daily with a full glass of water, with or after meals as needed

- Children under 12: consult a doctor
Do not use for more than 2 days (12 tablets) without consulting a doctor

REWAL

Other Information

- this product may stain contact lenses
this product can interfere with laboratory tests including urine, glucose (sugar), and ketones tests
long term administration of phenazopyridine HCl has induced neoplasia in rats (large intestine) and mice (liver). Although no association between phenazopyridine hydrochloride and human neoplasia has been reported, adequate epidemiological studies along these lines have not been conducted.
store at room temperature 15°-30°C (59°-86°F) in a dry place and protect from light

Rev. 5/09

Inactive Ingredients

magnesium stearate, microcrystalline cellulose. May also contain carnauba wax, croscarmellose sodium, hypromellose, lactose, magnesium silicate, maize starch, pharmaceutical glaze, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate.

WALGREENS URINARY PAIN RELIEF

phenazopyridine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0773
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENAZOPYRIDINE HYDROCHLORIDE (UNII: 0 EWG668 W17) (PHENAZOPYRIDINE - UNII:K2J09EMJ52)	PHENAZOPYRIDINE HYDROCHLORIDE	95 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D6 1U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29 V3WO)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	CPC64;A5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0773-01	1 in 1 CARTON		
1	NDC:0363-0773-32	32 in 1 CELLO PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/23/2001	

Labeler - Walgreens Co (008965063)

Registrant - Reese Pharmaceutical Co (004172052)

Establishment

Name	Address	ID/FEI	Business Operations
Reese Pharmaceutical Co		004172052	relabel, repack

