CHILDRENS CETIRIZINE HYDROCHLORIDE SUGAR FREE GRAPE- cetirizine hydrochloride solution

Taro Pharmaceuticals U.S.A., Inc.

Children's Cetirizine Hydrochloride Oral Solution Sugar Free Grape

Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

• if breast-feeding: not recommended

• if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours
adults 65 years and older	5 mL once daily; do not take more than 5 mL in 24 hours
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if carton is opened, or if imprinted safety seal is broken or missing
- see bottom panel for expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucralose

Questions?

Call **1-866-923-4914**

Distributed by: **Taro Pharmaceuticals U.S.A., Inc.** Hawthorne, NY 10532

Compare to the active ingredient in Children's Zyrtec®*

NDC 51672-2102-8

Children's Cetirizine Hydrochloride Oral Solution 1 mg/mL

ALLERGY Antihistamine

Indoor & Outdoor Allergies

SUGAR FREE

24 Hour

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

2 Yrs. & older

Grape Flavor

Dosing Cup Included

4 FL OZ (120 mL)





SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient **Purpose** (in each 5 mL)

Antihistam

emporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
 sneezing
- · Itchy, watery eyes . Itching of the nose or throat

Warnings

e if you have ever had an allergi reaction to this product or any of its ingredients or to an antihistamine containing droxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- · avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek nedical help right away.

If pregnant or breast-feeding:

- If breast-feeding: not recommended
 If pregnant: ask a health professional

Keep out of reach of children. In case of overdose, get medical hair or content of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- use only with e find right dose on chart below
- mL = milliliter

adults and 5 mL or 10 mL once dally depending upon severity of symptoms; do not take more children ind over than 10 mL in 24 hours.

5 mL once dally; do not take adults 65 years and over more than 5 mL in 24 hours.

children 2 to inder 6 years of age

2.5 mL once dally. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.

children under ask a doctor 2 years of age

consumers ask a doctor with liver or

Other information

- do not use if carton is opened or if imprinted safety seal is broken or
- expiration date store between 20° to 25°O (68° to 77°F)

Inactive ingredients

artificial grape flavor, glacial acetic acid, giycerin, methyliparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purtified water, sodium acetate (anhydrous), sucralose

Questions? Oall 1-866-923-4914 NDC 51672-2102-8

Children's

Cetirizine

Antihistamine

Hydrochloride

1 mg/mL ALLERGY

Indoor & Outdoor Allergies

Oral Solution

• Dye Free • Sugar Free

Children's Cetirizine **Hydrochloride Oral Solution** 1 mg/mL ALLERGY

Antihistamine

Indoor & Outdoor Allergies

SUGAR FREE

24 Relief of:

- Runny Nose
- Itchy, Watery Eyes Itchy Throat or Nose



T181C

Dosing cup should be washed and left to air dry after each use.

*This product is not manufactured or distributed by UCB Pharma, S.A.

CORPORATION BELGIUM, owner of the registered trademark Children's Zyrtec*.

Distributed by: Taro Pharmaceuticals U.S.A., Inc. Hawthorne, NY 10532

_ Made in Canada



NO VARNISH ON THIS FLAP 5217633 0221 27

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT



CHILDRENS CETIRIZINE HYDROCHLORIDE SUGAR FREE GRAPE

cetirizine hydrochloride solution

Product Information

HUMAN OTC DRUG **Product Type Item Code (Source)** NDC:51672-2102

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength Strength

Cetirizine Hydrochloride (UNII: 640047KTOA) (Cetirizine - UNII:YO7261ME24) Cetirizine Hydrochloride 1 mg in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
acetic acid (UNII: Q40Q9N063P)		
glycerin (UNII: PDC6A3C0OX)		
methylparaben (UNII: A2I8C7HI9T)		
propylene glycol (UNII: 6DC9Q167V3)		
propylparaben (UNII: Z8IX2SC1OH)		
water (UNII: 059QF0KO0R)		
sodium acetate anhydrous (UNII: NVG71ZZ7P0)		
sucralose (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE, BANANA	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51672- 2102-4	1 in 1 CARTON	09/08/2011		
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:51672- 2102-8	1 in 1 CARTON	09/08/2011		
2		120 mL in 1 BOTTLE; Type 0: Not a Combination Product			
3	NDC:51672- 2102-1	1 in 1 CARTON	09/08/2011		
3		240 mL in 1 BOTTLE; Type 0: Not a Combination Product			
4	NDC:51672- 2102-2	2 in 1 CARTON	09/08/2011		
4		120 mL in 1 BOTTLE; Type 0: Not a Combination Product			
5	NDC:51672- 2102-7	2 in 1 CARTON	09/08/2011		
5		240 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

ANDA	ANDA090182	09/08/2011	ı
			1

Labeler - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries, Ltd.		600072078	MANUFACTURE(51672-2102)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51672-2102)

Revised: 4/2021 Taro Pharmaceuticals U.S.A., Inc.