

MYCO NAIL A ANTIFUNGAL SOLUTION- undecylenic acid liquid
Kramer Novis

Myco® Nail A
ANTI-FUNGAL Solution

Drug Facts

Active ingredient

Undecylenic acid 25%

Purpose

Antifungal

Uses

- Proven clinically effective in the treatment of most athlete's foot, jock itch, and ringworm
- For effective relief of itching, scaling, cracking, burning and discomfort.

Warnings

For external use only.

Flammable: Keep away from fire and flame.

Do not use on children under 2 years of age, unless directed by a doctor.

When using this product

- avoid contact with the eyes.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or within 2 weeks (for jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash and dry the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night), or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well fitting, ventilated shoes, and change shoes and socks at least once daily

- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, consult a doctor
- this product is not effective on the scalp or nails

Other information

- Store between 15° – 30°C (59° – 86°F).
- Tamper Evident Feature: Do not use if safety seal around cap is torn, broken or missing.
- Retain carton for full prescribing information.

Inactive ingredients

Benzyl acetate, benzyl alcohol, cetylpyridinium chloride, chloroxylenol, eucalyptol, glacial acetic acid, Isopropyl alcohol, propionic acid, propylene glycol, sodium propionate and triacetin.

Questions or comments?

call weekdays from 8 am to 4 pm AST at **1.787.767.2072**

Manufactured in the USA for Kramer Novis
San Juan, PR 00917

KramerNovis

Pharmaceuticals within reach of patients

Packaging

Undecylenic acid 25%

Myco[®] Nail A

NDC 52083-242-30

Drug Facts (continued)

Directions

- wash and dry the affected area and dry thoroughly
- apply a thin layer of the product over the affected area twice daily (morning and night), or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toe's; wear well fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, consult a doctor
- this product is not effective on the scalp or nails

Other information

- Store between 15° - 30°C (59° - 86°F).
- Tamper Evident Feature: Do not use if safety seal around cap is torn, broken or missing.
- Retain carton for full prescribing information.

Drug Facts (continued)

Inactive ingredients

Benzyl acetate, benzyl alcohol, cetylpyridinium chloride, chloroxylenol, eucalyptol, glacial acetic acid, isopropyl alcohol, propionic acid, propylene glycol, sodium propionate and triacetin.

Questions or comments?

call weekdays from 8 am to 4 pm AST at **1.787.767.2072**

Manufactured in the USA for
Kramer Novis
San Juan, PR 00917

Rev. 12/22



NDC 52083-242-30

Myco[®] Nail A
Undecylenic acid 25%

ANTI-FUNGAL Solution

Topical Formula

1 Fl. Oz. (30 mL)



Drug Facts

Active ingredient Purpose
Undecylenic acid 25%...Antifungal

Uses

- Proven clinically effective in the treatment of most athlete's foot, jock itch, and ringworm
- For effective relief of itching, scaling, cracking, burning and discomfort.

Warnings

For external use only.

Flammable: Keep away from fire and flame.

Do not use on children under 2 years of age, unless directed by a doctor.

When using this product

- avoid contact with the eyes.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm) or within 2 weeks (for jock itch)

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.



N 3 5 2 0 8 3 1 2 4 2 3 0 4

MYCO NAIL A ANTIFUNGAL SOLUTION

undecylenic acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52083-242
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UNDECYLENIC ACID (UNII: K3D86KJ24N) (UNDECYLENIC ACID - UNII:K3D86KJ24N)	UNDECYLENIC ACID	250 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ACETATE (UNII: 0ECG3V79ZJ)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
CHLOROXYLENOL (UNII: 0F32U78V2Q)	
EUCALYPTOL (UNII: RV6J6604TK)	
ACETIC ACID (UNII: Q40Q9N063P)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PROPIONIC ACID (UNII: JHU490RVYR)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM PROPIONATE (UNII: DK6Y9P42IN)	
TRIA CETIN (UNII: XHX3C3X673)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52083-242-30	1 in 1 CARTON	01/14/2014	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/14/2014	

Labeler - Kramer Novis (090158395)

