

**MOTION SICKNESS- meclizine hcl tablet, chewable**  
**Strategic Sourcing Services LLC**

-----  
**Foster and Thrive 44-404A**

***Active ingredient (in each chewable tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

### ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

NDC 70677-1290-1

\*COMPARE TO THE ACTIVE INGREDIENT IN  
BONINE® CHEWABLE TABLETS

Foster & Thrive

#### **Motion Sickness**

Meclizine HCl 25 mg Chewable Tablets

ANTIEMETIC

Helps Prevent Nausea,  
Vomiting and Dizziness  
due to Motion Sickness for  
up to 24 Hours  
Ages 12 Years and Over

Chew or crush tablets  
completely before swallowing.

**100 CHEWABLE TABLETS**

RASPBERRY  
FLAVOR

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.

50844 ORG082340412 Rev. 02/25

©2023 McKesson Corporation

**Distributed by:** McKesson Corp., via SSSL, Memphis, TN 38141  
 Money Back Guarantee  
 www.fosterandthrive.com

NDC 70677-1290-1 \*COMPARE TO THE ACTIVE INGREDIENT IN BONINE® CHEWABLE TABLETS

**Foster & Thrive™**

## Motion Sickness


**Meclizine HCl 25 mg Chewable Tablets**  
**ANTIEMETIC**

Helps Prevent Nausea, Vomiting and Dizziness due to Motion Sickness for up to 24 Hours

Ages 12 Years and Over

Chew or crush tablets completely before swallowing.

**100 CHEWABLE TABLETS**




ACTUAL SIZE  
RASPBERRY FLAVOR

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

<b>Drug Facts</b>	<b>Purpose</b>	<b>Warnings</b>	<b>Other information</b>
<b>Active ingredient (in each chewable tablet)</b> Meclizine HCl 25 mg. . . . . Antiemetic	for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness	<b>Do not use</b> for children under 12 years of age unless directed by a doctor. <b>Ask a doctor before use if you have</b> <ul style="list-style-type: none"> <li>■ difficulty in urination due to enlargement of the prostate gland</li> <li>■ glaucoma</li> <li>■ a breathing problem such as emphysema or chronic bronchitis</li> </ul>	<b>do not take more than directed</b> <ul style="list-style-type: none"> <li>■ dosage should be taken one hour before travel starts</li> <li>■ chew or crush tablets completely before swallowing;</li> <li>■ do not swallow tablets whole</li> <li>■ adults and child en 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor</li> </ul>
<b>Directions</b>	<b>When using this product</b>	<b>Drug Facts (continued)</b>	<b>Questions or comments?</b>
<b>do not take more than directed</b> <ul style="list-style-type: none"> <li>■ dosage should be taken one hour before travel starts</li> <li>■ chew or crush tablets completely before swallowing;</li> <li>■ do not swallow tablets whole</li> <li>■ adults and child en 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor</li> </ul>	<b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b> <b>When using this product</b> <ul style="list-style-type: none"> <li>■ drowsiness may occur</li> <li>■ alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>■ avoid alcoholic beverages</li> <li>■ use caution when driving a motor vehicle or operating machinery</li> </ul>	<b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b> <b>When using this product</b> <ul style="list-style-type: none"> <li>■ drowsiness may occur</li> <li>■ alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>■ avoid alcoholic beverages</li> <li>■ use caution when driving a motor vehicle or operating machinery</li> </ul>	<b>Questions or comments?</b> Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST

\*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.  
 50844 ORG082340412 Rev. 02/25  
 ©2023 McKesson Corporation  
 Distributed by: McKesson Corp., via SSSL, Memphis, TN 38141  
 Money Back Guarantee  
 www.fosterandthrive.com



0 10939 96149 5

PEEL HERE FOR MORE DRUG FACTS

**Foster and thrive 44-404A**

**MOTION SICKNESS**

meclizine hcl tablet, chewable

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:70677-1290

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

### Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1290-1	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/30/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	05/30/2025	

**Labeler** - Strategic Sourcing Services LLC (116956644)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(70677-1290) , pack(70677-1290)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(70677-1290)

Revised: 5/2026

Strategic Sourcing Services LLC