

**OXYGEN- oxygen gas**  
**Clovis Equipment & Supply Company**

-----  
**OXYGEN**

**OXYGEN COMPRESSED USP product label**

**OXYGEN COMPRESSED USP**  
**UN1072**  
**OXYGEN 2**

17033 (R 04/05)


**WARNING:**For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction.** HIGH PRESSURE OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder pressure should not exceed 52°C (125°F). Use in accordance with the **Material Safety Data Sheet (MSDS)**

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

**CLOVIS EQUIPMENT & SUPPLY**

821 E. SECOND • CLOVIS, NM 88102

505-763-5569



**OXYGEN, REFIGERATED LIQUID**  
**USP**

## **OXYGEN, REFIGERATED LIQUID**

**USP**

**OXYGEN 2**

**UN1073**

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

**WARNING:**For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

**CAUTION:**Federal law prohibits dispensing without prescription.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

### **Produced by Air Liquefaction**

**WARNING:**EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder pressure should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use in accordance with the **Material Safety Data Sheet (MSDS)**

**First Aid: IN CASE OF FROSTBITE**,obtain medical treatment immediately.

CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL.**

**CLOVIS EQUIPMENT & SUPPLY**

821 E. SECOND • CLOVIS, NM 88102

505-763-5569

40136

# OXYGEN, REFRIGERATED LIQUID

# USP



## UN1073

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

**CAUTION:** Federal law prohibits dispensing without prescription.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**WARNING:** EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.  
VIGOROUSLY ACCELERATES COMBUSTION.  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT  
CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Use with adequate ventilation.

Store and use with care.  
 Do not get liquid in eyes, on skin, or clothing.  
 For liquid withdrawal, wear face shield and gloves.  
 Do not drop. Use suitable hand truck for container movement.  
 Avoid spills. Do not walk on or roll equipment over spills.  
 Cylinder temperature should not exceed 52°C (125°F)  
 Close valve after each use and when empty.  
 Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

**DO NOT REMOVE THIS PRODUCT LABEL.**

**CLOVIS EQUIPMENT & SUPPLY**  
 821 E. SECOND • CLOVIS, NM 88102  
 505-763-5569

40136  
 (04/02)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:53730-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53730-001-01	7503 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	
2	NDC:53730-001-02	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	
3	NDC:53730-001-03	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	
4	NDC:53730-001-04	680 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	
5	NDC:53730-001-05	425 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	

6	NDC:53730-001-06	170 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1984	
7	NDC:53730-001-07	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1984	
8	NDC:53730-001-08	170 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1984	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205889	01/01/1984	

**Labeler** - Clovis Equipment & Supply Company (050315688)

**Registrant** - Clovis Equipment & Supply Company (050315688)

## Establishment

Name	Address	ID/FEI	Business Operations
Clovis Equipment & Supply Company		050315688	manufacture(53730-001)

## Establishment

Name	Address	ID/FEI	Business Operations
Matheson Tri-Gas, Inc.		021574970	manufacture(53730-001)

Revised: 10/2025

Clovis Equipment & Supply Company