

NEOSPORIN PAIN ITCH SCAR- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Kenvue Brands LLC

Neosporin Plus Pain Itch Scar First Ointment

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin 500 units	First aid antibiotic
Neomycin 3.5 mg	First aid antibiotic
Polymyxin B 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

Uses

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)

Inactive ingredients

Petrolatum, Gossypium Herbaceum (Cotton) Seed Oil, Olea Europaea (Olive) Fruit Oil, Theobroma Cacao (Cocoa) Seed Butter, Tocopheryl Acetate, Sodium Pyruvate

Questions?

call toll-free 800-223-0182 or 215-273-8755 (collect)

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton

#1 DOCTOR

RECOMMENDED

BRAND

NEOSPORIN®

+

PAIN + ITCH + SCAR

Maximum Strength:

Infection Protection,

Pain and Itch Relief

24-Hour Infection

Protection

Minimizes the

Appearance

of Scars

NO STING

OINTMENT

FIRST AID ANTIBIOTIC/PAIN RELIEVING OINTMENT

Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate -

Pramoxine HCl

NET WT 1.0 OZ (28.3 g)



NEOSPORIN PAIN ITCH SCAR

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0093
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	10000 [iU] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
LEVANT COTTONSEED OIL (UNII: N5CFT140R8)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
COCOA BUTTER (UNII: 512OYT1CRR)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PETROLATUM (UNII: 4T6H12BN9U)	
SODIUM PYRUVATE (UNII: POD38AIF08)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0093-1	1 in 1 CARTON	01/15/2016	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0093-2	1 in 1 CARTON	01/15/2016	
2		14.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/15/2016	

Labeler - Kenvue Brands LLC (118772437)