

**LORATADINE AND PSEUDOEPHEDRINE- loratadine and pseudoephedrine tablet, extended release
Ohm Laboratories Inc.**

DRUG FACTS

ACTIVE INGREDIENTS (IN EACH TABLET)

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

PURPOSE

Antihistamine

Nasal decongestant

USES

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itchy, watery eyes
 - runny nose
 - itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

WARNINGS

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever.
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- sodium:** contains 10 mg/tablet
- calcium:** contains 25 mg/tablet
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° C to 25° C (68° F to 77° F)
- protect from light and store in a dry place

INACTIVE INGREDIENTS

Calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

QUESTIONS?

Call **1-800-406-7984**

PRINCIPAL DISPLAY PANEL - 15 Tablet Blister Pack Carton

†Compare To
the active ingredients of
Claritin-D® 24 Hour

NDC 51660-724-04

Original Prescription Strength

NON-DROWSY*

ohm®

Allergy Relief &
Nasal Decongestant

24
HOUR

Loratadine, USP 10 mg/Antihistamine
Pseudoephedrine Sulfate, USP 240 mg/Nasal Decongestant

Indoor & Outdoor Allergies

Relief of:

- Nasal & Sinus Congestion
Due to Colds or Allergies
- Sneezing; Runny Nose; Itchy, Watery Eyes;
Itchy Throat or Nose Due to Allergies

Allergy & Congestion

15 Extended-Release Tablets

* When taken as directed. See Drug Facts Panel.

LORATADINE AND PSEUDOEPHEDRINE

loratadine and pseudoephedrine tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51660-724
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	10 mg
PSEUDOEPHEDRINE SULFATE (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	240 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROXYPROPYL CELLULOSE (160000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	RX724
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51660-724-56	1 in 1 CARTON	11/17/2004	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:51660-724-15	1 in 1 CARTON	11/17/2004	
2		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:51660-724-69	1 in 1 CARTON	11/17/2004	
3		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:51660-724-04	3 in 1 CARTON	11/17/2004	
4		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076557	11/17/2004	

Labeler - Ohm Laboratories Inc. (184769029)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(51660-724)

Revised: 8/2020

Ohm Laboratories
Inc.