

**DOLLAR GENERAL PAIN RELIEVING PATCH WITH LIDOCAINE- lidocaine patch  
DOLGENCORP, LLC**

-----  
**Dollar General Pain Relieving Patch with Lidocaine**

***Active Ingredients***

Lidocaine 4% . . . . . Topical Anesthetic

**Purpose**

Temporarily relieves minor pain.

**Dosage and Administration**

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch starting at corner
- apply sticky side of patch to affected area
- use one patch for up to 12 hours. **Children under 12 years of age:** consult a physician.

**Warnings**

For external use only.

**Indications and Usage**

Uses: Temporarily relieves minor pains.

**When using this product**

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave

■ dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### **Stop use and consult a doctor**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

### **Do not Use**

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

### **Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Other Safety Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### **Inactive Ingredients**

Aluminum Glycinate, carboxymethylcellulose sodium, Glycerin, iodopropynyl butylcarbamate, Kaolin, petrolatum, Phenoxyethanol, polyacrylic acid, polysorbate 80, povidone, Propylene Glycol, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water, 3-(2-ethylhexyloxy)propane-1,2-diol

DIST. BY  
Dolgencorp, LLC  
100 Mission Ridge  
Goodlettsville, TN

Made in China

CUT OPEN POUCH AND REMOVE PATCH

DC 5910-912-01

**DG<sup>TM</sup> health**

Compare to **Asparcaine<sup>®</sup> Lidocaine Patch** active ingredient\*

**Maximum Strength Lidocaine**

**Pain Relief Patch**  
Lidocaine 4% Topical Anesthetic

- Odor-free
- No mess
- Stay-put flexible patch

**LASTS 12 HOURS**

**1 Large Patch**

**Neck, Shoulder, Leg & Back**

**3.93 in x 5.51 in (10 cm x 14 cm)**

**HOW TO APPLY**



**Drug Facts**

**Active ingredient** ..... Purpose  
Lidocaine 4% ..... Topical anesthetic

**Use** Temporarily relieves minor pain.

**Warnings**  
For external use only.  
Do not use More than one patch on your body at a time. ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.  
When using the product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical anesthetics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.  
Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury such as pain, swelling or blistering where the product was applied. If pregnant or breastfeeding, ask a health professional before use.  
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-322-1222) right away.

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**  
aluminum glycolate, carbonylmethylcellulose sodium, glycerin, iodopropyl butylcarbamate, laurin, potassium phenoglycolate, polyacrylic acid, polyacrylate 90, polyurethane, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water, 2-(2-ethylhexyloxy)propane-1,2-diol

\*This product is not manufactured or distributed by Choline, Inc., owner of the registered trademark Asparcaine<sup>®</sup>.

DISTRIBUTED BY OLD EAST MAIN CO.  
100 HERRISON RIDGE  
GOODLETTSVILLE, TN 37072  
MADE IN CHINA

**100% Satisfaction Guaranteed!**  
(888) 309-9030

Child-Resistant Packaging  
Model 77-9119-2P  
02-77028 03/22  
YCS90046

LOT  
EXP

**HOW TO APPLY**



**Drug Facts**

**Active ingredient** ..... Purpose  
Lidocaine 4% ..... Topical anesthetic

**Use** Temporarily relieves minor pain.

**Warnings**  
For external use only.  
Do not use More than one patch on your body at a time. ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.  
When using the product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical anesthetics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests the patch.  
Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury such as pain, swelling or blistering where the product was applied. If pregnant or breastfeeding, ask a health professional before use.  
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-322-1222) right away.

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**  
aluminum glycolate, carbonylmethylcellulose sodium, glycerin, iodopropyl butylcarbamate, laurin, potassium phenoglycolate, polyacrylic acid, polyacrylate 90, polyurethane, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water, 2-(2-ethylhexyloxy)propane-1,2-diol

\*Solonpas<sup>®</sup> is a registered trademark of Hoescht Pharmaceuticals Co., Inc. Hoescht Pharmaceuticals Co., Inc. is not affiliated with Dolor Care<sup>®</sup> or this product.  
DISTRIBUTED BY OLD EAST MAIN CO.  
100 HERRISON RIDGE  
GOODLETTSVILLE, TN 37072  
MADE IN CHINA

Child-Resistant Packaging  
Model 77-9119-2P  
02-77028 03/22  
YCS90046

LOT  
EXP

**100% Satisfaction Guaranteed!**  
(888) 309-9030



**Maximum Strength Lidocaine Pain Relief Gel-Patch**  
Lidocaine 4% Topical Anesthetic

DC 5910-912-02

**DG<sup>TM</sup> health**

Compare to **Solonpas<sup>®</sup> Lidocaine Patch** active ingredient\*

**Maximum Strength Lidocaine**

**Pain Relief Gel-Patch**  
Lidocaine 4% Topical Anesthetic

- Numbing relief
- Odor free
- No-mess
- Stay-put flexible patch

**LASTS 12 HOURS**

**2 Large Patches**

**Neck, Shoulder, Back, Knees & Elbow**

**3.93 in x 5.51 in (10 cm x 14 cm)**

**Maximum Strength Lidocaine Pain Relief Gel-Patch**  
Lidocaine 4% Topical Anesthetic

**Maximum Strength Lidocaine Pain Relief Gel-Patch**  
Lidocaine 4% Topical Anesthetic

# DOLLAR GENERAL PAIN RELIEVING PATCH WITH LIDOCAINE

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-912
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>POLYACRYLIC ACID (300000 MW)</b> (UNII: A8371R0U5J)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:55910-912-01	1 in 1 CARTON	10/01/2017	
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:55910-912-02	2 in 1 CARTON	09/01/2018	

2	9 g in 1 PATCH; Type 0: Not a Combination Product		
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/01/2017	

**Labeler -** DOLGENCORP, LLC (068331990)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(55910-912)

Revised: 12/2024

DOLGENCORP, LLC