

**CVS DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid**  
**CVS PHARMACY**

-----

**CVS DayTime Severe Cooling Cold and Flu Relief**

**Active ingredients (in each 30 mL)**

**Acetaminophen 650 mg**

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

**Purposes**

**Pain reliever/fever reducer**

Cough suppressant

Expectorant

Nasal decongestant

**Uses**

- temporarily relieves common cold/flu symptoms:
  - nasal congestion
  - sinus congestion & pressure
  - cough due to minor throat and bronchial irritation
  - minor aches and pains
  - headache
  - fever
  - sore throat
  - reduce swelling of nasal passages
  - temporarily restores freer breathing through the nose
  - promotes nasal and/or sinus drainage
- help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs which is maximum daily amount for this product
- taken with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse, or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with a rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hours

Adults & children 12 yrs & over	30 mL every 4 hrs.
Children 4 to under 12 yrs	Ask a doctor
Children under 4 yrs.	Do not use

### **Other information**

- **each 30 mL contains:** sodium 81 mg
- store at room temperature. Do not refrigerate

### **Inactive ingredients**

citric acid, D&C Yellow No. 10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose

### **Questions or comments?**

**1-866-467-2748**

### **Principal Display Panel**

**Compare to** the active ingredients in VICKS® Dayquil™ Severe+ VapoCOOL™ \*

NDC 51316-727-12

### **Day Time**

### **Cold & Flu Relief**

**Acetaminophen-** Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

**Phenylephrine HCl-** Nasal decongestant

### **For Relieves of**

- Minor Aches & Pains, Fever
- Nasal congestion & Sinus Pressure

- Cough
- Chest congestion

12 FL OZ (354 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN

Distributed by:

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil™ Severe+ VapoCOOL™.

3.5625 in

7.25 in

PDP 2.07 in

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. When using this product, do not use more than directed.

Stop use and ask a doctor if • you get nervous, dizzy or sleepless • pain, nasal congestion, or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions • take only as directed • only use the dose cup provided • do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over 30 mL every 4 hrs

children 4 to under 12 yrs ask a doctor

children under 4 yrs do not use

Other information • each 30 mL contains: sodium 81 mg • store at room temperature. Do not refrigerate.

Inactive ingredients citric acid, D&C Yellow No.10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose

Questions or comments? 1-866-467-2748

CVS Health.

Compare to the active ingredients in Vicks® DayQuil™ Severe+ VapoCOOL™\*\*

Cooling Severe Daytime

ACETAMINOPHEN- Pain reliever; Fever reducer  
DEXTROMETHORPHAN HBr- Cough suppressant  
GUAIFENESIN- Expectorant  
PHENYLEPHRINE HCl- Nasal decongestant

Relieves: Minor aches & pains, Fever, Nasal congestion, Sinus pressure, Cough, Chest congestion

COLD & FLU

12 FL OZ (354 mL)

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN.

Active ingredients (in each 30 mL)

Acetaminophen 650 mg.....Pain reliever/fever reducer

Dextromethorphan HBr 20 mg.....Cough suppressant

Guaifenesin 400 mg.....Expectorant

Phenylephrine HCl 10 mg.....Nasal decongestant

Uses temporarily relieves common cold/flu symptoms: • nasal congestion • sinus congestion & pressure • cough due to minor throat & bronchial irritation • minor aches & pains • headache • fever • sore throat • reduces swelling of nasal passages • temporarily restores freer breathing through the nose • promotes nasal and/or sinus drainage • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take • more than 4 doses in 24 hrs, which is the maximum daily amount for this product • taken with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • Skin reddening • Blisters • Rash If a skin reaction occurs, stop use and seek medical help right away Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. Ask a doctor before use if you have • liver disease • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to enlarged prostate gland • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • a sodium-restricted diet

LOT: 72712CVSLR

UNVARNISHED AREA

EXP:

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2023 CVS/pharmacy CVS.com® 1-800-SHOP CVS V-12431 100% money back guaranteed. CVS.com/returnpolicy

CVS DAYTIME COLD AND FLU RELIEF

acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51316-727
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg in 30 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg in 30 mL

<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	<b>PHENYLEPHRINE HYDROCHLORIDE</b>	10 mg in 30 mL
---	------------------------------------	-------------------

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-727-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/09/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/09/2023	

**Labeler -** CVS PHARMACY (062312574)

Revised: 12/2025

CVS PHARMACY