

TINTED SUNSCREEN CREAM SPF 30 4-DEEP AMBER- titanium dioxide, zinc oxide cream
C.F.E.B. - Sisley

Tinted Sunscreen Cream SPF 30 4-Deep Amber

Active ingredients

Titanium dioxide 12.93%

Zinc oxide 10.89%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months of age: ask a doctor.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including: **Sun Protection Measures.**
 - Limit time in the sun, especially from 10 am to 2 pm.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other information

Protect the product in the container from excessive heat or direct sun.

Inactive ingredients

water, c9- 12 alkane, caprylyl methicone, glycerin, polyglyceryl-3 diisostearate, silica, butyrospermum parkii (shea) butter, polyglyceryl-4 isostearate, cetyl peg/ppg-10/1 dimethicone, hexyl laurate, camellia oleifera seed oil, sodium chloride, tocopheryl acetate, leontopodium alpinum extract, mangifera indica (mango) fruit extract, thymus mastichina flower oil, salvia officinalis (sage) oil, alumina, dimethicone, hydrogenated lecithin, disodium edta, glyceryl caprylate, ethylhexylglycerin, synthetic fluorophlogopite, triethoxycaprylylsilane, citric acid, sodium citrate, benzoic acid, sodium benzoate, potassium sorbate, iron oxides, linalool, limonene.

Package labeling



SUPER SOIN SOLAIRE TEINTÉ

TINTED SUNSCREEN CREAM
Broad Spectrum
SPF 30

Drug Facts

Active ingredients Titanium dioxide 12.00%
Zinc oxide 10.00%

Purpose Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
 - Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am to 2 pm.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other information

Protect the product in the container from excessive heat or direct sun.

Inactive ingredients

water, c12-15 alkane, capryl methylcocoate, glycerin, polyglyceryl-3 distearate, silica, butyldiphenylmethane triethyl ether, polyglyceryl-4 isostearate, diethyl sebacate, dimethylsiloxane, heptyl laurate, carnitine dihydro succinate, sodium chloride, tocopheryl acetate, xerodermolium aluminum octoate, mangifera indica (mango) fruit extract, thymus mastichina flower oil, cetearyl octylate, polybutene-1, aluminum dimethacrylate, hydroxystyrene, diisododecyl succinate, glyceryl caprylate, dimethylsiloxane, synthetic fluorphlogopite, ethylhexylglycidyl ether, zinc oxide, sodium citrate, benzoic acid, sodium benzoate, potassium sorbate, iron oxides, titanium dioxide, iron oxides. I.#1A

SUPER SOIN SOLAIRE TEINTÉ

TINTED SUNSCREEN CREAM

4 - DEEP AMBER

Broad Spectrum
SPF 30
Water Resistant
(40 minutes)

sisley
PARIS

1.3 FL.OZ. 40 ml

CREATIONS
HUBERT ISABELLE d'ORNANO

Sisley USA
7 Renaissance Square, 3rd Floor
White Plains, NY 10601

Distributed by:

C.F.M.S. sisley
75008 PARIS - FRANCE

www.sisley-paris.com

Made in France REF. W1 68227



Le produit ne peut être vendu que par les distributeurs agréés. The product may be sold only by authorized distributors.

natural fragrance

PRODUITS AUX EXTRAITS
NATURELS DE PLANTES

FW 357932A
REV 0001

SUPER SOIN
SOLAIRE TEINTÉ

TINTED
SUNSCREEN CREAM

4 - DEEP AMBER

Broad Spectrum
SPF 30

Water Resistant
(40 minutes)

sisley
PARIS

1.3 FL.OZ.

40 ml

Active ingredients: Titanium dioxide 12.93%, Zinc oxide 10.89%.

Please see outer container for Drug Facts Information.

Distributed by:

C.F.E.B. **sisley**

75008 PARIS - FRANCE

www.sisley-paris.com

Made in France



HDPE

Drug Facts

Active ingredients	Purpose
Titanium dioxide 12.93% Zinc oxide 10.89%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 am to 2 pm.
 - Wear long-sleeved shirts, pants, hats and sunglasses.

Other information

Protect the product in the container from excessive heat or direct sun.

Inactive ingredients

water, c9-12 alkane, caprylyl methicone, glycerin, polyglyceryl-3 diisostearate, silica, butyrospermum parkii (shea) butter, polyglyceryl-4 isostearate, cetyl peg/ppg-10/1 dimethicone, hexyl laurate, camellia oleifera seed oil, sodium chloride, tocopheryl acetate, leontopodium alpinum extract, mangifera indica (mango) fruit extract, thymus mastichina flower oil, salvia officinalis (sage) oil, alumina, dimethicone, hydrogenated lecithin, disodium edta, glyceryl caprylate, ethylhexylglycerin, synthetic fluorphlogopite, triethoxycaprylylsilane, citric acid, sodium citrate, benzoic acid, sodium benzoate, potassium sorbate, iron oxides, linalool, limonene.

IL#1A

TINTED SUNSCREEN CREAM SPF 30 4-DEEP AMBER

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66097-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	129.3 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	108.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SHEA BUTTER (UNII: K49155WL9Y)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
CAMELLIA OIL (UNII: T1PE06G0VE)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MANGO (UNII: I629I3NR86)	
THYMUS MASTICHINA FLOWERING TOP OIL (UNII: 9NP0832457)	
SAGE OIL (UNII: U27K0H1H2O)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66097-009-40	1 in 1 BOX	03/15/2017	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	03/15/2017	

Labeler - C.F.E.B. - Sisley (262279246)

Revised: 12/2024

C.F.E.B. - Sisley