

**SOUND HEALTH HEARTBURN AND GAS CHEWS- calcium carbonate tablet,  
chewable  
BestCo Inc.**

-----  
**Calcium Carbonate 750mg  
Simethicone 80mg**

**Active ingredient (in each chewable tablet)**

Calcium carbonate 750 mg

Simethicone 80 mg

**Purposes**

Antacid

Anti-gas

Uses: Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach associated to these symptoms

Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**

**Do not use if** you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor or pharmacist before use if you are now** taking a prescription drug. Antacids may interact with certain perscription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maxium dosage for more than 2 weeks, except under the advice and supervision of a physician.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Directions Adults and children 12 years and older chew and swallow 1 to 2 chews every 2 - 4 hours as needed. Do not exceed 5 chews in 24-ours. Children udner 12 years consult a doctor.

**Other information**

- **Each chewable tablet contains:** calcium 300mg
- Store between 20° to 25°C (68° tp 77°F) in a dry place
- Close cap tightly after use.

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C Blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated

coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions? Call 1-800-245-2898 Monday - Friday, 9am - 4pm EST**

**Drug Facts (continued)**

**Other information**  
 ■ Each chewable tablet contains: calcium 300mg ■ Store between 20° to 25°C (68° to 77°F) in a dry place ■ Close cap tightly after use.

**Inactive ingredients:** Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

**Questions?** Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

\*This product is not manufactured or distributed by the owner of the registered trademark Alka-Seltzer®.

†Chewy not Chalky® is a registered trademark of BestCo Inc.

©2017  
 Manufactured by BestCo Inc.,  
 Mooresville, NC 28115

Made in U.S.A. of U.S. and imported ingredients

**NO INK OR VARNISH**

**Gluten Free**



**EXTRA STRENGTH**

# HEARTBURN & GAS CHEWS

750 mg Calcium Carbonate/Antacid  
 80 mg Simethicone/Anti-Gas

**DIGESTIVE RELIEF OF:**

- ☑ Heartburn
- ☑ Sour Stomach
- ☑ Gas, Pressure & Bloating

**82 CHEWABLE TABLETS**

**MIXED BERRY**

**CHEWY NOT CHALKY®†**



**Drug Facts**

**Active ingredient (in each chewable tablet) Purpose**  
 Calcium carbonate 750mg..... Antacid  
 Simethicone 80mg..... Anti-gas

**Uses:** Relieves  
 ■ Heartburn ■ Sour stomach ■ Acid indigestion ■ Upset stomach associated to these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor or pharmacist before use** if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.  
**If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.**

**Directions:** Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24-hours. Children under 12 years consult a doctor.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.



PN-218001

## SOUND HEALTH HEARTBURN AND GAS CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52642-035
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	750 mg
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	score with uneven pieces
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	DR
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52642-035-82	82 in 1 BOTTLE; Type 0: Not a Combination Product	12/27/2019	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	12/27/2019	

**Labeler** - BestCo Inc. (002149136)

**Registrant** - BestCo Inc. (002149136)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Bestco Inc.

002149136

manufacture(52642-035)

Revised: 11/2024

BestCo Inc.