

EQUALINE TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Supervalu Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**equaline™
triple antibiotic**

Drug Facts

<i>Active ingredient (each gram contains)</i>	<i>Purpose</i>
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week

Ask a doctor before use

- on deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at controlled room temperature
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

white petrolatum

Distributed by
Albertsons, Inc.
Boise, Idaho 83726

PRINCIPAL DISPLAY PANEL - 14.2 g Tube Carton

equaline™

compare to Neosporin®
active ingredients*

**first aid antibiotic
triple antibiotic ointment**

polymyxin B sulfate • bacitracin zinc
neomycin sulfate

NET WT 0.5 OZ (14.2 g)

equaline™

compare to Neosporin® active ingredients*

first aid antibiotic triple antibiotic ointment

polymyxin B sulfate • bacitracin zinc neomycin sulfate

first aid antibiotic helps prevent infection in minor cuts, scrapes, and burns

equaline™

compare to Neosporin® active ingredients*

first aid antibiotic triple antibiotic ointment

polymyxin B sulfate • bacitracin zinc neomycin sulfate

NET WT 0.5 OZ (14.2g)

equaline™ triple antibiotic ointment



We are committed to your satisfaction and guarantee the quality of this product. Contact us at 1-877-932-7948, or www.albertsons.com



0 4 1163 26366 6

1 3 3 4
5 W 7 8
04 11 23 45 6 7
05 18 9 10 11 12

Made in Canada.
Boise, Idaho 83726
Albertsons, Inc.
Distributed by

Drug Facts
Active ingredient (each gram contains) Bacitracin zinc 400 units.....First aid antibiotic Neomycin sulfate 3.5 mg.....First aid antibiotic Polymyxin B sulfate 5,000 units.....First aid antibiotic
Uses First aid to help prevent infection in • minor cuts • scrapes • burns
Warnings For external use only Do not use • in the eyes • if you are allergic to any of the ingredients • longer than 1 week • over large areas of the body Ask a doctor before use • on deep or puncture wounds, animal bites, or serious burns Stop use and ask a doctor if • condition persists or gets worse • a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions • Clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
Other information • store at controlled room temperature • see carton or tube crimp for lot number and expiration date
Inactive ingredients white petrolatum

first aid antibiotic triple antibiotic ointment
polymyxin B sulfate • bacitracin zinc neomycin sulfate

equaline™

LPK-3461-2
0904-2
M6

T27

6519T

EQUALINE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
Neomycin sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
Polymyxin B sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-016-01	1 in 1 CARTON		
1		14.2 g in 1 TUBE		
2	NDC:41163-016-02	1 in 1 CARTON		
2		28.4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	12/14/1995	

Labeler - Supervalu Inc (006961411)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41163-016)