

**FUNGISODE- arsenicum album, berberis vulgaris, calcarea carbonica, candida albicans, carbo vegetabilis, chelidonium majus, echinacea purpurea, hepar sulphuris calcareum, kreosotum, lycopodium clavatum, mercurius solubilis, muriaticum acidum, nitricum acidum, oxalicum acidum, sepia officinalis, sulphur liquid  
Seroyal USA**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Fungisode**

Active ingredients

Each drop contains:

Arsenicum album (Arsenic trioxide) 4CH

Berberis vulgaris (Barberry) Bark 4CH

Calcarea carbonica (Impure calcium carbonate from oyster shell) 8X

Candida albicans 12X

Carbo vegetabilis (Vegetable charcoal) 7CH

Chelidonium majus (Greater celandine) Rhizome and Root 4CH

Echinacea purpurea (Purple cone-flower) Aerial Parts 3X

Hepar sulphuris calcareum (Liver of sulfur) 5CH

Kreosotum (Creosote from beech tar) 5CH

Lycopodium clavatum (Clubmoss) Spore 5CH

Mercurius solubilis (Hahnemann's soluble mercury) 5CH

Muriaticum acidum (Hydrochloric acid) 7CH

Nitricum acidum (Nitric acid) 5CH

Oxalicum acidum (Oxalic acid) 8X

Sepia officinalis (Sepia) Dried Inky Secretion 5CH

Sulphur (Sublimed sulfur) 4CH

Uses

For the temporary relief of symptoms associated with minor fungal, viral and bacterial infections.

Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breastfeeding, ask a health professional before use.

Other information

Do not use if outer seal is missing or broken.

Store in a cool, dry place.

Inactive ingredients

Ethanol (beet), purified water

Directions

To be taken 20 minutes away from food.

Place drops directly under the tongue or into  $\frac{1}{4}$  oz of water.

Adults and adolescents (12 years and older):

Take 10 drops two to three times daily or as recommended by your healthcare practitioner.

Children (under 12 years):

Take under the direction of your healthcare practitioner.

Uses

For the temporary relief of symptoms associated with minor fungal, viral and bacterial infections.

Directions

To be taken 20 minutes away from food.

Place drops directly under the tongue or into  $\frac{1}{4}$  oz of water.

Adults and adolescents (12 years and older):

Take 10 drops two to three times daily or as recommended by your healthcare practitioner.

Children (under 12 years):

Take under the direction of your healthcare practitioner.



GENESTRA  
BRANDS

NDC 62106-0601-0

# Fungisode

Homeopathic Preparation

For the temporary relief of symptoms associated with minor fungal, viral, and bacterial infections.\*

Contains 76.6% Alcohol  
30 mL (1 fl oz)

## Drug Facts

### Active ingredients Purpose

Each drop contains:

Arsenicum album	
(Arsenic trioxide) 4CH	Stuffy nose
Berberis vulgaris (Barberry) Bark 4CH	Mild fever
Calcarea carbonica (Impure calcium carbonate from oyster shell) 8X	Mild fever
Candida albicans 12X	Fungal infection
Carbo vegetabilis	
(Vegetable charcoal) 7CH	Chills
Chelidonium majus (Greater celandine) Rhizome and Root 4CH	Headache
Echinacea purpurea (Purple cone-flower) Aerial Parts 3X	Chills
Hepar sulphuris calcareum (Liver of sulfur) 5CH	Runny nose

## Drug Facts (continued)

Kreosotum (Creosote from beech tar) 5CH . . . . . Weakness  
Lycopodium clavatum (Clubmoss) Spore 5CH . . . . . Congestion →

Use only if safety seal is intact.  
**Contains: Shellfish (oyster)**



Scan to learn about our quality excellence

V3 601-30U  
ET1.3774 12.20  
Made in Belgium for  
**Seroyal USA**  
Pittsburgh, PA 15275  
1-888-737-6925  
seroyal.com



Peel for more Drug Facts information ▶

## Drug Facts (continued)

Mercurius solubilis (Hahnemann's soluble mercury) 5CH . . . . . Mild fever  
Muriaticum acidum (Hydrochloric acid) 7CH . . . . . Headache  
Nitricum acidum (Nitric acid) 5CH . . . . . Swollen glands  
Oxalicum acidum (Oxalic acid) 8X . . . . . Chills  
Sepia officinalis (Sepia) Dried Inky Secretion 5CH . . . . . Mild fever  
Sulphur (Sublimed sulfur) 4CH . . . . . Chills  
X and CH are homeopathic dilutions:  
see [www.seroyal.com/homeopathics](http://www.seroyal.com/homeopathics) for details.

**Uses** For the temporary relief of symptoms associated with minor fungal, viral and bacterial infections.

\* Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

### Warnings

Stop use and ask a doctor if symptoms persist or worsen. →

## Drug Facts (continued)

If pregnant or breastfeeding, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

■ To be taken 20 minutes away from food.  
■ Place drops directly under the tongue or into ¼ oz of water. ■ Adults and adolescents (12 years and older): Take 10 drops two to three times daily or as recommended by your healthcare practitioner. ■ Children (1-11 years): Take under the direction of your healthcare practitioner.

### Other information

■ Store in a cool, dry place.  
■ Contents may not fill package in order to accommodate required labeling. Please rely on stated quantity.

**Inactive ingredients** Ethanol (beet), purified water

NDC 62106-0601-0

Fungisode

HOMEOPATHIC PREPARATION

For the temporary relief of symptoms associated with minor fungal, viral, and bacterial infection.

Contains 76.6% Alcohol

1fl oz (30 mL)

## FUNGISODE

arsenicum album, berberis vulgaris, calcarea carbonica, candida albicans, carbo vegetabilis, chelidonium majus, echinacea purpurea, hepar sulphuris calcareum, kreosotum, lycopodium

clavatum, mercurius solubilis, muriaticum acidum, nitricum acidum, oxalicum acidum, sepia officinalis, sulphur liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62106-0601
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	4 [hp_C] in 30 mL
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	8 [hp_X] in 30 mL
<b>CANDIDA ALBICANS</b> (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)	CANDIDA ALBICANS	12 [hp_X] in 30 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	7 [hp_C] in 30 mL
<b>NITRIC ACID</b> (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	5 [hp_C] in 30 mL
<b>WOOD CREOSOTE</b> (UNII: 3JYG22FD73) (WOOD CREOSOTE - UNII:3JYG22FD73)	WOOD CREOSOTE	5 [hp_C] in 30 mL
<b>MERCURIUS SOLUBILIS</b> (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	5 [hp_C] in 30 mL
<b>BERBERIS VULGARIS ROOT BARK</b> (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	4 [hp_C] in 30 mL
<b>ECHINACEA PURPUREA FLOWERING TOP</b> (UNII: 2EMS3QFX65) (ECHINACEA PURPUREA FLOWERING TOP - UNII:2EMS3QFX65)	ECHINACEA PURPUREA FLOWERING TOP	3 [hp_X] in 30 mL
<b>OXALIC ACID DIHYDRATE</b> (UNII: 0K2L2IJ59O) (OXALIC ACID - UNII:9E7R5L6H31)	OXALIC ACID DIHYDRATE	8 [hp_X] in 30 mL
<b>SEPIA OFFICINALIS JUICE</b> (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	5 [hp_C] in 30 mL
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	4 [hp_C] in 30 mL
<b>CHELIDONIUM MAJUS ROOT</b> (UNII: FLT36UCF0N) (CHELIDONIUM MAJUS ROOT - UNII:FLT36UCF0N)	CHELIDONIUM MAJUS ROOT	4 [hp_C] in 30 mL
<b>CALCIUM SULFIDE</b> (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	5 [hp_C] in 30 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	5 [hp_C] in 30 mL
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB) (HYDROCHLORIC ACID - UNII:QTT17582CB)	HYDROCHLORIC ACID	7 [hp_C] in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

<b>1</b>	NDC:62106-0601-0	1 in 1 CARTON	08/02/2017	
<b>1</b>		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic			08/02/2017	

**Labeler** - Seroyal USA (018361118)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
SAN'UP		401010287	manufacture(62106-0601)

Revised: 7/2021

Seroyal USA