

OXYGEN- oxygen gas **Abilene Oxygen Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen

Principal for Oxygen Product



OXYGEN, COMPRESSED, USP

UN1072

PRODUCED BY AIR LIQUEFACTION

OXYGEN

2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, requires uninterrupted use of high concentration oxygen over a long duration, may require monitoring its effect on oxygen content of arterial blood. Do not attempt to use without medical advice. Do not use without resuscitative equipment. Keep away from heat and flame. Food, Drug and Cosmetic Act prohibits dispensing without prescription.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. MAY CAUSE EXPLOSION IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves free from grease and oil. Use only outdoors or in well-ventilated places. Use only with equipment of clean oxygen service. Protect from sunlight when ambient temperatures exceed 52°C (125°F). Read and follow Safety Data Sheet (SDS) before use.

CAS 7782-44-7

ABILENE OXYGEN, INC

2448 INDUSTRIAL BLVD • ABILENE, TX 79605

(325) 692-0217

DO NOT USE THIS PRODUCT LABEL

NO SMOKING

NO VAPING

EXP. DATE ~~04/01~~ -03-2015

LITERS

PSI

2000

LOT
STICKER
FOR
LIQUID

**OXYGEN,
REFRIGERATED
LIQUID
USP**

UN 1073



CONTENTS:

LITERS

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

**▲ WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER
PRESSURE
VIGOROUSLY ACCELERATES COMBUSTION.
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY
EXPLODE ON IGNITION OR IMPACT.
CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52°C (125°F).**

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

△FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

△WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DO NOT REMOVE THIS PRODUCT LABEL.

Abilene Oxygen

PMB 107

2438 Industrial Blvd

Abilene, TX 79605

Ph - 325-692-2017

Fax - 325-692-0186

CAS NO: 7782-44-7

OXYGEN,

REFRIGERATED

LIQUID USP

UN 1073

CONTENTS _____ LITERS

CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS

REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS

OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood.

Keep and store away from clothing and other combustible materials.

Keep valves and fittings free from grease and oil. Use and store only

outdoors or in a well-ventilated place. Wear cold insulating gloves, face

shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

OXYGEN				
oxygen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:50809-001	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	99 L in 100 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50809-001-02	43.67 L in 1 DEWAR; Type 0: Not a Combination Product	05/17/2010	
2	NDC:50809-001-09	113 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	

3	NDC:50809-001-10	164 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
4	NDC:50809-001-11	170 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
5	NDC:50809-001-12	198 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
6	NDC:50809-001-13	246 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
7	NDC:50809-001-14	425 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
8	NDC:50809-001-15	679 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
9	NDC:50809-001-16	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
10	NDC:50809-001-17	3454 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	
11	NDC:50809-001-18	180 L in 1 DEWAR; Type 0: Not a Combination Product	05/17/2010	
12	NDC:50809-001-19	7080 L in 1 CYLINDER; Type 0: Not a Combination Product	05/17/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		05/17/2010	

Labeler - Abilene Oxygen Inc. (962076928)

Establishment

Name	Address	ID/FEI	Business Operations
Abilene Oxygen Inc.		962076928	manufacture(50809-001)

Revised: 12/2025

Abilene Oxygen Inc.