

# **QUALITY CHOICE IODINE TINCTURE MILD- iodine and sodium iodide and alcohol liquid**

**Chain Drug Market Association**

-----

## **Quality Choice Iodine Ticture**

### **Drug Facts**

#### **Active ingredient**

Iodine Tincture, USP 2%, Mild

#### **Purpose**

First Aid Antiseptic

#### **Indications**

First aid to help prevent infection in minor cuts, scrapes and burns

#### **Warnings**

**For external use only.**

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns
- Flammable: Keep away from sparks heat and flame

#### **Stop use and consult doctor if**

- the condition persists or gets worse, or if using for longer than one week

#### **When using this product**

- do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids
- do not apply over large areas of the body

#### **Keep out of reach of children.**

In case of accidental ingestion, give milk then a starch solution made by mixing two tablespoonfuls of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

#### **Directions**

- clean the affected area
- apply a small amount on the area 1 to 3 times daily
- may be covered with sterile bandage
- if bandaged let dry first

**Other information**

- will stain skin and clothing

**Inactive ingredient**

none

**Principal Display Panel**

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Iodine Tincture, USP 2% Mild.....First Aid Antiseptic	
<b>Indication</b> To help prevent infection in minor cuts, scrapes and burns.	
<b>Warnings: For external use only.</b>	
Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns.	
Stop use and ask a doctor if ■ the condition persists or gets worse, or if using for longer than one week.	
When using this product ■ do not use in the eyes. If contact occurs, flush with large amounts of water while lifting upper and lower lids. ■ do not apply over large areas of the body.	
<b>Continued ►</b>	

**(Drug facts continued)**

Keep out of reach of children. In case of accidental ingestion, give milk then give a starch solution made by mixing 2 tablespoons of cornstarch or flour to a pint of water. Contact a Poison Control Center immediately.

**Directions** ■ clean the affected area. ■ apply a small amount to the affected area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged let dry first.

**Other information** ■ will stain skin or clothing.

**MADE IN USA**

**1 fl OZ (30mL)**

**3551599205**

**R072414RLG**

**QUALITY CHOICE IODINE TINCTURE MILD**

iodine and sodium iodide and alcohol liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-330
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL
<b>SODIUM IODIDE</b> (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	20.4 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	470 mg in 1 mL

**Inactive Ingredients**

Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-330-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/12/2017	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	01/01/1979		

**Labeler** - Chain Drug Market Association (011920774)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(63868-330) , analysis(63868-330) , pack(63868-330) , label(63868-330)

Revised: 12/2023

Chain Drug Market Association