

**WELLY HUMAN REPAIR KIT- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, hydrocortisone, alcohol**

**Welly Health PBC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Welly Human Repair Kit**

**Triple Antibiotic Ointment**

***Drug Facts***

***Active ingredient (in each gram)***

Bacitracin zinc 400 units

Neomycin sulfate (3.5mg Neomycin)

Polymyxin B sulfate 5000 units

***Purpose***

First Aid Antibiotics

***Uses***

First aid to help prevent infection in minor cuts, scrapes and burns

***Warnings***

**For external use only**

**Do not use**

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

**Stop use and ask a doctor if**

- a rash or other allergic reaction develops
- condition worsens or persists

**Keep out of reach of children.** If ingested, contact a Poison Control Center right away.

**Directions**

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

**Inactive Ingredients**

petrolatum

**1% Hydrocortisone Cream****Drug Facts****Active ingredient**

Hydrocortisone 1.0%

**Purpose**

Anti-itch

**Uses**

- For temporary relief of itching associated with minor skin irritations, inflammation, or rashes.
- Other uses of product should be only under the advice and supervision of a doctor.

**Warnings****For external use only****Do not use**

- in eyes
- for treatment of diaper rash
- for feminine itching

**Stop use, ask a doctor**

- if condition worsens or lasts more than 7 days, or clears up and occurs again within a few days
- with use of other hydrocortisone products

**Keep out of reach of children.** If ingested, contact a Poison Control Center right away

**Directions**

- apply to affected area not more than 3 to 4 times daily
- children under 2: ask a doctor

### ***Inactive ingredients***

emulsifying wax, ethanol, methylparaben, mineral oil, paraffin, petrolatum, propylparaben, purified water, white wax

## **Instant Hand Sanitizer Gel**

### ***Drug Facts***

#### ***Active ingredient***

Ethyl Alcohol 66.5%

#### ***Purpose***

Antiseptic

#### ***Use***

For handwashing to decrease bacteria on skin without soap and water.

#### ***Warnings***

**For external use only**

**Flammable, keep away from fire or flame.**

**Do not use** in eyes, if this happens, rinse thoroughly with water.

**Stop use, ask a doctor if,** irritation develops and persists for 72 hours.

**Keep out of reach of children.** If ingested, get medical help or contact a Poison Control Center right away.

#### ***Directions***

- Wet hands & wrists thoroughly with product and allow to dry without wiping

### ***Inactive ingredients***

aloe vera, carbomer, D&C green #5, D&C yellow #10, fragrance, purified water, triethanolamine

FIRST AID TRAVEL KIT

ASSORTED BANDAGES & OINTMENTS

**First aid kit sized for travel with everything you'll need and nothing you won't.**

- Flexible fabric bandages in two sizes and a few colors to cover cuts and scratches.
- Hand Sanitizer helps keep hands clean when there's no sink in sight.
- Triple Antibiotic ointment helps prevent infection.
- 1% Hydrocortisone anti-itch ointment helps relieve skin irritation and rashes.

Product not made with natural rubber latex.

Bandages are sterile unless individual wrapper opened or damaged.

Distributed by: Welly Health PBC

Minneapolis, MN 55402

1-833-BE-WELLY

Recycle me!

Welly™ [www.GetWelly.com](http://www.GetWelly.com)

### Human Repair Kit

**15 BANDAGES** - 3/4 x 3 IN (1.9 x 7.6 CM)

**15 BANDAGES** - 5/8 X 2 1/4 IN (1.6 X 5.7 CM)

**3** - TRIPLE ANTIBIOTIC 0.5g (1/57 OZ)

**3** - 1% HYDROCORTISONE 0.9g (1/32 OZ)

**6** - HAND SANITIZER 0.9g (1/32 OZ)


### Packaging

#### KIT COMPONENTS LABEL



**Drug Facts**

<b>Active ingredient Purpose</b> (in each gram)
Bacitracin zinc 400 units
Neomycin sulfate (3.5mg Neomycin)
Polymyxin B sulfate First Aid
5000 units ..... Antibiotics
<b>Uses</b> First aid to help prevent infection in minor cuts, scrapes, and burns
<b>Warnings</b> For external use only ▶



**Drug Facts (continued)**

**Warnings (continued)**  
**Do not use** •internally •in eyes  
 •over large areas of the body or on puncture wounds, animal bites or serious burns •for more than 1 week unless directed by a doctor •if you are allergic to any of the ingredients

**Stop use and ask a doctor if**  
 •a rash or allergic reaction develops  
 •condition worsens or persists

**Keep out of reach of children.**  
 If ingested, contact a Poison Control Center right away.

**Directions** •clean affected area •apply a small amount 1 to 3 times daily •may cover with a sterile bandage

**Inactive Ingredients**  
 petrolatum

Welly Health PBC, Minn., MN 55402  
1-833-BE-WELLY

welly <sup>TM</sup> x

1% Hydrocortisone  
Cream

0.9g / 1/32 OZ

**Drug Facts**

**Active ingredient Purpose**  
Hydrocortisone 1.0%... Anti-itch

**Uses** For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should be only under the advice and supervision of a doctor.

**Warnings**

**For external use only**

**Do not use** • in eyes • for treatment of diaper rash • for feminine itching ▶

**Drug Facts** (continued)

**Warnings** (continued)

**Stop use, ask a doctor**

• if condition worsens or lasts more than 7 days, or clears up and occurs again within a few days • with use of other hydrocortisone products

**Keep out of reach of children.**

If ingested, contact a Poison Control Center right away

**Directions**

• apply to affected area not more than 3 to 4 times daily • children under 2: ask a doctor

**Inactive ingredients**

emulsifying wax, ethanol, methylparaben, mineral oil, paraffin, petrolatum, propylparaben, purified water, white wax

Welly Health PBC, Minn., MN 55402  
1-833-BE-WELLY

welly <sup>TM</sup> x

Instant Hand  
Sanitizer

0.9g / 1/32 OZ

**Drug Facts**

**Active ingredient Purpose**  
Ethyl Alcohol 66.5%... Antiseptic

**Use** For handwashing to decrease bacteria on skin without soap and water.

**Warnings**

**For external use only**

**Flammable, keep away from fire or flame. Keep out of reach of children.** ▶

**Do not use** in eyes, if this happens, rinse thoroughly

**Drug Facts** (continued)

**Warnings** (continued)

**Stop use, ask a doctor if,** irritation develops and persists for 72 hours. If ingested, get medical help or contact a Poison Control Center right away.

**Directions**

• Wet hands & wrists thoroughly with product and allow to dry without wiping

**Inactive ingredients**

aloe vera, carbomer, D&C green #5, D&C yellow #10, fragrance, purified water, triethanolamine

Welly Health PBC, Minn., MN 55402  
1-833-BE-WELLY

with water.

## KIT LABEL



Hand Sanitizer: Ethyl Alcohol  
Triple Antibiotic First Aid Ointment: Bacitracin Zinc,  
Neomycin Sulfate, Polymyxin B Sulfate  
1% Hydrocortisone Cream: 1% Hydrocortisone  
Full drug facts booklet included inside packaging  
and available at [www.GetWelly.com](http://www.GetWelly.com)

### ACTIVE INGREDIENTS

-  Flexible fabric bandages in two sizes and a few colors to cover cuts and scratches.
-  Hand Sanitizer helps keep hands clean when there's no sink in sight.
-  Triple Antibiotic ointment helps prevent infection.
-  1% Hydrocortisone anti-itch ointment helps relieve skin irritation and rashes.

First aid kit sized for travel with everything you'll need and nothing you won't.

## Human Repair Kit

- 15 BANDAGES – ¾ x 3 IN (1.9 x 7.6 CM)
- 15 BANDAGES – 5/8 x 2¼ IN (1.6 x 5.7 CM)
- 3 – TRIPLE ANTIBIOTIC 0.5g (1/57 OZ)
- 3 – 1% HYDROCORTISONE 0.9g (1/32 OZ)
- 6 – HAND SANITIZER 0.9g (1/32 OZ)



**welly** FIRST AID

# Human Repair Kit

FIRST AID TRAVEL KIT



ASSORTED  
BANDAGES & OINTMENTS

Distributed by: Welly Health PBC  
Minneapolis, MN 55402  
1-833-BE-WELLY  
Recycle me!  
Welly™ [www.GetWelly.com](http://www.GetWelly.com)  
Products of USA and China with  
globally sourced materials RK18NSA

Product not made with natural  
rubber latex.

Bandages are sterile unless  
individual wrapper opened  
or damaged.

WLY1014



## WELLY HUMAN REPAIR KIT

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, hydrocortisone, alcohol kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72663-130
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72663-130-23	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	03/01/2019	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	3 POUCH	1.5 mL
Part 2	3 POUCH	2.7 mL
Part 3	6 POUCH	5.4 mL

## Part 1 of 3

### ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

#### Product Information

Item Code (Source) NDC:72663-560

Route of Administration TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	6 mg in 1 mL
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 mL
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	0.77 mg in 1 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.5 mL in 1 POUCH; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/25/2019	

## Part 2 of 3

### ANTI-ITCH



hydrocortisone cream

### Product Information

**Item Code (Source)** NDC:72663-580

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>WHITE WAX</b> (UNII: 7G1J5DA97F)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/25/2019	

### Part 3 of 3

### ANTISEPTIC

alcohol gel

### Product Information

<b>Item Code (Source)</b>	NDC:72663-111
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	666 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>D&amp;C GREEN NO. 5</b> (UNII: 8J6RDU8L9X)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	02/25/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2019	

**Labeler** - Welly Health PBC (116766884)