PUBLIX- psyllium husk capsule PUBLIX SUPER MARKETS, INC

Publix Fiber Capsules Psyllium Husk 160 Capsules

Drug Facts

Active ingredient (in each capsule)

Psyllium husk approximately 0.52 g

Purpose

Fiber Laxative

Uses

effective in treating occasional constipation and restoring regularity

Warnings

Choking

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- Take this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- Adults 12 years and older: 5 capsules with at least 8 oz. of liquid (swallow 1 capsule at a time) at the first sign of irregularity. Can be taken up to 3 times daily. Generally produces effect in 12-72 hours.
- children 12 years and under: Ask a doctor
- Laxatives, including bulk fibers, may affect how well other medicines work. If you are taking a prescription medication by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.
- As your body adjusts to increased fiber intake, you may experience changes in bowel habits or minor bloating.

Other information

- each capsule contains: potassium 5 mg
- capsules are sealed using a band around the middle
- store at room temperature. Keep the container tightly closed to protect from humidity
- contains a 100% natural, therapeutic fiber
- tamper evident: do not use if printed inner seal under cap is broken or missing

Inactive ingredients

caramel color, edible ink, gelatin, polysorbate 80

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL - 160 Capsules Label

NDC 41415-119-60

Compare to the active ingredient in Metamucil[®] 3 in 1 MultiHealth Fiber![™]

FIBER CAPSULES

PSYLLIUM HUSK FIBER LAXATIVE

DIETARY SUPPLEMENT

- Helps maintain blood sugar levels as part of your diet**
- Helps lower cholesterol to promote heart health^{††}
- Promotes digestive health**
- Gluten free

OUR PHARMACISTS RECOMMEND

⁺⁺See back for information about soluble fiber and heart disease

**THESE STAEMENTS HAVE NOT BEEN EVALUATED BY FOOD AND DRUG ADMINSTRATION, THIS PRODUCT IS NOT INTEDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE

GLUTEN FREE (may contain trace amount less than 20 ppm). If you have specific dietary needs, you should dietary needs; you should consult your doctor before consuming this product)

DISTRIBUTED BY PUBLIX SUPER MARKET, INC.,


3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811

1-888-267-3037 publix.com

PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK.

*This product is not manufactured or distributed by Procter & Gamble, the distributor of Metamucil[®] 3 in1 MultiHealth Fiber![™].

| 0 | When used as a daily fiber supplement: Directions: Swallow 1 capsule at a time and take in an upright po well medicines work. Take this product at least 2 hours before or a New Users: Start with 1 serving per day; gradually increase to dee habits or minor bloating, as your body adjusts to increased fiber in | sition. Bulk-forming fibers like psyllium husk may affect how fter medicines. sired daily intake. You may initially experience changes in bowel take. | Supplement Facts Serving Size 5 Capsules Servings Per Container 32 Amount Per Serving % DV* |
|--|--|---|--|
| fibercapsules PSYLLIUM HUSK FIBER LAXATIVE DIETARY SUPPLEMENT | 등 Uses ##For lowering cholesterol to promote heart health. Diets low in | Directions (Adults 12 yrs and over) 5 capsules 4 times daily. Consult your doctor if you are | Calories 10 Total Carb. 2 g Dietary Fiber 2 g Soluble Fiber 2 g Toron 0.4 mg Potassium 25 mg |
| | For maintaining healthy blood sugar levels as part of your diet** For promoting and maintaining digestive health.** For occasional constipation and to help promote and maintain regularity. | 5 capsules 4 times daily. Consult your doctor before use if you are currently using medication to control your blood sugar levels. 2 to 5 capsules up to 4 times daily for fiber supplementation. For children under 12, consult a doctor. | *Percent Daily Values (%DV) are based on |
| Helps maintain healthy blood sugar levels as part of your diet** Helps lower cholesterol to promote heart health** Promotes digestive health** Gluten free Compare to the active incredient in Metamucd® | **THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FO THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE NOTICE: Take this product with at least 8 oz (a full glass) of liquid. Taki Do not take if you have difficulty swallowing. Allergy alert: This product may cause allergic reaction in people sensi Allergy alert: This product may cause allergic reaction in people sensi bowel habits persisting for 2 weeks, abdominal pain, nausea or vomiti STOP USING this dietary supplement and ask a doctor if constignation to | , OR PREVENT ANY DISEASE. | GLUTEN FREE (may contain trace amount less than 20 ppm). If you have specific dietary needs, you should consult your doctor before consuming this product. State interface and the state of the specific construct convoire envolves, leaders, etc. 2004 PREE Satisfaction Constraint State and the state of the state of the satisfaction of the state of the st |
| ingredient in Metamucil® 3 in 1 MultiHealth Fiber!" See back for information about soluble fiber and heart disease | These may be signs of a serious condition. This product has a low glycemic index, a measure of the effect of dieta | | EXP: |



| PUBLIX psyllium husk capsule | | | | | |
|--|------------------------------|---------------|---------------|---------|----------|
| Product Information | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (So | ource) | NDC:414 | 15-119 |
| Route of Administration | ORAL | | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |
| Ingre | dient Name | | Basis of St | rength | Strength |
| Psyllium Husk (UNII: 0SH0534070 | 6) (Psyllium Husk - UNII:0SH | lO53407G) | Psyllium Husk | | 0.52 g |

| nactive Ingre | edients | | | | | |
|--|---------------------|--|------------|---------------------|---------------------------------------|-----------------------|
| | | Ingredi | ient Na | me | | Strength |
| CARAMEL (UNII: TS | D99G2B1 | R) | | | | |
| GELATIN, UNSPEC | IFIED (UI | NII: 2G86QN327L | _) | | | |
| POLYSORBATE 80 |) (UNII: 6C | ZP39ZG8H) | | | | |
| | | | | | | |
| | | • • | | | | |
| Product Char | acteris | | | | | |
| Color | | BROWN | | Score | | no score |
| Shape | | CAPSULE | | Size | | 21mm |
| lavor | | | | Imprint Cod | e | RP119 |
| | | | | imprine cou | - | |
| Contains | | | | | - | |
| Contains | | | | | - | |
| Contains | | | | | | |
| Contains Packaging | | | | | - | |
| Packaging | | Package D | escript | | Marketing Start Date | Marketing End Date |
| Packaging t Item Code | 160 in 1 Product | - | - | ion | Marketing Start | |
| Packaging # Item Code NDC:41415-119- | | - | - | ion | Marketing Start Date | |
| Packaging # Item Code L NDC:41415-119- 60 | Product | BOTTLE; Type (| - | ion | Marketing Start Date | |
| Packaging tem Code NDC:41415-119- 60 Marketing | Product | BOTTLE; Type (|): Not a C | cion Combination | Marketing Start Date 05/21/2019 | Date |
| Packaging # Item Code NDC:41415-119- | Product | BOTTLE; Type (mation plication Nun |): Not a C | cion Combination | Marketing Start Date | Date |

Labeler - PUBLIX SUPER MARKETS, INC (006922009)

Revised: 11/2023

PUBLIX SUPER MARKETS, INC